

NBS PUBLICATIONS


NBSIR 83-1694

# HYDROGEN SULFIDE PROVISIONAL THERMOPHYSICAL PROPERTIES FROM 188 TO 700 K AT PRESSURES TO 75 MPa

Robert D. Goodwin

National Bureau of Standards U.S. Department of Commerce Boulder, Colorado 80303

October 1983





# HYDROGEN SULFIDE PROVISIONAL THERMOPHYSICAL PROPERTIES FROM 188 TO 700 K AT PRESSURES TO 75 MPa

Robert D. Goodwin

Chemical Engineering Science Division National Engineering Laboratory National Bureau of Standards U.S. Department of Commerce Boulder, Colorado 80303

October 1983





#### Contents

		Page
1.	Introduction	1
2.	Physical Properties	1
	2.1 Fixed-Point V-alues	1
	2.2 Melting Line and Vapor Pressures	2
	2.3 The Orthobaric Densities	2
	2.4 The Second Virial Coefficient	3
	2.5 The Equation of State	4
	2.6 The Ideal Gas Functions	7
	2.7 The Heats of Vaporization	7
	2.8 Saturated Liquid Enthalpies and Entropies	7
3.	Computational Methods	8
	3.1 The Homogeneous Domain	8
	3.2 The Saturated Liquid	9
	3.3 The Compressed Liquid	10
	3.4 Fugacity Coefficients	10
4.	Tests and Conclusions	10
5.	Tables of Physical and Thermodynamic Properties	12
	5.1 Calculated P-ρ-T Isocnores and Isotherms	12
	5.2 The Joule-Thomson Inversion Locus	12
	5.3 Properties of the Saturated Liquid	12
	5.4 Properties Along Selected Isobars	12
6.	Acknowledgments	13
7.	References	14
	ndix A. Fixed-Point Values for Hydrogen Sulfide	18
	ndix B. Symbols and Units	19
	ndix C. Coexistence Data of Kay and Rambosek [27]	20
	ndix D. Vapor Densities of Reamer, et al. [38]	21
	ndix E. P-p-T Data of Wright and Maass [49]	22
	ndix F. Computer Programs	23
	ndix C. Ideal Gas Functions by Haar, et al	44
мррс		
	List of Figures	1.0
1.	Density-temperature diagram of hydrogen sulfide	45
2.	P-T locus of P-p-T data of Reamer and of Lewis	46
3.	P-T locus of P-c-T data of Rau	47
4.	Specific heats, $C_v(T)$ at 20.34 mol/L	45
	List of Tables	
1.	Comparisons of vapor pressure data for $H_2S$	49
2.	Comparisons of saturated liquid density data for H2S	51
3.	Comparisons of saturated vapor density data for $H_2S$	52
4.	Coefficients of equation of state for hydrogen sulfide	53
5.	Calculated critical isotherm for hydrogen sulfide	54
6.	Comparisons for P-p-T data for hydrogen sulfide	5.5
7	Comparisons of ideal gas functions for hydrogen sulfide	00

# Contents (continued) List of Tables (continued)

		Page
8.	Interpolated ideal gas functions for hydrogen sulfide	67
9.	Comparison with H <sub>2</sub> S thermofunctions by Starling	68
10.	Calculated P(T) isochores of hydrogen sulfide	69
11.	Calculated P( $\rho$ ) isotherms of hydrogen sulfide	88
12.	The Joule-Thomson inversion locus for hydrogen sulfide	112
13.	Properties of saturated liquid hydrogen sulfide	113
14.	Properties of hydrogen sulfide along isobars	115

# HYDROGEN SULFIDE PROVISIONAL THERMOPHYSICAL PROPERTIES FROM 188 TO 700 K AT PRESSURES TO 75 MPa

Robert D. Goodwin

Chemical Engineering Science Division
National Engineering Laboratory
National Bureau of Standards
Boulder, Colorado 80303

Thermophysical properties of hydrogen sulfide are derived from physical properties data by using our nonanalytic equation of state, and are tabulated along isobars at integral temperatures. Results include vapor pressures, orthobaric densities, the second virial coefficient, the equation of state, the ideal gas state functions, compressibility factors, densities, derivatives of the P( $\rho$ ,T) surface, heats of vaporization, internal energies, enthalpies, entropies, specific heats, fugacity coefficients, speeds of sound, and the Joule-Thomson inversion. Thermofunctions by another author are compared with present results.

Key words: densities; enthalpies; entropies; equation of state; fugacities; heats of vaporization; hydrogen sulfide; isobars; isochores; isotherms; Joule-Thomson inversion; orthobaric densities; specific neats; speeds of sound; vapor pressures; virial equation.

#### 1. Introduction

Hydrogen sulfide ( $H_2S$ ) is a component of most fossil fuels. For thermodynamic properties computations, the present report uses the highly-constrained, nonanalytic equation of state to obtain a smooth and consistent  $P(\rho,T)$  surface using the  $P-\rho-T$  data of Reamer, et al. [38], Lewis and Fredericks [31], Rau and Mathia [36], and two preliminary isotherms communicated by Straty [43]. Ideal gas state functions are from Baehr, et al. [1].

Earlier compilations have been presented by West [48], and by Starling [42]. The work of Clarke and Glew [8] is especially valuable. A bibliography of references appears in the book by Howarth [26a].

For orientation, figure 1 presents an outline of the density-temperature phase diagram for  $\rm H_2S$ . Present fixed-point values are in Appendix A. Symbols and units are in Appendix B. Appendices C, D, E and G give some experimental data not used in the present report. The computer programs are in Appendix F.

#### 2. Physical Properties

#### 2.1 Fixed-Point Values

The values selected for the present work are listed in Appendix A.

- (a) The Triple Point. Our  $T_t=187.66~\rm K$  is based on the 1936 value of Giauque and Blue [17] which was 187.61 K based on (0°t = 273.10 K). In 1937, Kruis and Clusius [30] reported  $T_t=187.60~\rm K$ . Our vapor pressure, and orthobaric densities at the triple point are from eqs (2), (3), and (4) below.
- (b) The Boiling Point. The temperature is from vapor pressure eq (2) at a pressure, 1 atm = 0.101325 MPa. Giauque and Blue observed  $T_b$  = 212.77 K on

their T-scale, whereas the value from our formulation is  $T_b$  = 212.874 K. Liquid and vapor densities are from eqs (3) and (4) below.

- (c) The Critical Point. Cardoso purified his  $\rm H_2S$  sample with great care [4]. Cardoso and Arni [5] quote the critical temperature from earlier authors as  $\rm T_c$  = 373.55  $\pm$  0.1 K, and give their observations as  $\rm t_c$  = 100.40  $\pm$  0.1°C (or, they say, 373.4 K). We have adopted  $\rm T_c$  = 373.4 K. In this same paper [5] the critical pressure was 89.05  $\pm$  0.1 atm (90.23 bar), but in a report on vapor pressures Cardoso [6] gives  $\rm P_c$  = 88.90  $\pm$  0.1 atm, i.e., 90.08 bar. Our vapor pressure eq (2) uses data of Reamer, et al. [38] and yields 89.629 bar at  $\rm T_c$  = 373.40 K. Our critical density, 10.20 mol/L, was selected tediously by inspecting the rectilinear diameter from orthobaric densities data of Reamer, et al. [38], and the behavior of fitting functions, eqs (3) and (4).
- 2.2 Melting Line and Vapor Pressures
- (a) The Melting Line. No measurements have been found for the solid-liquid  $P_{\rm m}(T)$  relation of  $H_2S$ . In present work this is used only to establish a low-temperature limit for the isobar tabulations in table 14. Hence, we have used the reduced Simon equation.

$$P_{\rm pl} = P_{\rm t} + P_{\rm o} [(T/T_{\rm t})^{\rm n} - 1]$$
 (1)

with parameters for propane, n = 1.283,  $P_0 = 718$  MPa.

(b) The Vapor Pressures. Table 1 presents a comparison of selected data with the fitting function eq (2) below. Authors are identified by their ID's given at the top of the table. Excluded data appear at the bottom of this table. Our vapor-pressure equation is

$$ln[P_0 \cdot 10] = a/x + b + c \cdot x + d \cdot x^2 + e \cdot x^3 + f \cdot (1 - x)^p$$
 (2)

where x  $\equiv$  T/T<sub>c</sub> is the reduced temperature, pressure  $P_{\sigma}$  is in units of MPa, the exponent is p = 1.70, and

 $a = -8.023 \ 473 \ 844$   $d = 9.690 \ 908 \ 499$   $b = 16.731 \ 062 \ 287$   $e = -3.577 \ 167 \ 041$   $c = -10.325 \ 650 \ 140$   $f = 3.174 \ 310 \ 817$ 

The rms relative deviation for 54 selected data is 0.08 percent. The experimental residual in the last column of table 1 is  $\ln(P/P_t)/\ln(P_c/P_t) - (1 - T_t/T)/(1 - T_t/T_c)$ . DPS/DT is the slope, in units of MPa/K.

#### 2.3 The Orthobaric Densities

(a) Saturated Liquid Densities. Table 2 presents the comparisons of data with eq (3) below. Author ID's appear at the top of this table. Our liquid densities equation is

$$\rho_{\ell}/\rho_{c} - 1 = a \cdot u^{\beta} + b \cdot u + c \cdot u^{2} + d \cdot u^{3}$$
 (3)

where  $u = (1 - T/T_c)$ , exponent  $\beta = 0.35$ , and

$$a = 1.9063 9527$$
  $c = -0.5709 1447$   $d = 0.8356 0589$   $d = 0.7234 7653$ 

The rms relative deviation for 45 data is 0.033 percent. In table 2,  $DD'_{5}/DT$  is the slope, in units of (mol/L)/K.

(b) Saturated Vapor Densities. Table 3 compares data with eq (4) below. Among author identifications at the top of this table, data at ID = 9 are from our virial eq (5) below. Data at ID = 10 we derived from heats of vaporization: see section 2.4 below. Data at ID = 95 are computed via a selected rectilinear diameter [coefficient b in eq (3)] with liquid data from eq (3). Divergent data of Reamer, et al. [38] have been omitted (Appendix D). The fitting function is designed to yield  $Z_{\sigma}(T) \longrightarrow 1$  as  $\rho \longrightarrow 0$ . Let  $A_0 \equiv (Z_C - 1)$  and define the arguments

$$\pi(T) \equiv P_{\sigma}(T)/P_{c}$$
,  $x(T) \equiv T/T_{c}$ ,  $u(T) \equiv (1-x)$ .

The reduced vapor densities,  $\rho_q \equiv P_\sigma/[Z_\sigma \cdot R^* \cdot T]$ , then are given by

$$\mathcal{L}_{\sigma}(T) = 1 + A_{0} \cdot \pi \cdot x^{-2} \cdot f(x) ,$$

$$f(x) = 1 + [A_{1} \cdot u^{3} + A_{2} \cdot u^{a} + A_{3} \cdot u + A_{4} \cdot u^{2} + A_{5} \cdot u^{3}] \cdot XP ,$$

$$XP = \exp[b \cdot (x - 1)^{3}/x]$$
(4)

where  $\beta$  = 0.35, a = 0.70,  $\dot{b}$  = 2.0, and  $R^* \equiv R \cdot d_c$ , MPa/K

$$A_1 = -0.7525 7980$$
  $A_4 = 2.1729 6301$   $A_5 = -0.8654 8117$   $A_5 = -5.7660 7859$   $A_3 = 1.9754 8043$ 

The first coefficient in eq (4) is constrained (for symmetry) in terms of the first coefficient, a, for the liquid in eq (3),  $A_1 = a \cdot Z_c / (Z_c - 1)$ , by inspecting eq (4) at T very close to  $T_c$ . The rms relative deviation for 48 weighted data is 0.12 percent. In table 3, DDS/DT is the slope, in units of (mol/L)/K. Column F(L) gives the experimental residual,

$$F(\tilde{z}) \equiv [(z_{\text{expt}} - 1)/(z_{\text{c}} - 1)] \cdot x^{2}/\pi .$$

#### 2.4 The Second Virial Coefficient

Data at higher temperatures are available in the book by Dymond and Smith [13]. At and below the boiling point we derived values for the second virial coefficient, B(T), with heats of vaporization at the b.p. of clauque and Blue [17] and of Frank and Clusius [15] at 188.7 K, via the Clapeyron equation. Using  $V_{\rm C}=1.0/10.2$  L/mol, a plot of all data yields

$$B(T)/V_C = 1.75 - 3.0 \cdot (373/T)$$
, (5)

where B(T) is in units of L/mol. This was used to obtain some saturated vapor densities at low temperatures by way of the truncated virial equation of state,

$$Z(\rho,T) = 1 + B(T) \cdot d + \dots$$
 (5a)

where d is the density in mol/L.

# 2.5 The Equation of State

The present equation of state (EOS) is valuable for use with inaccurate P- $\rho$ -T data because it is constrained to the coexistence boundary; it yields a maximum in  $C_V(\rho,T)$  at the critical point; and it has only three least-squares coefficients. A general description was given by Goodwin [19]. The present form of the EOS is the same as was used recently for isobutane [22].

Figures 2 and 3 show the P-T regions covered by P-p-T data of Reamer, et al. [38], Lewis and Fredericks [31], and by Rao [36]. Two preliminary, high-temperature isotherms communicated by Straty [43] were used with Reamer's data for adjusting the EOS. The other data (including Reamer's near the C.P.) were ignored, but comparisons with the EOS also are presented in table 6. In this table, some calculated densities fall in the opposite liquid-vapor phase from the data, and so these deviations should be ignored.

Equation (6) is the outline of our EOS. For any density (isochore) the coexistence temperature,  $T_{\sigma}(\rho)$ , is obtained by iteration from eqs (3) or (4) for the orthobaric densities; hence the vapor pressure,  $P_{\sigma}[T_{\sigma}(\rho)]$ , is a function of density,

$$P - P_{\sigma}(\rho) = \rho R^* \cdot [T - T_{\sigma}(\rho)] + \rho^2 R^* T_{c} \cdot F(\rho, T) ,$$

$$F(\rho, T) \equiv B(\rho) \cdot \phi(\rho, T) + C(\rho) \cdot \psi(\rho, T) ,$$
(6)

where p is the reduced density.

The temperature-dependent functions in eq (6) are defined as follows, where  $x = T/T_C$  is the reduced temperature and  $x_\sigma = T_\sigma(\rho)/T_C$  is the reduced coexistence temperature.

$$\Phi(\rho,T) \equiv x^{\varepsilon} \cdot \exp[b \cdot (1 - T_{\sigma}(\rho)/T)] - x_{\sigma}^{\varepsilon}, \qquad (6a)$$

where  $\epsilon = 3/4$ ,  $b = (1 - \epsilon) + (1 - \epsilon)^{1/2} = 3/4$ , and

$$\Psi(\rho,T) = \psi(\rho,T)/\psi_{\sigma}(\rho) - 1 , \qquad (6b)$$

where  $\psi_{\sigma}(\rho)$  is obtained from  $\psi(\rho,T)$  merely by replacing T with  $T_{\sigma}(\rho)$ , and, for  $\psi(\rho,T)$  we use the argument,

$$\omega(\rho,T) = [1 - \theta(\rho)/T] , \qquad (6c)$$

where  $\theta(\rho)$  is a locus of temperatures inside the coexistence envelope,

$$\theta(\rho) = T_{\sigma}(\rho) \cdot \exp[-\alpha \cdot f(\rho)],$$

$$f(\rho) = |\rho - 1|^{3}/(\rho_{t} - 1)^{3},$$
(6d)

in which  $\rho_{f t}$  is the reduced density of liquid at the triple point. Then,

$$\psi(\rho,T) = 1 - (\omega - \omega^{\eta}/\eta)/(1 - 1/\eta)$$
 (6e)

Equations (6b, 6e) dictate behavior of the  $P(\rho,T)$  surface about the critical point (C.P.). We selected exponent value  $\eta=1.10$  because it cannot be established by fitting  $P-\rho-T$  data. Experimental data become inaccurate near the C.P., just where they are needed most to establish exponent  $\eta$  for the EOS.

The density-dependent coefficients in eq (6) are,

$$B(\rho) = B_1 + B_2 \cdot \rho^2 , \qquad (6f)$$

$$C(\rho) = C_1 \cdot (\rho - 1) \cdot (\rho - 2) \cdot \exp[-\gamma \cdot \rho^2] . \tag{6g}$$

We selected  $\gamma = 1/2$  for an inflection in  $\rho^2 \cdot C(\rho)$  at  $\rho = 1$ , see eq (6), to obtain symmetry about the C.P.

Parameters and coefficients of eq (6) for H2S thus are,

$$\alpha = 1$$
,  $\beta = 0.35$ ,  $\gamma = 1/2$ ,  $\epsilon = 3/4$ ,  $\eta = 1.1$   
 $B_1 = 0.3982\ 5678\ 673$   
 $C_1 = -0.3107\ 0871\ 113$   
 $C_2 = 0.1329\ 0189\ 038$ 

In fitting eq (6) to P- $\rho$ -T data by least squares, we constrained the slope of the critical isochore at the C.P. to equal the slope of vapor-pressure eq (2) at the C.P.,  $\partial P/\partial T = dP_0/dT = 0.152$  378 MPa/K. Table 4 gives behavior of the coefficients, and table 5 shows behavior of the calculated critical isotherm. PVT data deviations are in table 6.

Specific heats on the critical isotherm can be derived from our EOS at reduced densities near  $\rho$  = 1 via

$$\Delta C_{v} = -T \cdot \int (\partial^{2}P/\partial T^{2}) \cdot d\rho/\rho^{2} .$$

Isochore curvatures,  $\partial^2 P/\partial T^2$ , depend on  $L(\rho) \cdot \psi(\rho,T)$ ,

$$\psi(\rho,T) \equiv \psi(\rho,T)/\psi_{\sigma}(\rho) - 1 ,$$
 
$$\psi(\rho,T) \equiv 1 - (\omega - \omega^{1}/\eta)/(1 - 1/\eta) .$$
 (aa)

Differentiating  $\psi(\rho,T)$  twice vs. T via  $\omega(\rho,T)$ , dropping insensitive terms and factors,  $\partial \omega/\partial T$ ,  $\partial^2 \omega/\partial T^2$ , gives

$$a^2P/aT^2 \sim (\rho - 1) \cdot \omega^{\eta - 2}$$
 (a)

However,

$$\omega(\rho, T_c) \equiv 1 - \theta(\rho)/T_c$$
,

$$\theta(\rho) \equiv T_{\sigma}(\rho) \cdot \exp[-\alpha \cdot |\rho - 1|^3] . \qquad (c)$$

Now, let  $T_{\sigma}(\rho)$  be obtained from the usual formulation of orthobaric densities very near  $T_{\rm C}$  ,

$$\rho_{\sigma} = 1 + a \cdot [1 - T_{\sigma}(\rho)/T_{c}]^{1/3} , \qquad (d)$$

$$T_{\alpha}(\rho)/T_{c} = 1 - b \cdot |\rho - 1|^{3}$$
 (e)

Also at  $\rho$  near 1,

$$\exp \left[ -\alpha \cdot |\rho - 1|^{3} \right] = 1 - \alpha \cdot |\rho - 1|^{3} . \tag{f}$$

Thus from (b), (c), (e) and (f),

$$\theta(\rho)/T_c = 1 - c \cdot |\rho - 1|^3$$
 (9)

$$\omega(\rho,T_c) \sim \{\rho-1\}^3$$
 (h)

and, via (a),

$$(\partial^2 P / \partial T^2) \sim (\rho - 1) \cdot |\rho - 1|^{3 \cdot \eta - 6}$$
 (i)

along the critical isotherm near  $\rho = 1$ .

To obtain  $C_v(\rho,T_c)$  by integrating (i) vs.  $\rho$ , we have assumed that  $1/\psi_o(\rho)$  in (aa) will have negligible effect. It has the approximate form near  $\rho=1$ ,

$$1/\psi_{\sigma}(\rho) \sim 1 + \text{const.} \cdot |\rho - 1|^3$$
.

We find two limiting values for exponent  $\eta$ . If  $(3 \cdot \eta - 6) = -2$ , i.e.,  $\eta = 4/3$ , then,

$$C_v(\rho,T_c) \sim - \ln |\rho - 1|$$
, (j)

and if  $\eta > 4/3$ , the behavior of  $C_{\nu}$  is wrong. Then, if  $(3 \cdot \eta - 6) \longrightarrow -3$ , i.e.,  $\eta \longrightarrow 1.0^+$  ( $\eta = 1$  excluded), we would obtain for  $\eta = 1$ ,

$$C_{v}(\rho,T_{c}) \sim |\rho-1|^{-1}$$
 (k)

Hence the exponent is restricted to  $1 < \eta \le 4/3$ , and, for our value  $\eta = 1.10$ ,

$$C_{v}(\rho,T_{c}) \sim |\rho-1|^{-0.7}$$
, (1)

along the critical isotherm, and near  $\rho = 1$ .

In early work we used a logarithmic form

$$\psi(\rho,T) \sim 1 - \omega + \omega \cdot \hat{x} n(\omega) \tag{m}$$

to obtain nonanalytic behavior of the EOS. By methods analogous to the above, always along the critical isotherm, we find that (m) gives a logarithmically infinite rate of change of isochore slopes (aP/aT) vs.  $\rho$  at  $\rho=1$ . This is capable of producing an irregular critical isotherm,  $P(\rho)_{T_C}$ . The present formulation of  $\psi(\rho,T)$  with an exponent,  $\eta=1.1$ , yields a linear dependence of isochore slopes vs.  $\rho$  along the critical isotherm at  $\rho=1$ ,

$$(\partial P/\partial T)_{T_{C}} \sim a - b \cdot (\rho - 1)$$
, (n)

by disregarding integral powers of  $\rho$  in the EOS.

# 2.6 The Ideal Gas Functions

Spectroscopic specific heats and ideal gas state thermofunctions have been tabulated by Baehr, et al. [1], Stull and Prophet [44], and by Edmister [14]. We used data of Baehr and of Stull before receiving the Edmister report. Table 7 gives deviations from our fitting eq (7) below. Table headings for  $\mathbb{H}^0 - \mathbb{H}^0_0$ , etc. are given by  $\mathbb{H}Z$ - $\mathbb{H}ZZ$ , etc. Upon discovering differences between data of Baehr,  $\mathbb{H}Z = \mathbb{H}ZZ$ , and of Stull,  $\mathbb{H}Z = \mathbb{H}ZZ$ , we gave zero weights to the  $\mathbb{H}Z = \mathbb{H}ZZ$  data when fitting eq (7), by using  $\mathbb{H}Z = \mathbb{H}ZZ$ 

$$C_p^0/R - 4 = \exp(-\epsilon/x) \cdot \sum_{i=1}^6 A_i \cdot x^{2-i}$$
 (7)

where  $\varepsilon = 10.37$ , R = 8.3145 (J/mol)/K, and

 $A_1 = -0.1952 556$   $A_2 = 11.0377 525$   $A_3 = -74.8072 768$   $A_4 = 330.650 146$   $A_5 = -655.671 639$   $A_6 = 475.053 933$ 

Table 8 gives interpolated values at integral temperatures. After present work was completed, Dr. L. Haar kindly noted that he and coworkers computed ideal gas state functions [23a], and that the entropies differ significantly from those used here. For convenience in future work, these data are duplicated in Appendix G.

We have fit the Harmens' [25] version of Wilhoit's  $C_p^0(T)$  formula to the highly precise  $H_2S$  data of Baehr, et al. [1]; see table 7. By fitting to the  $C_p^0(T)$  data, the deviations were strongly systematic, to above 0.5 percent, with an rms relative deviation of 0.34 percent [as compared with 0.012 percent via our eq (7)]. By fitting to the  $(H^0 - H_0^0)$  data, the systematic deviations exceed 0.08 percent, rms = 0.055 percent [as compared with less than 0.01 percent via our eq (7)].

# 2.7 The Heats of Vaporization

We have used the Clapeyron equation to compute heats of vaporization,  $\mathbb{Q}_{\text{vap}},$  in J/mol,

$$Q_{vap} = 100 \cdot T \cdot (dP_{\sigma}/dT) \cdot (v_{g} - v_{\chi})$$
 (8)

where  $dP_{\sigma}/dT$  from eq (2) is in units of bar/K, and  $v_g = 1/d_g$ ,  $v_k = 1/d_k$ , in units of L/mol, are from eqs (3) and (4). Results are given in table 13.

# 2.8 Saturated Liquid Enthalpies and Entropies

These formulations save computer time when calculating compressed liquid thermofunctions at T < T $_{\rm C}$ . We computed 24 data along the saturated liquid boundary from T $_{\rm t}$  through T $_{\rm C}$  by using the ideal gas functions, the EOS, and the heats of vaporization. Each of the following fitting equations is constrained to the end-point values. We define the normalized argument, u(T)  $\equiv$  (T $_{\rm C}$  - T)/(T $_{\rm C}$  - T $_{\rm t}$ ), when these enthalpies H $_{\rm O}$  in J/Mol are given by

$$(H_{\sigma} - H_{c})/(H_{t} - H_{c}) = u + (u^{\beta} - u) \cdot [A_{1} + A_{2} \cdot u^{a} + sum],$$

$$sum = \sum_{i=3}^{7} A_{i} \cdot u^{i-2},$$
(9)

where  $\beta = 0.35$ , a = 0.70,  $H_t = 0.797$  J/mol,  $H_c = 17073.874$  J/mol, and

 $A_1 = 0.456 \ 446 \ 719$   $A_5 = 3.744 \ 016 \ 417$   $A_2 = 0.017 \ 191 \ 502$   $A_6 = -2.788 \ 695 \ 456$   $A_3 = 0.207 \ 055 \ 552$   $A_7 = 0.699 \ 929 \ 755$  $A_4 = -1.906 \ 453 \ 736$ 

For the 22 data at  $T_t$  < T <  $T_c$ , the rms relative deviation is 0.021 percent. The greatest absolute differences are about 2 J/mol at T = 370.0 and T = 372.0 K. These enthalpies appear in table 13 under heading H.

The entropies,  $S_{\sigma}$  in (J/mol)/K, have been formulated with a minimum of constants because the formula is used to obtain specific heats along the liquid boundary,  $C_{\sigma}(T) = T \cdot dS_{\sigma}/dT$ . The arguments are  $x(T) \equiv T/T_{C}$ ,  $u(T) \equiv (T_{C} - T_{C})/(T_{C} - T_{C})$ , and we use the constant  $k \equiv \ln(T_{C}/T_{C})$ , when,

$$(S_{\sigma} - S_{c})/(S_{t} - S_{c}) = u^{\beta} + A_{1} \cdot [kn(x)/k - u^{\beta}] + A_{2} \cdot [u^{2} - u^{\beta}],$$
 (10)

where  $\beta = 0.35$ ,  $S_{t} = 109.28667$ ,  $S_{c} = 167.26532$  (J/mol)/K, and

$$A_1 = 0.412\ 265\ 764$$
  $A_2 = 0.212\ 761\ 017$ 

For the 22 entropies, obtained as described above at  $T_t$  < T <  $T_c$ , the rms relative deviation is 0.072 percent. The greatest absolute deviations are about 0.1 (J/mol)/K.

The saturated liquid specific heats,  $C_{\sigma}(T)$  in (J/mol)/K, obtained from eq (10), use  $S_n \equiv S_t - S_c$ ,  $A_3 \equiv 1 - A_1 - A_2$ , and

$$sum = 2 \cdot A_2 \cdot u + A_3 \cdot \beta \cdot u^{\beta - 1} , \qquad (11)$$

when,

$$C_{\sigma}(T) = S_{n} \cdot [A_{1}/k + x \cdot sum \cdot (du/dx)], \qquad (12)$$

where (du/dx)  $\equiv$  -T<sub>c</sub>/(T<sub>c</sub> - T<sub>t</sub>). Results for S<sub>g</sub>(T) are given in table 13 under heading S, and for C<sub>g</sub>(T) under heading CS.

# 3. Computational Methods

The numerical values for E and H in this report are based on the assigned value, E = 0 at the liquid triple-point, obtained by use of the arbitrary value,  $E_0^0 = 13400.138 \text{ J/mol.}$  Specific heats of Giauque and Blue [17] could be integrated to give the solid at T = 0 as reference state.

# 3.1 The Homogeneous Domain

The homogeneous domain of figure 1 includes all regions which can be attained along isotherms starting at zero density without crossing the

vapor-liquid "dome," and without passing very close to the critical point at T > T $_{\rm C}$ .

Computations start with ideal gas thermodynamic functions at zero density, and then continue by integrating numerically along isotherms by using the equation of state in the following relations,

$$\Delta E = \int [P - T \cdot (\partial P/\partial T)] \cdot d\rho/\rho^2 , \qquad (13)$$

$$\Delta C_{v} = -T \cdot \int (\partial^{2} P / \partial T^{2}) \cdot d\rho / \rho^{2} , \qquad (14)$$

$$\Delta S = R \ln[P^{0}/(\rho RT)] + \int_{0}^{\rho} [R - (\partial P/\partial T)/\rho] \cdot d\rho/\rho .$$
 (15)

Equation (15) is for use with initial entropies in hypothetical ideal gas states at  $P^0=1$  atm (0.101325 MPa). For all other initial states,

$$\Delta S = -\int (\partial P/\partial T) \cdot d\rho/\rho^2 . \qquad (15a)$$

In each  $(\rho,T)$  state, reached by above integrations, the following are computed,

$$H = E + P \cdot v , \qquad (16)$$

$$c_{p} = c_{v} + T \cdot (\partial P/\partial T)^{2} / [(\partial P/\partial T) \cdot \rho^{2}] , \qquad (17)$$

$$W^2 = C_p \cdot (\partial P / \partial \rho) / C_v . \tag{18}$$

# 3.2 The Saturated Liquid

At temperatures from the triple point to the critical point, thermofunctions for the saturated vapor are obtained via eqs (13) through (16). Then eq (8) for the heat of vaporization,  $Q_{vap}$ , is used to compute

$$\Delta H = -Q$$
 ,  $\Delta S = \Delta H/T$  , (19)

such that the free energy of vaporization,  $\Delta G \equiv \Delta H - T \cdot \Delta S$ , is zero. See section 2.8 for consistency of the formulations. Having obtained H and S for the saturated liquid, E = H - P · v is computed.

The single-phase specific heat,  $C_v(\rho,T)$ , at the saturated liquid boundary, is obtained from eq (10) using  $C_\sigma(T) = T \cdot dS_\sigma/dT$  and the thermodynamic relation,

$$C_{v}(\rho,T) = C_{\sigma}(T) + T \cdot (\partial P/\partial T) \cdot (d\rho_{k}/dT)/\rho_{k}^{2}, \qquad (20)$$

where  $\rho_{\hat{k}}$  is density of the saturated liquid. Values for  $C_p(\rho,T)$  and  $U(\rho,T)$  on this boundary follow from eqs (17) and (18). For liquid H<sub>2</sub>S at the normal boiling point, the following values have been obtained,

$$T_b = 212.874 \text{ K},$$
  $H_b = 1094.3 \text{ J/mol},$   $E_b = 1690.3 \text{ J/mol},$   $S_b = 117.371 \text{ J/mol}) \text{ K}.$ 

# 3.3 The Compressed Liquid

Starting with above values for E, S, and  $C_{\rm V}$  on the saturated liquid boundary, eqs (13), (14), and (15a) are used to integrate along isotherms, and then H,  $C_{\rm D}$ , and W are obtained via eqs (16), (17), and (18).

# 3.4 Fugacity Coefficients

The fugacity coefficients in table 14 were computed along isotherms relative to properties in hypothetical ideal gas states at a pressure,  $P^0 = 1$  atm (0.101325 MPa),

$$(f/P) = (P^{O}/P) \cdot \exp \left[ \angle G/RT \right] . \tag{21}$$

For any (P,T) point, the isothermal free energy change is

$$\angle C = (H - E_0^0) - H^0 - T \cdot (S - S^0)$$
, (22)

in which the arbitrary value of  $E_0^0$  was added to tabulated values of H(P,T) such that E(P,T)=0 for liquid at the triple point.

#### 4. Tests and Conclusions

Vapor pressures of  $H_2S$  at T > 325 K here are based only on data of Reamer, et al. [38], with no independent data for comparison. Saturated liquid densities of Reamer, et al. at T > 325 K become smaller than our fitting function by up to 2 percent. (Similarly, their vapor densities (not used nere) are greater than from our fitting function by several percent.) The liquid densities of Baxter, et al. [2] we concluded to be wrong, and then found that Clarke and Clew [8] had reached this same conclusion. The critical density of H2S is not known accurately. Data for vapor pressures and orthobaric densities measured by Kay and Rambosek [27] were discovered after the present work was completed. Their critical constants were  $T_c = 373.07 \pm .06 \text{ K}$ ,  $P_c = 8.9432 \text{ MPa}$ , d<sub>c</sub> = 10.167 mol/L. In Appendix C the data are compared with our results from eqs (2), (3), and (4). Their vapor pressures are slightly higher than ours (based on Reamer, et al.). Their orthobaric densities, however, giverge from ours at higher temperatures in the same sense as those of keamer, et al.: liquid densities are lower, and vapor densities are higher. The critical temperature in [27] is lower than ours (373.40 K). Small changes in the assigned critical temperature have an enormous effect on the "fit" of orthobaric densities data near Ic. The above experimental orthobaric densities deviations suggest that  $T_{
m C}$  should be lower than used here. This simplistic conclusion, however, is not necessarily correct, in view of gravitational effects in the experiments, because the compressibility, ac/aP, becomes infinite approaching the C.P. This problem has been addressed by Weinberger, et al. [47a], ⊎lybin, et al. [46a], and by Moldover, et al. [32a], in no case reaching a definitive method to adjust the experimental observations.

Some vapor and liquid densities of Reamer, et al. [38], not used here, are given in Appendix D.

The obscure "apparent molecular weights," M, of Wright and Maass  $\lfloor 49 \rfloor$  we finally deduced yield densities  $\rho$ , in mol/L, via

where  $\rm M_{0}$  = 34.08 is the correct m.w., and we used their gas constant,  $\rm R^{2}$  = 0.08206 (L·ath/mol)/K. Results are tabulated in Appendix E. It is improbable that these data would significantly affect the EOS developed here.

Compressibility data in table 6 apparently are not of the accuracy and precision usually needed to establish a valid EGS. Also, no data have been found from the triple-point, 188 K, up to 278 K. With the present type of EGS, however, our greatest problem for  $\rm H_2S$  has been to derive credible specific heats on the liquid boundary (see below).

Our derived heat of vaporization at the normal boiling point (nbp) is  $18.679~\rm kJ/mol$  as compared with  $18.673~\pm~0.02~\rm kJ/mol$  measured by Giauque and Blue (C/B) [17]. Our derived saturated liquid specific heat,  $C_0(T)$ , at the nbp is  $68.77~\rm (J/mol)/K$  as compared with  $68.3~\rm (J/mol)/K$  observed by G/B.

A comparison with thermofunctions derived by Starling  $\lfloor 42 \rfloor$  is presented in table 9 along seven isotherms from 255 through 478 K at pressures through 20 MPa. The nearly constant enthalpy differences arise because we believe that Starling adjusted his ideal gas state enthalpics by the heat of formation of  $H_2S$  from the elements at standard conditions. The nearly constant entropy differences may be due to different ideal gas state values used. Thus we conclude that our results are consistent with those of Starling.

The single-phase specific neats at the liquid boundary,  $C_V(\rho,T)_\sigma$ , are derived here for  $H_2S$  via eq (20), which is a difference of two terms because  $(d\rho_\chi/dT)$  is negative. Values for  $C_V(\rho,T)_\sigma$  under heading  $\underline{CV}$  in table 14 diminish uniformly from the triple point temperature up to 350 K, above which they increase snarply, as needed for consistency with an infinity in  $C_V(\rho,T)$  approaching the C.P. Our extensive efforts to modify this behavior have been fruitless.

For ethane [20], nitrogen trifluoride [23], and for ethylene [47],  $\mathrm{C_V(p,T)_0}$  at first decreases vs. T, and then increases, in each case with a minimum near  $(\mathrm{T_t}+\mathrm{T_c})/2$ . For carbon monoxide [21], however, we encountered the same general behavior as found here for  $\mathrm{H_25}$ .

Values for  $C_p(\rho,T)$  in the compressed liquid depend directly on the derived  $C_v(T)_\sigma$  along the liquid boundary, due to the method of computation. A consistency check along isobars can be made via  $C_p=(\partial H/\partial T)_p$ . For isobar P=8.0 MPa in table 14, from T=340 to 350 K,  $\Delta H/\Delta T=91.31$  (J/mol)/K, and the average specific heat is  $C_p=91.73$  (J/mol)/K, in good agreement. Also in this interval,  $\Delta H=913$  J/mol, and  $T^*\Delta S=908$  J/mol, which agreement is good considering the large (10 K) interval at T not far below  $T_C$ .

Dr. L. Haar has suggested a closed loop consistency test. On figure 1, compute along the 330 K isotherm from  $\rho=0$  up to the liquid coexistence boundary at  $\rho=0.34$  mol/L. Then compute along this isochore up to 415 K (00 MPa). Then compute along the 415 K isotherm down to  $\rho=0$ . Finally, at  $\rho=0$ , compute from 415 K down to the starting point at T = 330 K. The only computation not already done is along the isochore at 20.34 mol/L from 330 to 415 K, and this

involves derived specific heats  $C_{\nu}(T)$  along this path, which data are well known to be difficult to derive with good accuracy.

Figure 4 is a plot of these isochoric specific heats, estimated from our table 14. As this curve is not easily represented by a polynomial, we have summed the trapezoidal areas between adjacent points to compute AE and AS from 330 to 415 K, and then have compared these results with changes obtained from table 14:

	ΔE, J/mol	$\Delta S$ , $J/mo1/K$
Integration of $C_{V}(T)$	3141	8.40
Estimated from table 14	3246	8.63

The differences of only about three percent probably are within uncertainty of the numerical integration, and thus confirm the thermodynamic consistency of the present work.

Experimental determinations of specific heats  $C_\sigma(T)$  for the saturated liquid, and of  $C_V(\rho,T)$  for the compressed liquid are needed to obtain any higher accuracy, because the computation of these specific neats from only a  $P(\rho,T)$  surface is notoriously difficult, involving first and second derivatives and differences; and the need for very accurate saturated vapor densities (which usually are not available).

#### 5. Tables of Physical and Thermodynamic Properties

#### 5.1 Calculated P-p-T Isochores and Isotherms

Tables 10 and 11 give a selection of isochores and isotherms computed by equation of state (6). These are essential to examine behavior of the  $P(\rho,T)$  surface. They are a useful supplement to the isobars of table 14 for interpolating  $P-\rho-T$  values and their derivatives.

The tables of isochores show that the isochore curvatures are qualitatively consistent with a maximum in the specific heat  $U_V(\rho, T)$  at the critical point. The isotherm tables show that  $\partial P/\partial \rho$  is nonnegative and that pressure increases monotonically with density along isotherms.

#### 5.2 The Joule-Thomson Inversion Locus

Table 12 gives the P- $\rho$ -T locus of the JT inversion,  $(\partial T/\partial P)_H = 0$ , obtained from equation of state (6) under the condition,  $T \cdot (\partial P/\partial T) = \rho \cdot (\partial P/\partial \rho)$ . This table has been computed to temperatures well above those of P- $\rho$ -T data, to show approach to a maximum in P-T coordinates.

# 5.3 Properties of the Saturated Liquid

Table 13 gives physical and thermodynamic properties of the saturated liquid computed by methods of section 3. (Properties of the saturated vapor can be obtained from Table 14 from values given at the coexistence boundary for each isobar.)

#### 5.4 Properties Along Selected Isobars

Table 14 gives physical and thermodynamic properties on isobars, computed by methods of section 3. These tables include values beyond the range of the data used for adjusting the equation of state. Small discontinuities may be detected

at  $T_C = 373.40$  K along isobars at P >  $P_C = 0.965$  MPa due to a change in the paths of computation (section 3).

The first line of each table refers to freezing liquid on the P(T) melting line. Each table at  $P < P_C$  contains a blank line for the transition from saturated liquid to vapor, as seen by the abrupt decrease of density.

# 6. Acknowledgments

Many staff members of the Chemical Engineering Science Division of the National Bureau of Standards (NBS) have contributed valuable suggestions, references, and documents. kobert D. McCarty contributed the essential least-squares program, providing for constraints. James F. Ely indicated the new numerical integration procedure, and the simple method for obtaining fugacities. Neil A. Olien and Jo Mendenhall have been of invaluable assistance in supplying references and in procuring documents. Karen A. Bowie deserves special appreciation for preparing the manuscript for publication. We express grateful appreciation for support of this work by the Cas Research Institute and the technical coordination provided by Dr. Frank Little.

#### 7. References

- baehr, H. D.; Hartmann, H.; Ponl, H.-C.; Schomacker, H., ed. Thermodynamische funktionen idealer gase für temperaturen bis 6000°K, in Thermodynamische eigenschaften der gase und flussigkeiten, Vol. 2. New York, NY: Springer-Verlag, Berlin, Heidelberg; 1968. 64.
- E21 Baxter, J. P.; Burrage, L. J.; Tanner, C. C. The density of liquid hydrogen sulfide. J. Soc. Chem. Ind. (London) 53: 410T; 1934 December.
- Burns, H. A. Calculation of the second virial coefficient for dipolar and quadrupolar polyatomic gases. Ames Lab. (ERDA, DoE), Iowa; 1976 January. 88 p.
- [4] Cardoso, E. Contribution a l'etude du point critique. J. Chim. Phys. 10: 470-497; 1912.
- [5] Cardoso, E.; Arni, E. Constantes critiques de l'etnyelen, au protoxyde d'azote et de l'hydrogene sulfure. J. Chim. Phys. 10: 504-508; 1912.
- [6] Cardoso, E. Sulle tensioni di vapore dell'idrogeno sulforato. Gazz. Cnim. Ital. 51; 153-164; 1921.
- [7] Cheung, H.; Zander, E. H. (H<sub>2</sub>S-hydrocarbon mixtures.) Chem. Eng. Progr. Symp. Ser. 64(88): 34; 1968.
- [8] Clarke, E. C. W.; Glew, D. N. Deuterium and hydrogen sulfides: vapor pressures, molar volumes, and thermodynamic properties. Can. J. Chem. 48(5): 764-775; 1970.
- [9] Clusius, K.; Frank, A. Freie arehbarkeit und entropie aes schwefelwasserstoffs. Naturwissenschaften 24(4): 62; 1936.
- [10] Clusius, K.; Frank, A. Molwarme, entropie und chemische konstante des schwefelwasserstoffs, Z. Phys. Chem. B34: 420-431; 1936.
- L11] Cross, P. C. Thermodynamic properties of sulfur compounds. I. Hydrogen sulfide, diatomic sulfur and the dissociation of hydrogen sulfide. J. Chem. Phys. 3(3): 168-169; 1935 March.
- L12 Dyordjevic, B. D.; Mihaylov, A. N.; Grozdanic, D. K.; Tasic, A. Z.; Horvath, A. L. Applicability of the Reditch-Kwong equation of state and its modifications to polar gases. Chem. Eng. Science 32(9): 1103; 1977.
- [13] Dymond, J. H.; Smith, E. B. The virial coefficients of pure gases and mixtures. Fairlawn, N.J.: Oxford Univ. Press; 1979.
- [14] Edmister, W. C. Applied hydrocarbon thermodynamics. Part 31: Ideal gas state properties. Hydrocarbon Processing 46(8): 119-123; 1967.
- Frank, A.; Clusius, K. Prazisionsmessungen der verdamptungswarme der gase  $0_2$ ,  $H_2S$ ,  $PH_3$ , A, COS,  $CH_4$  und  $CH_3D$ . Z. Phys. Chem. (Leipzig) B42: 395-421; 1939.
- [16] Gellai, B.; Jancso, G. Interpretation of the vapor pressure isotope effect of H<sub>2</sub>S/D<sub>2</sub>S. Ber. Bunsenges Phys. Chem. 75(2): 156; 1971.
- [17] Giauque, W. F.; Blue, R. W. Hydrogen sulfine. The heat capacity and vapor pressure of solid and liquid. The heat of vaporization. A comparison of thermodynamic and spectroscopic values of the entropy. J. Am. Chem. Soc. 58: 831-837; 1936, May.

- L18] uilliland, E. R.; Scheeline, H. W. High-pressure vapor-liquid equilibrium: For the systems propylene-isobutane and propane-hydrogen sulfide. Ind. Eng. Chem. 32(1): 48-54; 1940.
- propane, in Equations of state in engineering and research (Advances in Chemistry Series No. 182). K. C. Chao and R. L. Robinson, eds. Washington, DC: Am. Chem. Society: 1979.
- [20] Goodwin, R. D. Thermophysical properties of ethane, from 90 to 600 K at pressures to 700 bar. Nat. Bur. Stand. (U.S.) Tech. Note 684; 1976 August.
- Goodwin, R. D. Carbon monoxide thermophysical properties from 68 to 1000 K at pressures to 100 MPa. Submitted to J. Chem. Phys. Ref. Data.
- [22] Goodwin, R. D.; Haynes, W. M. Thermophysical properties of isobutane from 114 to 700 K at pressures to 70 MPa. Nat. Bur. Stand. (U.S.) Tech. Note 1051; 1982 January.
- [23] Goodwin, R. D.; Weber, L. A. Thermophysical properties of nitrogen trifluoride from 66 to 500 k at pressures to 500 bar. Nat. Bur. Stand. (U.S.)

  NBSIR 80-1632; 1980 July.
- [23a] Haar, L.; Bradley, J. C.; Friedman, A. S. Ideal gas thermodynamic functions of the isotopic hydrogen sulfides, J. Res. Nat. Bur. Stand. (U.S.) 55(5): 285-290; 1955 November.
- L24] Hayyenmacher, J. E. (Vapor densities of H<sub>2</sub>S.) J. Am. Chem. Soc. 68: 1123; 1946.
- proceedings of the N.P.L. conference chemical and thermodynamic properties. and their mixtures: their estimation, correlation and use; 1979.
- Behavior of hydrogen sulfide. J. Phys. Chem. 73(11): 3760-3703; 1969
  November.
- L26a, Howarth, A. L., <u>Physical Properties of Enorganic Compounds</u>, Edward Arnold, London, 1975.
- Kay, W. B.; Rambosek, G. M. Liquid-vapor equilibrium relacions in binary systems. Propane-hydrogen sulfide system. Ind. Eng. Chem. 45(1): 221, 1955.
- Knoury, F.; Robinson, D. B. Second virial coefficients and intermolecular force constants of one ethane-hydrogen sulfide system. J. Chem. Phys. 55(2): 834-839; 1971 July.
- Klemenc, Von A.; Bankowski, G. Die eigenschaften fluchtiger hydride. II. Gewinnung von reihem schwetelwasserstoff, tensionen und dichten. Z. Ahory. Allgem. Chemie 208: 348-366; 1932.
- [30] Kruis, A.; Clusius, K. Z. Elektrochem. 43: 664; 1937.
- nyarogen sultime. J. Chem. Eng. Data 13(4): 482-485; 1903 October.
- Kongensierten phasen. Ber. der beutsche bunsen-deselischaft poloj: 395;

- [32a] Moldover, M. R.; Sengers, J. V.; Gammon, R. V.; Hocken, R. J. Gravity effects in fluids near the gas-liquid critical point. Rev. Modern Phys. 51(1): 79-99; 1979.
- [33] Murphy, G. M. The temperature variation of some thermodynamic quantities. J. Cnem. Phys. 5: 637-641; 1937 August.
- [34] Pandey, H. C.; Bhatt, T.; Pandey, J. D. Acoustical parameters of liquid  ${\rm H_2S}$ , CO, HCN,  ${\rm C_2N_2}$  and  ${\rm POCk_3}$  in relation to significant structure theory. Acoustica 35(4): 274; 1976 July.
- [35] Pickering, S. F. A review of the critical constants of various gases. J. Pnys. Chem. 28: 97-124; 1924. See also Nat. Bur. Stand. Sci. paper 541: 597; 1926.
- [36] Rau, H.; Mathia, W. Equation of state for yaseous H<sub>2</sub>S. Ber. Bunsenges Pnys. Chem. 86: 108-109; 1982.
- [37] Rao, R. V. G.; Swamy, K. N. Velocity of sound and significant structure theory of liquids. Z. Phys. Chemie (Leipzig) 255(2): 237; 1974.
- [38] Reamer, H. H.; Sage, B. H.; Lacey, W. m. Volumetric behavior of hydrogen sulfide. Ind. Eng. Chem. 42(1): 140-143; 1950 January.
- [39] Simonet, R.; Behar, E. A modified Kedlich-Kwong equation of state for accurately representing pure components data. Chem. Eng. Sci. 31: 37; 1976.
- [40] Smyth, C. P.; Hitchcock, C. S. The dielectric constants and transitions of solid ammonia, hydrogen sulfide and methylalcohol. J. Am. Chem. Soc. 56(5): 1084-1087; 1934 May.
- [41] Spencer, H. M. Empirical neat capacity equations for various gases. J. Am. Chem. Soc. 67: 1859; 1945 October.
- L42」 Starling, K. E. Fluid thermodynamic properties for light petroleum systems.
  Houston, TX: Gulf Publishing Co.; 1973.
- [43] Straty, G. C. Personal communication of preliminary, P-p-1 isotherms for  $H_2S$ ; 1983 March.
- L44」 Stull, D. R.; Prophet, H. Hydrogen sulfide (ideal gas), in JANAF thermochemical tables, second ed. Nat. Bur. Stand. (U.S.) NSRDS-NBS-37; 1971 June. See also McBride, B. J.; Heimel, S.; Ehlers, J. G.; Gordon, S. NASA Report SP-3001; 1963.
- [45] Swamy, K. N.; Rao, R. V. G. The thermodynamics of liquid hydrogen sulfide and carbon monoxide and significant structure theory. Z. Phys. Chemie Neue Folge 71(4-6): 218; 1970 October.
- L46] Tiwari, K. K.; Robinson, D. B. Volumetric behavior of the ethane-nydrogen sulfide system. Can. J. Chem. Eng. 49(5): 637; 1971 October.
- L46al Ulypin, S. A.; Malyshenko. The influence of the gravitational effect on the density of substances near the critical point. Advances in thermophysical properties of extreme temperatures and pressures, Third Symposium. New York, NY: Am. Soc. Mech. Engrs.; 1965 March 22.
- L47] Weber, L. A.; Measurements of the specific neat,  $t_V$ , of ethylene. J. Chem. Eng. Data 27(2): 203-207; 1982.

- 47a] Weinberger, M. A.; Schneider, W. G. On the Liquid-vapor coexistence curve of xenon in the region of the critical temperature. Can. J. Chem. 30: 422-437, 647-859; 1952.
- 48] West, J. R. Thermodynamic properties of hydrogen sulfide. Chem. Eng. Prog. 44(4): 287-292; 1948 April.
- 49 Wright, R. H.; Maass, O. The vapor density of hydrogen sulfide. Can. J. Res. 5B: 442; 1931.

Appendix A. Fixed-Point Values for Hydrogen Sulfide

	Triple Point	Boiling Point	<u>Critical Point</u>
Temperature, K	187.66	212.874	373.40
Pressure, MPa	0.02320	0.101325	8.96291
Density, wol/L			
Vapor	0.01496	0.05043	10.2
Liquid	29.136	27.845	10.2

```
Appendix B. Symbols and Units
Subscripts \underline{c} and \underline{t} refer to critical and liquid triple points
Subscripts g and \ell refer to saturated vapor and liquid
Subscript o refers to liquid-vapor coexistence
Superscript o refers to ideal gas states
                      exponents in various equations
α,β,γ,ε,η,ρ
B(T)
                      second virial coefficient, L/mol
B(\rho), C(\rho)
                      coefficients in the EOS
                      isochoric specific heat, J/mol/K
C_{\nu}(\rho,T)
                      isobaric specific heat, J/mol/K
C_{p}(\rho,T)
                      saturated liquid specific neat, J/mol/K
C_{\sigma}(T)
                      density, mol/L
                      internal energy, J/mol
E(\rho,T)
E 0 = H0
                      13 400.138 J/mol (arbitrary)
f/P
                      fugacity/pressure ratio
                      defined function for the EOS
F(\rho,T)
                      Gibbs free energy, J/mol
C(\rho,T)
H(\rho,T)
                      enthalpy, J/mol
H<sub>o</sub>
                      enthalpy for ideal gas state at T = 0
                      joule, 1 N·m
J
                      liter, 10^{-3} m<sup>3</sup>
L
                      34.08 grams of H<sub>2</sub>S
mol
                      pressure in MPa (1 MPa = 10^6 N/m<sup>2</sup>), (1 bar = 10^5 N/m<sup>2</sup>),
                      1 \text{ atm} = 0.101325 \text{ MPa} = 1.01325 \text{ bar}
                      melting pressure, MPa
P_{m}(T)
                      vapor pressure, MPa
P_{\sigma}(T)
                      P_{\sigma}[T_{\sigma}(\rho)], vapor pressure as function of density, MPa
P_{\sigma}(\rho)
                      P_{\sigma}(T)/P_{c}, reduced vapor pressure
I(T)
                      function in the EOS
φ(ρ,T)
                      function in the EOS
Ψ(ρ,T)
                      All van, heat of vaporization, J/mol
Q<sub>vap</sub>
                      gas constant, 8.3145 (J/mol)/K, 0.0083145 (MPa·L/mol)/K
R
R*
                      (0.0083145) d<sub>c</sub>, MPa/K
                      d/dc, reduced density
                      entropy, (J/mol)/K
S(\rho,T)
                       temperature, K
T
                      liquid-vapor coexistence temperature, K
T_{\sigma}(\rho)
                      defined locus of temperatures, K
e (p)
                      defined in various equations
u(T)
                       1/d, molal volume, L/mol
٧
                       [1 - \theta(\rho)/T], for the EOS
\omega(\rho,T)
                       speed of sound, m/s
u(\rho,T)
                      T/T<sub>c</sub>, reduced temperature
x(T)
                      T_{\sigma}(\rho)/T_{c}, reduced coexistence temperature
x_{\alpha}(\rho)
                       the "compressibility factor"
```

 $L(P,\rho,T)$ 

Appendix C. Coexistence Data of Kay and Rambosek

# HYDROGEN SULFIDE COEXISTENCE DATA OF KAY/RAMBOSEK, VS. ROG (CALC)

T	PR	ESSURE,	MPA	LI	QDEN, MO	L/L	GA	SDEN, MO	DL/L
K	DATA	CALC	PCNT	DATA	CALC	PCNT	DATA	CALC	PCNT
272.039	1.0032	.9991	.41	24.977	24.552	1.73	0.0000	0.0000	0.00
277.594	1.1728	1.1735	06	24.573	24.207	1.51	0.0000	0.0000	0.00
283.150	1.3707	1.3693	.10	24.159	23.853	1.28	0.0000	0.0000	0.00
283.706	1.5865	1.5879	09	23.727	23.489	1.01	0.0000	0.0000	0.00
294.261	1.8265	1.8308	13	23.290	23.113	.77	0.0000	0.0000	0.00
299.817	2.0974	2.0995	10	22.843	22.723	•53	0.0000	0.0000	0.00
305.372	2.3945	2.3956	04	22.383	22.319	.28	0.0000	0.0000	0.00
310.928	2.7207	2.7206	.00	21.927	21.898	•13	1.3631	1.3582	•36
316.483	3.0785	3.0762	.08	21.443	21.457	07	1.5605	1.5461	. 93
322.039	3.4681	3.4640	.12	20.963	20.993	14	1.7720	1.7570	.85
327.594	3.8928	3.8858	.18	20.441	20.501	29	2.0305	1.9948	1.79
333.150	4.3547	4.3434	.26	19.891	19.977	43	2.3078	2.2645	1.91
338.706	4.8504	4.8389	.24	19.295	19.413	61	2.6321	2.5737	2.27
344.261	5.3889	5.3743	.27	18.660	18.797	73	3.0082	2.9331	2.56
349.817	5.9681	5.9521	.27	17.955	18.112	87	3.4594	3.3602	2.95
355.372	6.5941	6.5752	.29	17.179	17.331	87	4.0328	3.8846	3.82
360.928	7.2712	7.2470	.33	16.258	16.396	84	4.7473	4.5647	4.00
366.483	8.0013	7.9723	•36	15.041	15.170	85	5.7484	5.5460	3.65
372.039	8.7901	8.7588	.36	12.526	12.956	-3.32	7.9904	7.5394	5.98
373.094	8.9432	8.9166	.30	10.120	11.823-	14.40	10.1666	8.6225	17.91

Appendix D. Vapor Densities of Reamer, et al. [38]
(Not used in table 3)

Temperature,	<u>K</u>	<u>D</u>	ensity,	mol/L
282.706			0.692	2
298.150			1.035	5
311.539			1.394	1
323.150			1.773	9
331.483			2.182	.4
338.761			2.626	0
345.428			3.122	15
352.039			3.690	9
358.094			4.370	6
363.539			5.217	7
368.706			6.425	54
373.150			9.563	33
373.539			10.235	4
Liquid	densities	not ir	n table 2	2
368.706			14.201	
373.150			10.566	
373.539			10.235	5

Appendix Ε. P-ρ-T Data of Wright and Maass.

T,K	P, MPA	MOL/L
320.15	.424898	•153928
320.15	.363170	.139592
320.15	.325573	.124782
320.15	.245646	.094070
320.15	.245713	.093587
320.15	.153054	.058121
327.15		.045530
320.25	.098099	.037078
320.25	.095805	.035212
320.25	.050009	•018852
320.25	.050503	.019022
29R.15	.42463?	.177019
298.15	.375835	.155143
298.15	.309441	.127936
298.15	.257045	.105757
298.15	.233581	.095909
298.15	.189051	.077334
	140700	
298.15	.140788	•057375
298.55	•10005B	.040539
29P.25	.099085	.040308
298.55	.099099	.040226
298.25	.098699	.040115
298.55	.065701	.026599
298.55	.056954	.027138
298.65	.035157	.014204
298.65	.034717	.014022
		•014022 •171975
273.25	.375302	
273.25	.375169	•17165P
273.25	.317397	.144291
273.15	.275577	.124755
273.15	.221448	.099736
273.15	.172253	.077178
273.15	.165320	. 274093
273.15	.095232	.042794
273.15	.099285	.044126
273.15	.099072	.044070
	.099072	
273.15	.098779	• 743926
273.15	.095819	.043055
273.15	.095599	.043014
273.15	.050929	.022549
252.95	.402757	•201953
252.95	.338239	.163040
252.95	.305175	.150847
252.95	.23224F	.113665
252.95	.212516	.103653
252.95	.160520	.077822
252.95	.099939	
	004070	
252.95	.095979	.04566F
237.95	.271311	·143085
237.95	.205983	•107472
237.95	•163720	.0P4814
?37.95	·149788	.075924
237.95	.100152	·051379
237.95	.084220	.043142

# Appendix F. Computer Programs.

```
PROGRAM HESTHAM (DUTPUT, TAPEZO, INPUT=TAPEZO)
     HYDROGEN SULFIDE THERMOFUNCTIONS, APPIL 15, 1983 START.
C
C
     P-PSAT = S*GK*(T-TSAT) + S*S*GK*TCPT*F(S,T), WHERE -
     F(S,T) # B(S)*XBF(S,T) + C(S)*XCF(S,T) + E(S)*XEF(S,T),
C
Ç
     XRF * (X - YS), X # T/TC, XS # TS/TC,
                                              A # (1-EP)+SQRT(1-EP),
С
     XCF # (X**EP)*EXP(A*(1-TS/T)) - XS**EP,
     XEF # H(R,T)/HS(P) - 1.0, W # (1-TH/T), WE # W**E,
C
С
     H(R,T) + 1.0 - (W-WE/E)/(1-1/E), E = ET.
C
     B(S) * B1 + B2*S + B3*S2,
                                C(S) * C1 + C2*S + C3*S2,
¢
     E(S) # E1*(S-1)*(S-E2)*EYP(-G4*S**IX).
C
     GA # (2*ER-3)/(EP-1)/IX FOR INFLECTION AT S = 1.
     WHERE, R # DEN/DTRP, S # DEN/DCRT,
      COMMON IY, FP, GK, GKK, A1, A2, A3, B1, B2, B3, C1, C2, C3, F1, F2, F3
      COMMON/1/AL, BE, GA, DE, EP, ET, DORT, TORT, PORT, DGAT, DTPP, TTRP, PTRP
      COMMON/3/OPDT, D2PDT2, DPSDT, DPMDT, DPCO, DPDR, DTSDP, DTHDP, CDSDT
      COMMON/4/X81, X82, XC1, XC2, XE1, XE2, DXBDR, DXCDR, DXEDR
      COMMON/6/ TSAT, THETA, PSAT
      COMMON/B/IN, IK, P, T, DEN, E, H, S, CV, CP, CSAT, W, WK
      COMMON/11/ DELS, DELCV
      COMMON/12/7CRT, ZCALC, OZDT, ZSAT, DZSDT, ZFX, FRT, DFRTDT
      COMMON/19/ DNG, EG, HG, SG, CVG, CPG, WG, DPGDT, DPGDD
      COMMON/21/ TPS(70)
      COMMON/95/ PIS, DIS, DPTIS, DPDIS
      COMMON/99/ TI, EZZ, EZ, SZ, CVZ, HZ, CPZ
      DIMENSION HZA(100), SZA(100), PP(99)
      DATA (WM=34.0P), (PA=1.01325), (GJ=8.3145)
    1 FORMAT(IF, 2F10.0)
     FDRMAT(I5, 3F10.0)
    3 FORMAT(8110)
    5 FORWAT(TY)
    9 FORMAT(8F10.0)
   14 FORMAT(1H1 21X * HYDROGEN SULFIDE ISOBAR AT P =* F9.5, 4H MPA/)
   15 FORMAT(14x 1HT 9X3HDEN 8X1HZ 5Y5HDP/DT 5X5HDP/DD
     2 RYTHE RYTHH RXTHS 6YZHCV 6XZHCP RX34F/P 5X1HW /
     3 14X 1HK 7X54MDL/L 9X 5X5HMPA/K 1X9HMPA-L/MOL
     4 4X5HJ/MOL 4X5HJ/MOL 2X7HJ/MOL/K 1X7HJ/MOL/K 1X7HJ/MOL/K
     5 11X 1X5HM/SEC )
   17 FORMAT(5X FQ.3, E12.5, F9.5, F10.6, F10.4,
     1 2F9.1, F9.3, 2F8.2, E11.4, I6)
   20 FORMAT(1H11+X*TEST IDEAL FNCTNS*/17X 3HT,K 7X3HHZA 7X3HSZA )
   21 FORMAT(107 F10.2, F10.1, F10.3)
   25 CALL PYTDATA
     NOTE PRETURN, IN COFXIST AT 16+ FOR USE ONLY WITH SSATFIT.
                    CALL ISTTHPM
      CALL PEEK $
      CALL JTLDCUS
      CALL TABLIC
     SAVE HZA(100), SZA(100) FROM 190 THRU 700 K.
   85 DO 85 J=19.70 $ TI = 10*J $ CALL IDEAL $ HZA(J) = HZ
   86 SZA(J) = SZ
   84 GO TO 90
                $ 00 88 J=19,70 $ T = 10*J
   B7 PRINT 20
   89 PRINT 21, T, HZA(J), SZA(J)
     COMPUTE THERMOFUNCTIONS ON ISOBARS. START ON THE MELTING LINE.
     NOTE, ISOBAR PEPCRT OK, BUT ISOTHERM TETERT IS EXCLUDED.
C
     ISDRARS AT P HINDER PORT TRAVERSE THE DOME.
C
     NOTE USE OF OVAP ,DATA, TO CROSS THE ,DOME,
C
     NOTE USE OF CSAT , DATA, FOR SPECIFIC HEATS IN COMPRESSED LIQUID.
```

```
NOTE TESTINE USED BY COMPRESS AT T.LE.TORT.
   GET FUGACITIES, F/P, VIA H,S, HZ(T),SZ(T). (J.F.ELY).
 90 IN = 1 $ NI = 56 $ READ 9, (PP(I), I=1, NI)
 91 DO 300 I=IN, NI $ IK = I $ LS = 0
 9? P = PP(I) $ IF(I.FO.32) P = PCRT
93 PK = P/10 $ PRINT 14, PK $ PRINT 16
100 T = FINOTMF(P) & CALL COMPRLG & V=1/DEN & IW=W
101 Z = P/DEN/GKK/T
102 TI = T $ CALL IDEAL $ GIB = H-E77-HZ + T*(S-SZ)
103 XP = EXP(GIB/GJ/T) $ FOP = XP*PA/P $ CALL CON
104 PRINT 17, T, DEN,
                          7, DPTIS, DPDIS, E, H, S, CV, CP, FOP, IW
105 IT = T/1D & IF(P.LT.PCRT) 110,180
  CASES FOR P LESS THAN PORT.
110 TPS(IK) = TS = FINDTSF(P)
                                   •
                                        K = L = 0
111 DO 150 J=1,99   T = JT = 10*(IT+J) 
112 IF(T.LT.TS) 113,118
113 CALL COMPRES & IW = W & Z = P/DEN/GKM/T
114 M = JT/10 & GIR = H-E7Z-HZA(M) - T*(S-SZA(M))
115 XP = EXP(GIB/GJ/T) $ FDP = XP*PA/P $ CALL CON
115 PRINT 17, T, DEN,
                         Z, DPTIS, DPDIS, E, H, S, CV, CP, FDP, IW
117 GD TO 150
118 LS = LS + 1 $ IF(LS.EQ.1) 120,130
  CASE FOR SATURATED LIQUID AND VAPOR.
120 T = TS & CALL CHEMIST & IW = W $ IWG = WG
121 Z = P/DEN/GKK/T % ZG = P/DNG/GKK/T
123 GIR = H-EZZ-HZ - T*(S-SZ)
124 FOP = FXP(GI3/GJ/T)*PA/P $ CALL CON
125 PRINT 17, T,DEN, Z, DPTIS, DPDTS, E, H, S, CV, CP, FDP, IW
124 PRINT 5 $ DIS=DNG+WM $ DPTIS=DPGDT/10 $ DPDIS = DPGDD/10
127 PRINT 17, T, DNG,
                         7G, DPTIS, DPDIS, FG, HG, SG, CVG, CPG, FOP, IWG
128 T = JT
  CASES FOR THE HOMOGENEOUS DOMAIN.
130 IF(JT.GT.500) 133,135
133 K = K+1 S T = JT = JT + 10*K
134 IF(JT.GT.700) 300,135
135 CALL GENIUS $ IW = W $ Z = P/DEN/GKK/T
136 M = JT/10 $ GIR = H-E7Z-HZA(M) - T*(S-SZA(M))
137 YP = EXP(GIB/GJ/T) $ FOP = XP*PA/P $ CALL CON
141 PRINT 17, T,DEN, 7, DPTIS, OPDIS, E,H,S,CV,CP, FOP,IW
150 CONTINUE
  FOR P.GF.PORT, CASES FOR T.LT.OR.T.GT.TORT.
182 IF(T.LT.TCRT) 190,210
CASE A FOR T LESS THAN TORT.

190 CALL COMPRES 4 IW = W 5 7 = P/DEN/GKK/T
192 M =JT/1D $ GIP = H-EZZ-H7A(M) - T*(S-SZA(M))
193 XP = EXP(GIB/GJ/T) & FOP = XP*PA/P & CALL CON
194 PRINT 17, T,DEN, Z, DPTIS,DPDIS, E,H,S,CV,CP, FOP,IW
195 GD TD 250
   CASE FOR T ABOVE TORT, HOMOGENEOUS DOMAIN.
210 IF(JT.GT.50C) 213,220
213 K = K+1 \$ T = JT \approx JT + 10*K
214 IF(JT.GT.700) 30D,220
220 CALL GENTUS $ IW = W $ Z = P/DEN/GKK/T
224 M = JT/10 $ GIR = H-FZZ-HZA(M) - T*(S-SZA(M))
225 XP = EXP(GIB/GJ/T) $ FOP = XP*PA/P $ CALL CON
276 PRINT 17, T, DEN,
                         Z, DPTIS, DPDIS, E, H, S, CV, CP, FOP, IW
25D CONTINUE
300 CONTINUE
999 STOP
    END
```

```
SUBROUTINE COEXIST
C
     GIVEN T AT COEXISTENCE, GET BOTH VAPOR AND LIQUID FUNCTIONS.
     FOR VAPOR, GET DNG, EG, HG, SG, CVC, CPG, WG, DPGDT, DPGDD, -FOR LIQUID, GET DFN, F, H, S, CV, CP, CSAT, W. DPDT, DPDD.
C
     CDEXIST CALLED BY COMPRIO. P NOT USED, MUST NOT CHANGE.
(
      COMMON/1/AL, BE, GA, DE, EP, ET, DORT, TORT, PORT, DGAT, DTRP, TTRP, PTRP
      COMMON/3/DPDT,D2PDT2,DPSDT,DPMDT,DPDD,DTSDP,DTSDP,DTHDP,DDSDT
      COMMON/R/ IN, IK, P, T, DEN, F, H, S, CV, CP, CSAT, W, WK
       COMMON/11/ DELS, DELCV
       COMMON/10/ DNG, EG, HG, SG, CVG, CPG, WG, DPGDT, DPGDD
      COMMON/99/ TI, EZZ, FZ, SZ, CVZ, HZ, CPZ
      DATA (9=1.D1325), (G=0.083145), (WM=34.08D)
    1 FORMAT(1HO 9X *T EXCEEDS TORT IN COEXIST. * / )
       WK = 100000/WM
    ? IF(T.GT.TCRT) 3,4
    3 PPINT 1 S STOP
4 PS = PSATF(T) & DNG = DB = DENGASF(T)
    5 TT = T & CALL IDEAL & M = 15 4 DA = L = 0
    5 EG = FZZ + EZ + FDELF(L, M, T, DA, DP) $ HG = EG + 100*PS/DB
    7 SG = SZ + DELS - 130 + G + AL 3G (G + T + DB / Q) $ GE = EG
    8 IF(T.EQ.TCPT) 9,11
    9 PX = PVTF(T, DR, 1) $ DPGDT = DPDT $ DPGDD = DPDD
   10 CPG = CVC = WG = 0 $ G0 T0 15
11 CVG = CVZ + DELCV $ PX = PVTF(T,DR,1)
   13 DPGDT = DPDT $ DPGDD = DPDD
   NOW TRAVERSE THE , DOME, USING QVAP , DATA, .

15 DEN = DE = DENLIGE(T) & DOLDT = DOSDT & QV = QVAPXE(T)

15 H = HG - QV & S = SG - QV/T & E = H - 100+PS/DL
     THIS PETURN AT 16+ USED ONLY WHEN CALLING SSATFIT, HSATFIT.
   17 IF(T.FO.TCRT) 18,19
   18 PX = PVTF(T,DL,1) $ CP=CV=CSAT=w=0 $ RETURN
19 CSAT = CSATXF(T) $ PX = PVTF(T,DL,1)
   22 CV = CSAT + 1CO+T+DPTT+DPLPT/DL/PL
   23 CP = CV + 100*T/PPDD*(DPDT/DL)**2
   30 W = SORT(WK+CP+DPD7/CV) $ RETURN
       END
```

```
SURRDUTINE COMPRES
     SAVES COMPUTER TIME INTEGRATING COMPRLIQ AT T.LT.TCRT.
     FOR T = INTEGER MULTIPLES OF 10 K. FIRST ISOBAR USES COMPRLO. FOR SUCCEEDING ISOBARS, START ON PREVIOUS ISOBAR, EXCEPT -
C
     AT TEMPS OF TPS(IK-1) ON PREVIOUS ISOBAR, MUST USE COMPRLO.
      COMMON/1/AL, BE, GA, DF, EP, FT, DCRT, TCPT, PCRT, DGAT, DTRP, TTRP, PTRP
      COMMON/3/DPDT, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSDR, DTHDR, DDSDT
      COMMON/8/ IN, IK, P, T, DEN, F, H, S, CV, CP, CSAT, W, WK
      COMMON/11/ DELS, DELCV
      CDMMON/21/ TPS(70)
      DIMENSION DK(40), FK(40), SK(40), CK(40)
    1 FORMAT(1HO 9X *T G.E. TORT IN COMPRES. * / )
    2 IF(T.GE.TCRT) 3,4
    5 IF(IK.FO.IN) 7,9
    7 CALL COMPFLO
    8 DK(J)=DEN & EK(J)=E & SK(J)=S & CK(J)=CV & RETURN
     INTEGRATE FROM OLD DEN TO NEW DEN ON GIVEN ISOTHERM -
     EXCEPT IF T FXCEEDS OLD TMAX, USE COMPRIO.
    9 IF(T.GF.TPS(IK-1)) GD TD 7
   10 DA=DK(J) 3 DK(J) = DFN = DB = FINDENF(T,P) 8 N = 13
   11 EK(J) = F = EK(J) + EDELF(1,N,T,DA,DR) $ H = F + 100*P/DR
12 SK(J) = S = SK(J) + DELS $ CK(J) = CV = CK(J) + DELCV
    GET NEW OP/DT, DP/DD, CP, W.
   30 W = SORT(WK+CP+DPDD/CV)
                                $
                                     PETURN
      END
      SUBROUTINE COMPRLO
     GIVEN POT FOR COMPROLIDO AT TOLTOTO, GET DEN AND FUNCTIONS.
C
C
     REVISED TO USE HSATE, SSATE, CSATXE, BUT NOT CDEXIST. TIMESAVER.
     INTEGRATE ALONG ISOTHERM I FROM SATLIQ UP TO POINT (P,T).
      COMMON/1/AL.BF,GA,DE,EP,ET, DCRT,TCRT,PCRT, DGAT,DTRP,TTRP,PTRP
      COMMON/3/DPDT,D2PDT2,DPSDT,DPMDT,DPDD,DPDR,DTSDP,OTHDR,DDSDT
      COMMON/B/ IN, IK, P,T,DEN, E,H,S, CV,CP,CSAT, W,WK
      COMMON/11/ DELS, DELCV
      FUNCS
CS
      CALIS
C &
    1 FORMAT(1HO 9X *T NOT UNDER TORT IN COMPREQ. #/)
    2 IF (T.GF.TCRT) 3,4
    3 PRINT 1 $
                    SLOD
    GET PSAT, DENLIZ, AND SATLIO FUNCTIONS FOR START.
C
    4 PS = PSATF(T) $ DL = DENLIOF(T) $ DDLDT = DDSDT
5 HS = HSATF(T) $ ES = HS - 100*PS/DL $ SS = SSATF(T)
    9 PX=PVTF(T,DL,O)
                       $ CVS = CSATXF(T) + 100*T*DPDT*DDLDT/DL/DL
    9 CVS = CVSATF(T)
     INTEGRATE UP TO POINT (P,T).
   10 DR = FINDENF(T,P) $ DX = DR + DL $ IF(DX.GT.0) 11,20
   12 H = F + 100*P/DP $ S = SS + DELS $ CV = CVS + DELCV
13 PX = PVTF(T,DR+1) $ CP = CV + 100*T/DPDD*(DPDT/DB)**2
   14 W = SQRT(WK+CP+DPDD/CV) & DEN = DB & RETURN
20 DEN=DL & E=ES & H=HS & S=SS & CV=CVS & PX = PVTF(T,DL,1)
   30 RETURN
```

FND

```
SUBPOUTINE CON
C
     CONVERT TO SI UNITS FOR P, DEN, DP/DT, DP/DD,
      COMMON/3/DADS, DECOTE, DESCT, DESCT, DECO, DECR, DTSDR, DTHDR, DDSDT
      COMMON/8/IN, IK, P, T. DEN, E, H, S, CV, CP, CSAT, W, WK
      COMMON/95/ PIS, DIS, DPTIS, DPDIS
      DATA (WM = 34.08)
    1 PIS = P/10 S DIS = DEN#WM
    2 DPTIS = DPDT/10 $ PPDIS = DPDD/10
    9 RETURN
      END
     FUNCTION CSATXF(T)
     HYDROGEN SULFIDE SATLTO ENTROPY, J/MOL/K., RDG/NRS, 4/15/83.
C
C
     YS = (S-SC)/(ST-SC), X = T/TC, ALT = LN(TT/TC), U = (TC-T)/(TC-TT),
     CONSTRAINED AT TRIPLE AND CPITICAL POINTS.
C
     YS = UF + A1*(LN(Y)/ALT - UE) + A2*(U2 - UE).
      DATA (TTRP=197.65) . (TCPT=373.40)
      DATA (ES=0.35), (SE=0.65), (STRP=109.28667), (SCRT=167.26532)
      DATA (ALT = -0.68801842)
      DATA (A1=0.412265764), (A2=0.212761017)
    1 FORMAT(1HO 9X *CSATXF, T.GT.TORT. * )
    2 IF(TCRT-T) 3,4,5
    3 PRINT 1 4 STOP
4 CSATXF = 0 4 RETURN
    5 SN = STRP-SCRT & UN = TCRT-TTRP & X = T/TCKT
    5 U = (TCRT-T)/UN 3 DUDX = -TCRT/UN
    7 A3 = 1-41-42 $ SUM = 2+42*U + A3*ES/U**SE
    END
      FUNCTION DELTAF(T, D)
    GET (T*DP/DT - D*DP/DD) FOR THE J-T INVERSION CURVE.
(
      COMMON/1/AL, PE, GA, DF, EP, ET, DCRT, TCRT, PCRT, DGAT, DTRP, TTRP, PTRP
      COMMON/3/DPDT, D2PDT2, DPSDT, DPMDT, DPDD, DPPR, DTSDP, DTHDR, DDSDT
    1 IF(T-TORT) 2,4,4
    2 DL = DENLIGE(T) $ IF(D-DL) 3,3,4
    3 DELTAF = 1.CE+100 $ RETURN
    4 P = PVTF(T,D,1)
    5 DELTAF = ARS (T*PPDT-D*DPDD) & RETURN
      END
```

```
FUNCTION DENGASE(T)
С
    H25 SATOVAPOR DENSITIES, RDG/NBS, APRIL 15, 1983.
    DESIGNED FOR ZSAT = 1 AT LAW DENSITIES, 5/29/77.
C
     (7-1)/ZN = (P/PC)*(1/X2)*F(X), X = T/TC, U = (1-X),
     F(Y) = 1 + (\Delta 1 + UF + \Delta 2 + UAG + \Delta 3 + U + \Delta 4 + U2 + ...) + XP,
r
     XP = EXP((RG/X)*(Y-1)**3).
     COMMON/1/AL, BE.GA, DE, EP, ET, DORT, TORT, PORT, DGAT, DTRP, TTRP, PTRP
      COMMON/3/OPET, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSDP, DTHDR, DDSDT
      COMMON/12/7CRT,7CALC,0ZDT, ZSAT,DZSOT,ZFX, FRT,DFRTDT
     DIMENSIAN AV(5)
     DATA (NEG=5) (FG=0.35), (AG=0.70), (PG=2.0), (GKK=0.083145)
     DATA(\Delta V = -0.752579795, -0.865481171,
    1 1.975480426, 2.172953014, -5.766078592)
1 FORMAT(1HO 9X *T EXCEEDS TO IN DENGASE. * / )
    2 IF(TCRT-T) 3,4,5
    3 PPINT 1 4
                   STOP
   11/All+24- 14'1 + 24*# H
    9 V = Y-1 4 V2 = V*V 4 V3 = V*V2 $ XP = EXP(86*V3/X)
  10 XP1 = (3*V2/Y - V3/Y2)*XP*PG
  14 CONTINUE & ZFX = F = 1 + Y + XP & F1 = Y + XP1 + Y1 + XP
  15 ZCALC = 75AT = Z = 1 + ZN*PI*F/X2
  15 DZSDT = DZDT = (PI*(F1-2*F/x)/TC + F*PIT)*ZM/X2
  17 DENGASE = P/T/7/GKK
  18 DOSDT = (DPSDT - P/T - P*DZDT/Z)/T/Z/GKK $ RETURN
      FND
```

```
FUNCTION DENLIGE(T)
    HES SATLIODER, MOL/L. 3/21/83.
~
    D/DC = 1 = A1 * UE + A2 * U + U = (1 - T/TC).
     COMMON/3/DPCT, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSOR, DTHDR, DDSDT
     DIMENSION AL(4)
     DATA (NFL=4), (EL=0.35), (DCRT=10.20), (TCRT=373.40)
     \Gamma\Delta T\Delta (\Delta W = 1.90633577,0.83560589, -0.57091447,0.72347653)
   1 FORMAT(1HC 9X *DENLIOF = 0, T EXCEEDS TORT. * / )
   2 IF(TCRT-T) 2,4,5
   3 PRINT 1 4 STOP
   4 DENLIGE * DORT & DOSDT = -1.0E+10 & RETURN
   5 U=1-T/TORT & U1T=-1/TORT & UE=U++EL & UET=EL+UE/U+U1T
   9 CONTINUE & DENLISE = DCRT*(1+Y)
  10 DOSDT = DCRT*Y1T < RETURN
     FND
```

```
FUNCTION EDFLF(L, M, T, DA, DB)
C
     GET CHANGE OF E. S. CV WITH DENSITY ALTNG ISOTHERMS.
C
     GET EDELF, DELS, DELCV FROM DA TO DE ON ISOTHERM T.
     ROMPERG NUMERICAL INTEGRATION VIA
C
C
     CARNAHAN/LUTHER/WILKES, APPLIED NUMERICAL MATHODS, P. 90,
C
     JOHN WILEY AND SONS, INC., N.Y., 1969.
     NOTE, NMAX = M, NK = FINAL, TOTAL SURDIVISIONS OF INTERVAL DX.
      COMMON/1/AL, RE, GA, DE, EP, ET, DORT, TOPT, PORT, DGAT, DTRP, TTRP, PTRP
      COMMON/3/DPDT, D2PDT2, DPSDT, DPMOT, DPDD, DPDP, DTSDR, DTHDR, CDSDT
      COMMON/11/ DELS, DELCV
      COMMON/12/ZCRT, ZCALC, D7DT, ZSAT, D7SDT, ZFX, FRT, DFRTDT
      DIMENSION F(20), S(20), C(20)
      DATA (LD=1), (DI=0.00001), (G=0.083145)
    1 FORMAT(1H09X*EDFLF L =*12,5H, N =13,5H, T = F8.3,6H, DA =E10.4,
     1 5H, DB =E10.4, 6H, LD =I2//
       10x 1HN 7X5HEDELF 8X4HDELS 7X5HDELCV )
    2 FORMAT(1H0 9X 6HEDIF =F10.3, 8H, SDIF =F10.5, 9H, CVDIF =F10.3)
    3 FORMAT(67 I5. F12.3, F12.5, F12.3)
    4 FORMAT(1HO 9X *EDEEF NG AT TORT FOR CV AT DEN NEAR OR GT C.P.*/)
     FOR DA=O AND DR.LE.DI, TDEAL GAS, EDELF=DELS=DELCV=O.
C
     FOR DA = 0 AND DB • CT • DI , START ROMBERG WITH DA = DI , TO AVOID INFINITIES IN ORDINATE FUNCTIONS AT DA = 0 •
    5 NK = 1 $ DM = DCRT/2 $ DZ = 0.90*DCRT
    7 \text{ ZK} = 1.0 - 1/7 \text{CPT}
                          $ RK = 100*G*TCRT/DCRT
   10 IF(L.FO.0) 11,14
   11 IF(DR.LE.DI) 12,13
   12 EDELF = DELS = DELCV = 0
                                        RETURN
   13 DA = DI
     GET FIRST TRAPEZOID AREA, F(1) ETC., FROM DA TO DB.
   14 0x = DR^2 - DA = P = PVTF(T,DA,O) 3 IF(DA.LT.DM) 16,17
   15 EA = RK*(ZK*ZSAT*7FY + FRT - T*DERTDT) 4 GO TO 18
   17 EA = 100*(P-T*DPDT)/DA/DA
   18 IF(L.EO.C) 19,20
   19 S4 = -PK + DFRTDT $ G0 T0 21
   2) SA = -100*DPDT/DA/DA
   21 CA = -10C*T*D2PDT2/DA/DA
   22 P = PVTF(T, DB, 0) $ IF(DB.LT.DM) 23,24
23 EB = PK+(ZK+ZSAT*7FX + FRT - T*DFRTOT) $ GO TO 25
   24 FB = 100*(P-T*DPDT)/DR/DB
   25 IF(L.EQ.C) 26,27
   25 SR = -RK*DFRTDT $ 50 TO 28
   27 SB = -100*DPDT/DB/DB
   23 CR = -100*T*D2PDT2/D3/DR
   29 E(1)=(EA+ER)*DX/2 $ $(1)=(SA+SR)*DX/2 $ C(1)=(CA+CB)*DX/2
    INTERVAL HALVING, GET E(N+1), ETC.
C
   30 DO 60 N=1, M S K = N + 1
   31 JM = 2**N - 1 $ DXN = DX/2**N $ E(K) = S(K) = C(K) = C
   33 DD 45 J=1, JY, 2 $ NK = NK+1 $ DN = DA + J*DXN
   34 P = PVTF(T,DN,0) $ IF(DN.LT.DM) 35,35
35 EB = RK*(ZK*7SAT*ZFX + FRT - T*DFRTDT) $ GO TO 37
   36 ER = 100*(P-T*PPOT)/DM/DN
   37 IF(L.FO.0) 38,39
   38 S8 = -PK + DFRTDT $ GD TO 40
   39 SB = -100*DPDT/DN/DN
   40 CB = -100*T*D2PDT2/DN/DN
   41 E(K) = F(K) + ER $ S(K) = S(K) + SB $ C(K) = C(K) + CB
   45 CONTINUE $ E(K) = E(N)/2 + E(K)*DXN
```

```
45 S(K) = S(N)/2 + S(K)*DXN $ C(K) = C(N)/2 + C(K)*DXN
 TEST FOR CONVERGENCE.
50 ED=485(E(K)-E(N)) $ SD=4RS(S(K)-S(N)) $ CD=485(C(K)-C(N))
53 IF(FD.LT.O.2) 54,60
54 IF(SD.LT.0.002) 55,60
55 IF(T.EQ.TORT.AND.DR.GT.DZ) GD TO 57
56 IF(CD.LT.0.04) 57,60
57 EDFLF = E(K) & DELS = S(K) & DELCV = C(K) & RETURN
60 CONTINUE & N = M & NM = N+1 & NP = N+1
61 PRINT 1, L, N, T. DA, DB, LD
62 PRINT 3, NM, F(NM), S(NM), C(NM) $ PRINT 3, N, E(N), S(N), C(N)
64 PRINT 3, NP, E(NP), S(NP), C(NP) & PRINT 2, ED, SD, CD
99 STTP
   END
   FUNCTION FINDENF(T, 2)
  ON ISOTHERM TO FIND DENO MOL/LO TE MINIMIZE (P-PC) VIA FONSTATE.
   COMMON/1/AL.RE,GA,DF,EP,ET, DCRT,TCRT,PCRT, DGAT.DTRP,TTRP,PTRP
   COMMON /3 /DPDT, D2PDT2 · DPSDT, OPMDT, DPCD, DPDR, DTSDP, DTHDR, DDSDT
   DATA (GKK = 0.083145)
41 FORMAT(140 9X *FINDENE = 0, FAILS TO CONVERGE. * / )
42 FORMAT(1HO 9X *FINDENF = DCRT, DP/DP ZERO OR NEG. * / )
43 FORMAT(1HO 9X *FINDENF = 0, DOURLE-VALUED AT P = PSAT. * / )
   DM = 1.10*DTRP $ IF(P.GT.O) 1,35
 1 IF(T-TORT) 2,5,8
 3 DG = DENCASE(T) $ D = DG/2 $ GO TO 11
4 DL = DENLIOF(T) $ D = (DL+DTRP)/2 $ GO TO 11
 5 IF(P=PCRT) 6,33,7
 9 PC = PVTF(T, DCRT, 0) $ IF(P-PC) 5,33,7
11 00 30 J=1,50 4 DP=P-PVTF(T,0,1) % IF(ABS (DP/P)-1.0E-7) 31,31,12
12 IF(DP)D.GT.C) 13,34
13 ND = DP/DPND $ IF(APS (DD/D)-1.0F-7) 31,31,14
14 D = D + ND $ IF(D.GT.O.C) 16,15
15 D = P/GKK/T $ GO TO 30
16 IF(D.GT.DM) 17,18
17 D = DM $ GO TO 30
18 IF(T-TORT) 19,24,30
19 IF(P.LT.PS) 20,22
20 IF(D.GT.DG) 21,30
21 P = DG 5 67 TD 30
22 IF(D.LT.PL) 23,30
23 D = DL $ 67 TO 30
24 IF(P.LT.PCRT) 25,27
25 IF(D.LT.DCRT) 30,25
26 D * DCRT - 0.02 $ 60 TO 30
27 IF(D.GT.DCRT) 30,28
29 D = DCRT + 0.02
30 CONTINUE $ PRINT 41 $ STOP
31 FINDENE = D & RETURN
32 PRINT 43 $ STOP
33 FINDENF = DCRT $ RETURN
34 FINDENF = DCRT $ PRINT 42 $ RETURN
35 FINDENF=DPDT=D2PDT2=0 $ DPDD=GKK*T $ DPDR=DPDD*DTRP
35 RETURN
   END
```

FUNCTION FINDIMF(P)

```
C
     GIVEN P ON THE MELTING LINE, FIND T FOR PROPANE.
      COMMON/1/AL, 3F, GA, DE, EP, ET, DCRT, TCRT, PCRT, DGAT, DTRP, TTRP, PTPP
      DATA (E=1.283), (A=7183.C)
    1 X = (P-PTRP)/A + 1 $ FINDTMF = TTRP*X**(1.0/E) $ RETURN
      END
     FUNCTION FINDTSF(P)
     GIVEN VAPOR PRESSURE P. ITERATE T TO MINIMIZE (P-PC).
C
      COMMON/1/AL, BE, GA.DE, EP, ET, DCPT, TCRT, PCRT, DGAT, DTPP, TTRP, PTRP
      COMMON/3/DPCT, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSDR, DTHOR, DDSDT
    1 FORMAT(1HO GY *FINDTSF = 0, FAILS TO CONVERGE. * / )
2 FORMAT(1HO GY *FINDTSF = 0, P EXCEEDS PORT. * / )
    3 IF(P-PCRT) 4,11,12
    4 T = (TTRP+TCRT)/2
      DO 9 J=1.50 $ DP = P - PSATE(T) $ ADP = ABS(DP)
    5 IF(ADP/P-1.05-7) 10,6,6
    5 IF(ADP/DPSDT/T-1.0E-7) 10,7,7
      3 T = TOPT
    9 CONTINUE $ PRINT 1 $ STOP
   10 FINDTSF = T $ RETURN
11 FINDTSF = TCRT $ RETURN
   12 PRINT 2 $ STOP
      END
      SURPJUTINE GENERUS
     GIVEN P,T FOR THE HOMOGENEOUS DOMAIN -
C
     GET DEN AND FUNCTIONS AT ANY TEMPERATURE.
C
      COMMON/3/OPDT,D2PDT2,DPSDT,DPMDT,DPDD,OPDP,DTSDR,DTHDR,DOSDT
      COMMON/R/ IN, IK, P, T, DEN, E, H, S, CV, CP, CSAT, W, WK
      COMMON/11/ DELS, DELCV
      COMMON/99/ TI, E77, E7, SZ, CVZ, H7, CP7
      DATA (0=1.01325).(G=0.083145)
    S = SZ + DELS - 100*G*ALOG(G*T*DB/0)
    7 CV = CVZ + DELCV
                         $ PX = PVTF(T, DB, 1)
    9 CP = CV + 100*T/DPDD*(DPDT/D3)**2
   Q W = SQRT(WK*CP*DPDD/CV) $ PETURN

10 DEN=S=0 $ E = E77 + E7 $ H = E + 100*G*T $ CV=CVZ $ CP=CPZ

12 W = SQRT(WK*CP*G*T/CV) $ RETURN
      END
```

```
SUBPOUTINE GENIUS
     VALID ONLY FOR THE HOMOGENEOUS DOMAIN.
C
     SAVES COMPUTER TIME WHEN TABULATING FUNCTIONS ALONG ISOBARS.
     SAVES DEN, E, S, CV ALONG ISORARS FOR USE IN INTEGRATING TO NEXT
C
     HIGHER ISOBAR. VALID ONLY FOR MONCTONICALLY INCREASING ISOBAR
С
     PRESSURES, AND AT TEMPS. T = INTEGER MULTIPLES OF 10 K.
     COMMON/3/DPDT,D2PDT2,DPSDT,DPMDT,DPDD,DPDR,DTSDF,DTHDR,DDSDT
      COMMON/8/ IN, IK, P, T, DEN, E, H, S, CV, CP, CSAT, W, WK
      COMMON/11/ DELS, DELCV
      DIMENSION OK(100), EK(100), SK(100), CK(100)
    1 FORMAT(1+0 GX #GENTUS T NOT INTEGRAL. * / )
    2 J = T/10 $ IF(T - 10*J) 3.4
3 CALL GENEOUS $ PETURN
    4 IF(IK.FO.IN) 5,9
    5 CALL GENERUS
    5 DK(J) = DEN $ EK(J) = E $ SK(J) = S $ CK(J)=CV $ RETURN
    INTEGRATE FROM OLD DEN UP TO NEW DEN ON GIVEN ISOTHERM.
   9 DA = DK(J) % DK(J) = DEN = D3 = FINDENF(T,P) % N = 14
11 EK(J) = E = EK(J) + EDELF(1,N,T,DA,DB) % H = E + 100*P/DB
   13 KK(J) = 2 = SK(J) + DELS & CK(J) = CV = CK(J) + DELCV
     NOW GET NEW DP/DT, DP/DD, CP, W.
   FND
```

```
FUNCTION HSATE(T)
     HYDROGEN SULFIDE SATLIO ENTHALPY, J/MOL., ROG/N35, 4/15/83.
C
     DEFINE YH * (H-HC)/(HT-HC), X * (TC-T)/(TC-TT), WHEN - YH = X + (XE-X)*(\Delta 1 + \Delta 2*XHF + \Delta 3*X + \Delta 4*X2 + ...)
      DIMENSION AH(7)
      DATA (NFH=7), (FH=0.35), (HE=0.70)
      DATA (TTPP=187.66), (TCRT=373.40)
      DATA (HTPP=G.797), (HCRT=17073.874)
      DATA(AH = 0.456446719, 0.017191502, 0.207055552,
     1 -1.906453736, 3.744016417, -2.788695456, 0.699929755)
    1 FORMAT(1HC 9X 3HT =F10.5, * IN HSATE(T).*/)
    2 IF(T.GT.TCRT) 3,4
    3 PRINT 1, T & STTP
    4 \times = (TCRT-T)/(TCRT-TTRP) $ IF(X.LE.D) 5,6
    7 FX = X + V+(AH(1) + AH(2)+XH) $ DO 8 K=3,NFH
    8 FX = FX + V*\DeltaH(K)*Y**(K-?)
    9 HSATE = HCPT - (HCRT-HTRP) +FX $ RETURN
      END
```

```
SURROUTINE IDEAL
С
     H2S VIA BAEHR ET AL, 1958.
     CPT/R = 4.0 + (A1 * X + A2 + A3/X + A4/X2 + . . ) * EXP(+E/X), X * T/100.
      COMMON/99/ TI, EZZ, EZ, SZ, CVZ, HZ, CPZ
      DIMENSIAN A(6)
      DATA (NK = 6), (E = 10.37)
      DATA (F=8.3145), (SI=26.146), (HI=4.0168)
      DATA(A = -0.19525562, 11.0377525, -74.8072768,
     1 330.550146, -655.671539, 475.053933)
    1 \times I = TI/10C  $ \times P = EXP(-E/XI)
    2 CP = 4.0 $ DD 3 K=1,NK
    3 CP = CP + A(K) * XP * XI * * (2-K)
Ċ
    NUMERICAL INTEGRATION FOR HZ/R, S7/R
    5 H = S = C + N = ABS(TI-300)/4 + 1
                                            8
                                                 DX = (XI-3)/N
    6 DO 10 J=1,N $ X = 3.0 + (J-0.5)+DX $ XP = EXP(-E/X)
    7 CPX = 4.0 $ DO R K=1,NK
    3 \text{ Cbx} = \text{Cbx} + \nabla(K)*X****(5-K)
    0 H = H + Cbx + Û X & Z = Z + Cbx + Dx \ x
   10 CONTINUE 4 H = (HI*3 + H)/XI $ S = SI + S $ RT = R*TI
    CONVERT TO JOULES, MOLES, KELVINS.
   RETURN
      FND
      SUBROUTINE ISCTHRM
     PRINT H2S CRITICAL ISOTHERM.
USE P, MPA, AND DEN REDUCED BY DCRT, NOT DTPP.
C
      COMMON/1/AL, RE, GA, DE, EP, ET, DCPT, TCPT, PCKT, DGAT, DTPP, TTRP, PTRP
      CDMMON/3/OPDT,D2POT2,OPSDT,DPMDT,DPDD,OPDR,DTSDR,DTHDR,DDSDT
      COMMON/4/XP1.X32, XC1,XC2, XE1,XE2, DXBDR, DXCDR, DYEDR
      COMMON/6/ TSAT, THETA, PSAT
    1 FORMAT(1H1 14X *HYDROGEN SULFIDE CRITICAL ISOTHERM * //
     1 15×4HTC =F8.3, * K* 5H, DC =F5.2, * MOL/L, PC =*F9.6, * MPA, * /
     2 15x *AT THE C.P., DPS/DT = *F8.6, *, DP/DT = *F8.6, * MPA/K. * //
     3 6×4HD/DC EX5HTS/TC 7×6HDTS/DD 8×5HPS/PC 7×6HDPS/DD
     4 9X4HP/PC 8X5HDP/DD 9X5HDP/DT EX7HD2P/DT2 /
     5 29X7HK-L/MOL 17X9HMPA-L/MOL 17X9HMPA-L/MOL 8X5HMPA/K 6X7HMPA/K/K)
    2 FORMAT(2x F8.3, 7F13.9, F13.5)
    3 PC = PVTF(TCRT, DCRT, 0) $ PCS = PCRT/10
    4 OPSSDT = DPSOT/10 $ DPXOT = DPDT/10
    5 PRINT 1, TCRT, DCRT. PCS, DPSSDT, DPXDT & DRDS = DCRT/DTRP
    5 DR 12 J=1,41 $ DR = 3.895 + 0.005*J $ DN = DR*DCRT
    7 PR = PVTF(TCRT, DN, 1)/PCRT $ DPSDR = DPSDT+DTSDR
    8 TSN = TSAT/TCPT & PSN = PSAT/PCRT
    9 DPDD = DPDR*DRDS/10 $ DTSDD = DTSDR*DRDS $ DPSDD=DPSDR*DRDS/10
   10 DPDT = DPDT/10 $ D2PDT2 = 02PDT2/10
      IF(J.EQ.21) D2PDT? = 0
   12 PRINT 2, DR, TSN, DTSDD, PSN, POSCO, PR, DPDD, DPDT, D2PDT2
```

30 RETURN END

```
SUBPOUTINE JILOCUS
            THE JOULE-THOMSON INVERSION LOCUS FOR HYDROGEN SULFIDE.
C
            DERIVE THE J-T INVERSION CURVE. USE POUTINE DELTAF(T, DI).
              COMMON/1/AL, RE, GA, DE, EP, ET, OCRT, TCRT, PCRT, DGAT, DTRP, TTRP, PTRP
              DIMENSION DK (40), DN (60), TT (60), PP (60)
              DATA (A=1.2275), (R=0.485), (WM=34.08)
          1 FORMAT(1H116x*JOULF-THOMSON INVERSION LOCUS FOR HYDROGEN SULFIDE*/
           1 17x *(DI IS INITIAL DENSITY FOR ITERATION) * //
            2 17x 3HT,K 8x2HDI 5x5HMOL/L 5x5HP,MOA
3 7x 3HT,K 8x2HDI 5x5HMOL/L 5x5HP,MPA )
          2 FORMAT(10% I10, 2F10.3, F10.3, I10, 2F10.3, F10.3)
          3 FORMAT(IH116**JOULE-THOMSON INVERSION LOCUS FOR HYDROGEN SULFIDE*
            2 // 17x 3HT, K 5x5HMOL/L 5x5HP, MPA 7x3HT, K 5x5HMOL/L 5x5HP, MPA )
                                                                           110, 2F10.3)
         4 FORMAT(10X I10, 2F10.3,
           SAVE INITIAL, TRIAL DENSITY, DK(I) = DI.
         5 NP = 56 $ TA = 270 $ PRINT 1
5 NO 25 I=1,NP $ DX = 0.64 $ T = TA + 10*I
         7 \times = T/TCPT + DK(I) = DI = DCRT*EYP(A-B*Y)
       10 IF(T-TCRT) 11,12,12
       14 D=DI=DX 4 SL=DELTAF(T,D) & D=DI+DX 5 SP=DELTAF(T,D)
       15 IF(SS-SL) 18,16,16
       16 IF(SP-SL) 19,17,17
       17
              SS = SL & DI = DI - DY & GD TD 20
       18 IF(SS-SP) 20,20,19
       19 SS = SP + DI = DI + DX
       22 D^{\chi} = D^{\chi}/2 $ TT(I) = T $ DN(I) = DI $ PP(I) = PVTF(T,DI,0)
       21 GP TD 25
       ?3 \text{ TT}(I) = T \text{ $ OK(I) = ON(I) = PP(I) = $ OK(I) = OK(I
       25 CONTINUE $ N = NP/2
25 NO 35 J=1, N $ K = J + N
       27 IT = TT(J) ! ITT = TT(K)
      28 DKJ = DK(J) $ DNJ = DN(J)
29 DKK = DK(K) $ DNK = DN(K)
30 PPJ = PP(J)/10 $ PPK = PP(K)/10
       35 PPINT 2, IT, DKJ, DNJ, PPJ, ITT, DKK, DNK, PPK
       40 PRINT 3 $ 00 45 J=1,N . K = J + N
      50 PETURN
              END
```

```
SUBROUTINE KAY

C CIMPARE H2S SATN. DATA OF KAY/RAMBOSEK, 1953.

DATA (WM=34.08), (ALB=453.5924), (CUF=28.31685)

1 FOPMAT(4F10.0)

2 FOPMAT(1H1 13X *HYDROGEN SULFIDE COEXISTENCE*

1 * DATA OF KAY/RAMBOSEK, VS. ROG (CALC) * //

2 14X 1HT 7X13HPRESSURE, MPA 9X13HLIQDEN, MOL/L 9X13HGASDEN, MOL/L/

3 14X 1HK 3(4X4HDATA 4X4HCALC 2X4HPCNT) )

5 FCPMAT(5x F10.3, 2F8.4,F6.2, 2F8.3,F6.2, 2F8.4,F6.2)

5 PK = 1.01325/14.696 $ DK = ALB/CUF/WM

10 PRINT 2 $ DO 30 J=1,99

11 READ 1, TF, PSI, DLB, DGB $ IF(TF) 12,99

12 T = (TF + 459.67)/1.8 $ PX = PK*PSI $ DLX = DK*DLB

13 PC = PSATF(T) $ PPCT = 100*(PX-PC)/PC

14 DLC = DENLIQF(T) $ DLPCT = 100*(DLX-DLC)/DLC

16 IF(DGB.EQ.0) 17,18

17 DGX = DGC = DGPCT = C $ GO TO 20

18 DGX = DK*DGB $ DGC = DENGASF(T) $ DGPCT = 100*(DGX-DGC)/DGC

20 PX = PX/10 $ PC = PC/10

30 PPINT 3, T, PX,PC,PPCT, DLX,DLC,DLPCT, DGX,DGC,DGPCT
```

```
SUBROUTINE PEEK
     EXAMINE BEHAVIOR OF THE EOS COEFFICIENTS.
C
     B(S) # B1 + B2*S + B3*S?, C(S) # C1 + C2*S + C3*S2,
0
     E(S) # E1*(S-1)*(S-EP)*EXP(-GA*S**IX).
C
     WHERE,
             P # DEN/DTPP. S # DEN/DCRT.
C
      COMMON TX, FR, GK, GKM, A1, A2, A3, B1, B2, B3, C1, C2, C3, E1, E2, E3
      COMMON/1/AL, BE, GA, DE, EP, ET, DCRT, TCRT, PCRT, DGAT, DTRP, TTRP, PTRP
      COMMON/3/DPDT, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSDR, DTHDR, DDSDT
      COMMON/6/ TSAT, THETA, PSAT
    4 FORMAT(141 14) *EDNSTATE COEFFS., HYDROGEN SULFIDE * //
    1 15X6HTTPP =E13.6, 8H, TBLP =E13.6, 8H, TCPT =E13.6, * K,* / 2 15X6HPTRP =E13.6, 8H, PPLP =E13.6, 9H, PCPT =E13.6, * MPA,* /
     3 15x6HDGAT =F13.6, 84, DGBP =E13.6, 84, DCRT =E13.6, # MOL/L, # /
     4 15%6HDTRP =E13.6, 84, DLRP =F13.6, 84, DCRT =E13.6,* MOL/L,* /
     5 15X9HDPS/DTR =E12.5, * MPA/K, QVAPR, KJ/MOL =* F8.4//
     4 15X 4HIX = I2, 6H, FR = F6.3/
     5 15x 4HAL =F10.7, 5H, BE =F10.7, 5H, GA =F10.7/
     6 15x 4HDE =F10.7, 5H, EP =F10.7, 6H, ET =F10.7//
     7 15X 4H31 =F14.11, 5H, B2 =F14.11, 5H, B3 =F14.11/
     8 15X 4HC1 =F14.11, 6H, C2 =F14.11, 6H, C3 =F14.11/)
    5 FORMAT(15% 44D/DC 5%5HMOL/L 6%4HTSAT 5%5HTHETA 6%4HPSAT
    1 9X1HB 9X1HC
    5 FORMAT(9Y F10.2, F10.4, 2F10.3, F10.4, 2F10.5)
    7 TR=FINDTSF(1.01325) & DGP=DENGASF(TB) & DLB =DENLIQF(TB)
    R QR = TR*PPSDT*(1/DGR - 1/DLR)/10.0
    9 PTR = PTRP/10 $ P3L=0.101325 $ PCR=PCPT/10 $ DPSDT=DPSDT/10
   10 PRINT 4. TTPP.TR.TCRT.PTP.PBL.PCR.DGAT.DGR.DCRT.
     1 DTRP, DLR, DCRT, DPSDT, QB, IY, ER, AL, BE, GA, DE, EP, ET,
     2 C1,C2,C3, E1,E2,E3
   11 PPINT 5 $ N = 10*DTRP/DCRT + 1
  \$ SX = S**IX
  15 B = 31 + 92*S + 83*S2 $ C = C1 + C2*S + C3*S2
  17 E = E1*SN*SR*ExP(-G4*SX)
  19 TSAT=TS=TSATE(DN) & TH=THETAE(DN) & PS=PSATE(TS)/10
  27 PPINT 6, S, DN, TS, TH, PS, C.E 4
                                           RETURN
      END
```

```
FUNCTION PMELTF(T)

PROPANE MELTING LINE, BAR, VIA REEVES, SCOTT, AND BABB(JR),

J. CHEM. PHYS. 40(12), 3662 (1964).

COMMON/1/AL, RE, GA, DE, EP, ET, DCRT, TCRT, PCRT, DGAT, DTRP, TTRP, PTRP

COMMON/3/DPCT, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSDR, DTHDR, DDSDT

DATA (A = 719C.0), (E = 1.283)

1 X = T/TTPP $ XE = X**E $ PMELTF = PTRP + A*(XE-1)

2 DPMDT = A*F*XE/X/TTRP $ RETURN

END
```

SUBROUTINE PYTDATA

```
HES EDS CONSTANTS, RDG/NRS, APRIL 15, 1983.
C
      COMMON IX, ER, GK, GKK, A1, A2, A3, B1, B2, 33, C1, C2, C3, E1, E2, E3
      COMMON/1/AL, BE, GA, DE, EP, ET, DCRT, TCRT, PCRT, DGAT, DTRP, TTRP, PTRP
      COMMONIATIN, IK, P. T. DEN, E, H.S. CV, CP, CSAT, W. WK
      COMMON/12/7CRT,ZCALC,D7DT, ZSAT,DZSCT,ZFX, FRT,DFRTDT
      COMMON/99/ TI,E77, E7,SZ,CV7, HZ,CP7
   10 WM = 34.080 $ TTRP = 187.66 $ TCRT = 373.40
   12 DCRT = 10.20 $ DTRP = DENLIGE(TTRP)
   13 PTRP = PSATE(TTRP) $ PCPT = PSATE(TCRT)
   19 GKK = 0.083145 % GK = GKK*DCRT
  27 WK = 100000/wM $ EZ7 = 13400.138
   30 RETURN
      END
     FUNCTION PVTF(T,D,M)
C
    HYDROGEN SULFIDE EDNSTATE, PVTF = P, BAP.
    NCTE, M=O RETURNS DP/DT, D2P/DT2. M=1 RETURNS ALSO DP/DD.
(
    P-PSAT = S*GK*(T-TSAT) + S*S*GK*TCRT*F(S,T), WHERE -
    F(S,T) # R(S) * XRF(S,T) + C(S) * XCF(S,T) + E(S) * XEF(S,T),
C
    R(S) # B1 + B2*S + 33*S2, C(S) # C1 + C2*S + C3*S2,
C
    E(S) # F1*(S-1)*(S-ER)*FXP(-CA*S**IX).
    MAESE .
            R # DEN/DTRP. S # DEN/DCRT.
     COMMON IX.ER, GK, GKK, A1, A2, A3, B1, B2, B3, C1, C2, C3, E1, E2, E3
     COMMON/1/AL, BE, GA, DE, EP, ET, OCRT, TORT, POPT, DGAT, DTPP, TTPP, PTRP
     COMMON/3/DPDT.D2PDT2,DPSDT,DPMDT,DPDD,DPDP,DTSDR,DTHDR,DDSDT
     COMMON/4/X81, X82, XC1, XC2, XE1, XE2, DXBDR, DXCDR, DXEDR
     COMMON/5/ TSAT, THETA, PSAT
     COMMON/12/ZCRT, ZCALC, DZDT, ZSAT, D7SDT, ZFX, FRT, DFPTDT
   1 S = D/DCPT $ $2 = S*S $ SN = S - 1 $ SN1 = 1
3 $R = S - EP $ $R1 = 1 $ $Y = $**IX
   5 GK = DCRT + GKK + TC = TCRT + DSDR = DTPP/DCRT
   5 PG = S+GK 3 GKT = GK+TC
   7 TSAT=TS=TSATF(D) & PSAT=PS=PSATF(TS) & THETA=THETAF(D)
  9 XC = YCF(T,D) 9 XF = XEF(T,D) 8 C = (C1 + C3*S2)*S2
10 XP = FXP(-GA*SX) 8 SE = E1*S2
  13 PVTF = PS + RG*(T-TS) + GKT*F $ FRT=F/S2 $ DFRTDT=F1/S2/TC
  $
                                                IF(M) 15,30
  15 y = -Ix*GA*SY/S $ SE1 = 2*E1*S
  17 SM1 = SE*SN*SR1 + SE*SN1*SR + SE1*SN*SR
  18 ED = (S^{4}*XP1 + S^{4})*XP*DSDR
  19 \text{ CD} = (2*C1 + 4*C3*S2)*S*DSDR
  20 F1 = C*DYCDR + CD*XC + E*DXEDR + ED*XE
  25 DPDR = (DPSDT-RG)*DTSDR + (T-TS)*GK*DSDR + GKT*F1
  27 DPOD = DPDR/DTRP
  30 PETTRN
```

END

FUNCTION PSATF(T)

```
H2S VAPOR PRESSURE, BAR, 3/21/83.
     LN(P) = P1/X + P2 + P3*X + P4*X2 + P5*X3 + P6*(1-X)**EPP.
      COMMON/3/DPDT, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSDR, DTHDR, DDSDT
      DIMENSION PJ(6)
      DATA (EPP=1.70), (TCRT=373.40)
      DATA(PJ = -8.023473844, 16.731062287, -10.325650140,
     1 9.690908499, -3.577167041, 3.174310817)
    1 FORMAT(140 9X *T ABOVE TORT IN PSATE(T). * / )
    4 X = T/TCPT $ V = 1.0 - X $ IF(V) 7,8,9
7 PPINT 1 $ STOP
    8 7 = 71 = 0 $ GD TD 10
    9 Z = V**EPP 4 71 = -EPP*Z/V
  12 PL = PL + PJ(K)*XL $ PL1 = PL1 + PJ(K)*L*XL/X
   13 CONTINUE 4 PSATE = EXP(PL)
  15 DPSDT = PL1*PSATE/TCRT % RETURN
      FND
      FUNCTION QVAPXF(T)
     OVAP, J/MOL, VIA CLAPEYRON. PENGASE(T) CALLS PSATE(T).
      COMMON/3/OPDT, P2PDT2, PPSDT, PPMDT, PPDP, DPDR, DTSDR, DTHDR, DDSDT
    1 VL = 1.0/DENLIOF(T) & VG = 1.0/DENGASF(T)
    2 OVAPXF = 100 *T*DPSOT*(VG+VL)
    9 RETURN
      END
      FUNCTION SSATF(T)
C
     HYDROGEN SULFIDE SATLIO ENTPOPY, J/MOL/K., ROG/NPS, 4/15/83.
     YS = (S+SC)/(ST-SC), Y = T/TC, \Delta LT = LN(TT/TC), U = (TC-T)/(TC-TT),
C
C
     CONSTRAINED AT TRIPLE AND CRITICAL POINTS.
     YS = UE + \Delta1*(LN(x)/\DeltaLT - UE) + \Delta2*(U2 - UE).
      DATA (TTRP=187.66), (TCPT=373.40)
      DATA (ES=0.35), (SE=0.65), (STRP=109.28667), (SCRT=167.26532)
      DATA (ALT = +0.68801842)
      DATA (A1=0.412265754), (A2=0.212761017)
    1 FORMAT(1H0 9x 3HT =F10.5, * IN SSATE(T). * / )
    2 IF(TCRT-T) 3,4,5
                      STOP
    3 PPINT 1, T
    3 PPINT 1, T $ STOP
4 SSATE = SCRT $ PETURN
    5 SN = STRP - SCRT & UN = TCRT - TTRP & U = (TCRT-T)/UN
7 Y = T/TCRT & UE = U**ES
    3 YS = UE + A1*(ALCG(Y)/ALT - UE) + A2*(U*U - UE)
    9 SSATE = SCRT + SN*YS & RETURN
```

END

```
SUPPOUTINE STARLING
C
     COMPARE STARLING HES DEPARTURES WITH RDG.
     HIS T,F. P,PSI, V,CHFT/LB. H,BTU/LR, S,BTU/LB/R.
C
     T. KELVIN = (T, RANKINE)/1.8.
C
     1 LR = 453.5924 GRAM, 1 CUFT = 28.31685 L, 1 BTU = 1055. JOULE.
C
     ONE BTU = (453.5924)*(4.184)/(1.8) = 1054.350 JOULES.
     TO CONV. LB TO MOL, MULT. BY (453.5924)/WM
     TO CONV. CUFT/LB TO L/MOL, MULT. BY (28.31685)*WM/(453.5924).
     TO CONV. BTU TO JOULE, MULT. BY 1055.0.
C
     TO CONV. STU/LE TO J/MOL, MULT. BY (1055.0)*WM/(453.5924).
     TO CONV. BTU/LB/R TO J/MOL/K, MULT. BY 1.8*(1055.0)*WM/(453.5924).
      COMMON/1/AL, RE, GA, DE, EP, ET, DCRT, TCRT, PCRT, DGAT, DTRP, TTRP, PTRP
      COMMON/8/ IN, IK, P, T, DEN, E, H, S, CV, CP, CSAT, W, WK
      COMMON/99/ TI,EZZ, EZ,SZ,CVZ, HZ,CPZ
      DATA (R=8.3145), (Q=1054.350)
      DATA (WM=34.0R), (ALR=453.5924), (CUF=28.31685)
    1 FORMAT(15, 4F10.0)
    2 FORMAT(1H113X*HYDROGEN SULFIDE PROPERTIES, STARLING(DATA) VS.*
     1 * PCG(CALC)* //
     2 14x1HT PX1HP 8X14HDENSITY, MOL/L 10X15HENTHALPY, J/MOL
     3 12X 15HENTROPY, J/MOL/K /
     4 14X1HK AX3HMPA 5X4HDATA 5X4HCALC 2X4HPCNT
     5 2(5x4HDATA 5x4HCALC 5x4HDIFF) )
    2 FORMAT(FX F10.3, 3F9.4, F6.2, 3F9.1, 3F9.3)
5 PK = 1.01325/14.696 $ VK = ALB/WM/CUF
6 HK = 2*WM/AL8 $ SK = 1.8*HK
C
    6 SK = 4.194+W4 $ HK = SK/1.8
   10 PRINT 2 $ DD 50 J=1,99
   11 READ 1, ITF, PSI, VR, HB, SB $ IF(ITF.EQ.900) RETURN
   12 T = (1TF + 459.67)/1.8 $ P = PK*PSI $ DX = VK/VB
13 HX = HK*HB $ SX = SK*SB $ RT = R*T
   13 HX = HX + HB $ SX = SK + SB
     FOR EACH (T,P) Print, GET MY DEN, (H-EZZ), S.
     AT T.LT. TCPT. EITHER GAS, OR LIQUID.
   20 IF(T.LT.TCPT) 21,30
   21 PS = PSATF(T) $ IF(P.GT.PS) 23,30
   23 CALL COMPRIO $ H = H - EZZ $ GO TO 40
30 CALL GENERUS $ H = H - EZZ
   40 DDIF = DX - DEN $ PPCT = 100+DDIF/DEN
   41 HDIF = HX - H $ SDIF = SX - S $ PIS = P/10
   5C PRINT 3, T, PIS, DX, DEN, DPCT, HX, H, HDIF, SX, S, SDIF
               $ END
   99 RETURN
```

```
SUBROUTINE SURFACE
С
     PRINT H2S ISOCHORES, ISOTHERMS.
      COMMON/1/AL, BE, GA, DE, EP, ET, DCRT, TCRT, PCRT, DGAT, DTRP, TTRP, PTRP
      COMMON/3/OPDT, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSDR, DTHDR, DDSDT
      DATA (R = 0.083145)
    1 FORMAT(15, 2F10.0)
    2 FORMAT(15, F10.0, I10)
    5 FORMAT(1X)
    6 FORMAT(1H1 18x *HYDPOGEN SULFIDE ISOCHORE AT* F7.3, * MOL/L* //
    1 19X1HT 9X1HP 9X1HZ 6X5HDP/DD 7X5HDD/DT 5X5HDP/DT 5X7HD2P/DT2 /
     2 19X1HK 7X3HMPA 12X9HMPA-L/MOL 5X7HMOL/L/K 5X5HMPA/K 5X7HMPA/K/K)
    7 FORMAT(10X F10.3, F10.4, F10.5, F11.4, E12.4, F10.5, F12.7)
    8 FORMAT(1H1 16x *HYDROGEN SULFIDE ISOTHERM AT*F9.3, * K* //
     1 17X3HDEN 9X1HP 9X1HZ 6X5HDP/DD 7X5HDD/DT 5X5HDP/DT 5X7HD2P/DT2 /
     2 15x5HMOL/L 7x3HMPA 12x9HMPA-L/MOL 5x7HMOL/L/K 5x5HMPA/K
     3 5X 7HMPA/K/K )
     PRINTOUT THE ISOCHORES.
C
   20 DO 60 I=1,99 $ READ 2, IDD, DN, IT $ IF(IDD) 21,99
  21 IF(I.EQ.20) DN = DTRP

30 PRINT 6, DN $ TS = TSATF(DN) $ PS = PVTF(TS,DN,1)

31 Z = PS/DN/R/TS $ DDDT = -DPDT/DPDD
      PS=PS/10 $ DPDN=DPDD/10 $ DPDT=DPDT/10 $ D2PDT2=D2PDT2/10
   32 PRINT 7, TS, PS, Z, DPDD, DDDT, DPDT, D2PDT2
   50 DO 59 J=192,720,IT $ TT = J $ IF(TT.LE.TS) 59,52
52 PP = PVTF(TT,DN,1) $ IF(PP.GT.850) 60,55
   PP=PP/10 $ DPDD=DPDD/10 $ DPDT=DPDT/10 $ D2PDT2=D2PDT2/13
   58 PRINT 7, TT, PP, Z, DPDD, DDDT, DPDT, D2PDT2
   59 CONTINUE
   60 CONTINUE
     PRINTOUT THE ISOTHERMS.
   99 DO 130 I=1,99 $ READ 1, IDD, TT, DX $ IF(IDD) 100,999
 100 IF(I.EQ.13) TT = TCRT
101 PRINT 8, TT $ PM = PMELTF(TT)
102 IF(TT+TCRT) 103,103,104
  103 DG = DENGASF(TT) $ DL = DENLIQF(TT)
  104 L = 0 $ DS = DX
  105 DO 120 N=1,900 $ DN = N*DS $ IF(TT.LT.TCRT) 106,117
  106 IF(DN.GE.DG.AND.DN.LE.DL) 107,117
  107 L = L+1 $ IF(L.EQ.1) 108,120
  108 PG = PVTF(TT,DG,1) $ Z = PG/DG/R/TT $ DDDT = -DPDT/DPDD
      PG=PG/10 $ DPDD=DPDD/10 $ DPDT=DPDT/10 $ D2PDT2=D2PDT2/10
  109 PRINT 7, DG,PG,Z, DPDD,DDDT,DPDT, D2PDT2
  110 PRINT 5
  111 PL = PVTF(TT,DL,1) S Z = PL/DL/R/TT S DDDT = -DPDT/DPDD
      PL=PL/10 $ DPDD=DPDD/10 $ DPDT=DPDT/10 $ D2PDT2=D2PDT2/10
  112 PRINT 7, DL, PL, Z, DPDD, DDDT, DPDT, D2PDT2
  116 GO TO 120
  117 PP = PVTF(TT, DN, 1) $ IF(PP.GT.PM.OR.PP.GT.850) 130,118
  PP=PP/10 $ DPDD=DPDD/10 $ DPDT=DPDT/10 $ D2PDT2=D2PDT2/10
  119 PRINT 7, DN, PP, Z, DPDD, DDDT, DPDT, D2PDT2
  120 CONTINUE
  130 CONTINUE
  999 RETURN
              $ END
```

```
SUBROUTINE TABLES
     TARULATE HYDROGEN SULFIDE SATO. LIQUID FUNCTIONS.
C
     COMMON/1/AL, RE, GA, DE, FP, ET, DORT, TORT, DORT, DGAT, DTRP, TTRP, DTRP
      COMMON/3/CPOT, D2PDT2, CPSOT, DPMDT, OPDD, OPDR, OTSOR, DTHOR, DOSDT
      COMMON/6/ TSAT, THETA, PSAT
      COMMONIAL IN. IK, P.T.DEN, E.H.S, CV, CP, CSAT, W. WK
     COMMON/12/ZCRT, ZCALC, D7DT, 7SAT, D7SDT, ZFX, FRT, DFRTDT
     COMMON/19/ DNG, EG, HS, SG, CVG, CPG, WG, DPGDT, DPGDD
      COMMON/99/ TI, EZZ, EZ, SZ, CVZ, HZ, CPZ
     DIMENSION DSA(60), TSA(50), PSA(50), DLT(50), DPT(60), DPD(50)
      DATA (G=0.063145), (WM=34.08)
   4 FORMAT(1H113**PROPERTIES OF SATURATED LIQUID HYDROGEN SULFIDE*//
    1 14x 1HT 11x1HP 3x5HDEN, L 7x5HDEN, G 3x5H7, LIO 3x5H7, GAS
    2 5X5HDPS/DT 3X5HDPL/DT 3X5HDP/DT 6X5HDP/DD /
    3 14X 1HK 9X3HMPA 3X5HMOL/L 7X5HMOL/L 16X
    4 6Y5HMPA/K 2X7HMOL/L/K 3X5HMPA/K 2X9HMPA-L/MOL )
   5 FORMAT(5XF10.3, E12.5, E8.3, E12.5, 2F8.5, F11.4, F9.5, F8.4, E11.4)
11 FORMAT(1H113X*PROPERTIES OF SATURATED LIQUID HYDROGEN SULFIDE*//
    1 14x 1HT 4x5HQ, VAP 8x1HE 8x1HH 8x1HS
    2 SYZHOV SXZHOS SYZHOP SYBHE/P SXIHW /
    3 14x 14k 4x5HJ/MOL 4x5HJ/MOL 4x5HJ/MOL 2x7HJ/MOL/K
     4 1×74J/MOL/K 1×74J/MOL/K 1×74J/MOL/K 11× 5HM/SEC )
   12 FORMAT(5x F1C.3, 3F9.1, F9.3, 3F8.2, F9.5, I7)
     FOR PAGE ONE OF TABLIO.
    INSERT ROILING POINT AT J = 7.
 100 NP = 40 % PRINT 4 % DO 150 J=1, NP % T = 180 + 5*J
  102 IF(J.E0.1) T = TTRP + TF(J.E0.7) = 104,105
  104 T = FINDTSF(1.01325)
  105 IF(J.CT.-7) T = T - 5.0
  125 IF(J.EQ.NP) 126,139
 125 T = TORT & DSA(J)=DG=DL=DCRT & DLT(J) = DDLDT = D
 127 VG = VL = 1.0/DCRT $ ZG = ZCRT $ GO TO 141
 147 PSA(J) = PS = PSAT $ 7 = PS/DL/G/T
  148 PC=PS/10 $ DPSDT=DPSDT/10 & DPDT=DPDT/10 $ DPDD=DPDD/10
 150 PRINT 5, T.PS, DL, DG, 7,7G, DPSDT, DDLDT, DPDT, DPDD
     PAGE 2, TABLID. AVDID COEXIST, TIMESAVER.
C
    GET FUGACITY COFF., (F/P), VIA HZ, SZ, HG, SG.
  150 PRINT 11 $ DE 180 J=1, NP $ T=TSA(J) $ DL=DSA(J) $ PS=PSA(J)
                   q gy=gvapyr(T) $ S=SCATF(T) $ H=HSATF(T)
  161 DDLDT=DLT(J)
  16? E = H - 100*PS/DL & IF(J.ED.NP) 163,164
  163 CV = CSAT = CP = I + 0 $ GN TC 170
  164 PX = PVTF(T,DL,1) $ CSAT = CSATXF(T)
  165 CV = CSAT + 100*T*DPDT*DDLDT/DL/DL
  155 CP = CV + 100*T/DPDD*(DPDT/DL)**? $ IW=SQRT(WK*CP*DPDD/CV)
  170 TI * T & CALL IDEAL & GIB = H - EZZ - HZ - T*(S-SZ)
  190 PRINT 12, T, OX, E, H, S, CV, CSAT, CP, FDP, IW
  999 PETURN
      END
```

```
FUNCTION TSATE (DEN)
     ITERATE T TO MINIMIZE (DEN+DCALC) VIA DENGASE(T). DENLIGE(T).
     IF ITERATION FAILS, PRINTOUT ONCE ONLY AND STOP AT K . 2.
r
      COMMON/1/AL, 8E, GA, DE, EP, ET, DOPT, TORT, PORT, DGAT, DTRP, TTRP, PTRP
      COMMON/3/DPDT, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSDR, DTHDR, DDSDT
      DATA (0=2.0), (FN=6.3890551)
     NOTE, FN # EXP(0) - 1.C.
    1 FORMAT(1H1 14X *TSATE(DEN) FAILS AT DEN =* E15.7//
     1 15% 5HOCALC 13%2HOD 10%5HDDSOT 13%2HOT 12%3HT,K )
    ? FORMAT(5X 5E15.7)
    5 ST=DGAT/DCRT & F=4LDG(S)/ALDG(ST)*((1-S)/(1-ST))**2 $ GD TD 7
    6 ST=DTRP/DCRT $ U=((S-1)/(ST-1))**3 $ F=(EXP(3*U)-1)/FN
    7 T = TCRT/(YN*F+1)
    8 DO 20 J=1,50 $ IF(D-DCRT) 9,30,10
9 DC = DENGASF(T) $ GD TO 11
   10 DC = DENLIDE(T)
   11 DD = D + DC $ IF(ARS(DD/D).LT.1.0F-7) 25,1?

12 DT = DD/DDSDT $ IF(ABS(DT/T).LT.1.0E-7) 25,13

13 T = T + DT $ IF(T) 14,14,15

14 T = TTRP $ GO TO 18
   15 IF(T.LT.TCRT) 18,15
   16 T = TCPT - 0.00002
   18 IF(K.EO.1) PRINT 2, DC. DD, DDSDT, DT. T
20 CONTINUE $ K = K+1 $ IF(K.NE.1) STOP
21 PRINT 1, DEN $ GO TO 4
   25 TSATE = T $ DTSDR = DTRP/DDSDT $ RETURN
   30 TSATE = TCRT & DISDR = 0 & RETURN
      END
```

```
FUNCTION XCF(T,D)
     XCF # (Y**BE) *EXP(A*(1-TS/T)) + XS**BE. WHERE -
     X # T/TC, XS # TS/TC, A # (1-BE) + SQRT(1-PE).
     XCF = U*FYP(A*V) - US, U # Y**B, US # XS**B,
                                                          V # (1-TS/T).
      COMMON/1/AL, RE, GA, DE, EP, ET, DCRT, TCPT, PCRT, DGAT, DTRP, TTPP, PTRP
      COMMON/3/DPDT,02PDT2,DPSDT,DPMDT,DPDD,DPDR,DTSDR,DTHDR,DDSDT
      COMMON/4/XR1, XB2, XC1, XC2, XE1, XE2, DXBDR, DXCDR, DXEDR
      COMMON/6/ TSAT, THETA, PSAT
    1 8 = BE $ PN = 1+3 $ A = BN + SOPT(BN)
    2 TC=TCRT & TS=TSAT & X=T/TC & YS=TS/TC & XS1=DTSDP/TC
    3 U = ***8 $ U1 = 3*U/X $ U2 = -RN*U1/X
    4 US = XS**8 $ US1 = B*US*X51/X5
    5 V = 1-TS/T  $ V1P = -DTSDP/T $
                                           V1 x = TS/T/X & V2 x = -2*V1X/Y
    5 P = FXP(\Delta * V) + P1 = \Delta * P + P2 = \Delta * P1
    7 P1R = P1*V1R $ P1X = P1*V1X $ P2X = P1*V2X + P2*V1Y*V1X
    R XCF = U*P - US $ DXCDR = U*P1R - US1 $ XC1 = U*P1X + U1*P
    9 XC2 = U*P2X + 2*U1*P1X + U2*P $ RETURN
      END
      FUNCTION XEF(T,D)
     ULTRA REVISION, MARCH 29, 1981.
C
     XEF * H(R,T)/HC(R) - 1.0, W # (1-TH/T), WE # W**E,
     H(R,T) = 1.0 - (W-WE/E)/(1-1/E), E = ET.
С
      COMMON/1/AL, RE, GA, DE, EP, FT, DCRT, TCRT, PCRT, DGAT, DTRP, TTRP, PTRP
      COMMIN /3 /DPDT, D2PDT2, DPSDT, DPMDT, DPDD, DPDR, DTSDP, DTHRP, DDSDT
      COMMON/4/ YE1, YR2, XC1, XC2, XE1, XE2, DXBDR, DXCDR, DXEDR
      COMMON/6/ TSAT, THETA, PSAT
    1 E = ET $ EK = E/(E+1) $ TC = TCRT
2 TS = TSAT $ TH = THETA $ X = T/TC
    3 W = 1.0 - TH/T  § IF(W) 30,30,5
    5 W1P = -DTHDR/T $ W1X = TH/T/X $ W2X = -2*W1Y/X
    5 WE = W**F $ WE1 = F*WE/W $ WE1R = WE1*W1R
7 WE1Y = WF1*W1X $ WE2X = WE1*W2Y + (E-1)*WF1*W1X*W1Y/W
    3 H = 1 - FK*(W-WE/E) $ H1P = -EK*(W1R-WE1P/E)
9 H1Y = +EK*(W1X-WE1X/E) $ H2X = -FK*(W2X-WE2X/E)
```

14 HS = 1 - EK\*(WS-WSE/F) \$ HS1 = -EK\*(WS1-WSE1/E)

10 WS = 1.0 - TH/TS S IF(WS) 11,11,1211 HS = 1 \$ HS1 = 0 \$ G0 TO 16 12 WS1 = (TH\*DTSDP/TS - DTHDP)/TS 13 WSF = WS\*\*F \$ WSE1 = E\*WSE\*WS1/WS

16 U = 1.0/HS & U1 = -U\*HS1/HS

30 XEF = YE1 = XE2 = DXEDR = 0


END

Table 3. Ideal gas thermodynamic functions for H<sub>2</sub>S


 $-(F^{\circ}-E_{0}^{\circ})$  $\frac{C_p^*}{R}$  $(H^{\circ} - E_{0}^{\circ})$ ٥K RTRT $\overline{R}$ 4. 00286 4. 00288 4. 00301 3. 95091 13, 59988 72115 17.55080 72981 866 3. 95957 3. 96576 619 467 14. 32103 14. 93189 61086 52988 18. 28061 18. 89766 61705 53454 70 20 24 4 00321 3 97043 366 15, 46177 46787 19. 43220 19. 90373 47153 4. 00345 28 3.97409 295 15. 92964 41887 42182 20. 32555 20. 70716 21. 05557 4.00373 3. 97704 3. 97948 244 16. 34851 37917 38161 206 178 157 141 16.72768 17.07403 34635 31876 110 4.00404 4.00443 34841 51 72 103 3. 981.54 32055 3. 98332 3. 98489 17. 39279 17. 68805 29682 27640 29526 21, 37612 27498 21. 67294 4.00566 140 17, 96303 18, 22034 18, 46213 18, 69016 150 4.00669 148 3.98630 132 25731 21.94934 25863 4. 00605 4. 00817 4. 01021 4. 01293 4. 01646 127 125 129 22. 20797 22. 45102 22. 68031 24179 204 3.98762 24305 272 353 3. 98889 3. 99014  $\frac{22803}{21577}$ 22929 21706 180 190 443 3.99143 136 18.90593 20477 22, 89737 20612 3. 99279 23. 10349 200 4. 02089 540 146 19, 11070 19484 19631 640 743 844 19. 30554 19. 49139 19. 66905 3. 99425 3. 99585 160 176 18585 17766 18745 17942 4. 02629 4. 03269 23, 29980 23. 48725 220 230 4.04012 3.99761 194 17018 23, 66667 17212 4. 04856 944 3. 99955 215 19. 83923 16331 23. 83879 16546 4.05800 24. 00425 24. 16361 24. 31736 4.00170  $\frac{236}{259}$ 20, 00254 15700 250 1040 15936 4. 00406 4. 00665 20. 15954 1130 1215 15116 14576  $\frac{260}{270}$ 4.06840 4.07970 15375 14858283 20, 31070 280 290 4. 09185 4. 10478 306 330 20. 45646 20. 59721 14075 13609 24. 46594 24. 60976 1293 14382 1366 4. 01254 13938 1432 4.01584 354 20. 73330 13174 24. 74914 13528 4. 11844 4. 13276 4. 14767 4. 16313 1491 1546 1595 20. 86504 20. 99271 21. 11657  $12767 \\ 12386 \\ 12028$ 24. 88442 25. 01586 25. 14373 25. 26825 377 401 310 4.01938 13144 4. 02315 4. 02716 12787 12452330 423 340 4.17908 1640 4.03139 445 21. 23685 11692 12137 467 487 508 526 546 21. 35377 350 4. 19548 1680 4. 03584 11376 25, 38962 11843 1717 1752 1782 1811 4. 04051 4. 04538 4. 05046 21. 46753 21. 57830 21. 68625 25. 50805 25. 62369 25. 73672 25. 84726 4. 21228 4. 22945 11077 10795 11564 11303 370 380 4. 24697 10529 11054 4. 26479 4. 05572 21. 79154 10275 10821 4. 28290 4. 37719 4. 47674 4. 58056 4. 68761 4.06118 2982 3355 3671 9429 9955 21. 89429 22. 37431 400 48002 25. 95547 50984 4. 09100 4. 12455 26. 46531 26. 93160 27. 36312 27. 76625 43273 39481 450 46629 500 10382 22, 80704 43152 550 600 10705 10909 4. 16126 4. 20065 3939 23. 20185 23. 56560 36375 33786 4164 37951 650 4.79670 10981 4. 24229 4352 23.90346 31597 28.14576 35949 24. 21943 24. 51665 24. 79763 28, 50525 28, 84750 29, 17465 4 90651 29722 28098 34225 32715 10923 4 28581 4503 750 800 10751 10481 4. 33084 4. 37702 4618 4699 5. 01574 5.1232526676 31376 29, 48841 850 5. 22806 10139 4. 42401 4751 25. 06439 25421 30171 4. 47152 4773 4773 4751 5. 32945  $\begin{array}{c} 29078 \\ 28075 \\ 27149 \end{array}$ 900 9744 25, 31860 24304 29 79012 5. 42689 5. 52003 5. 60869 9314 8866 4. 51925 4. 56698 25. 56164 25. 79467 23303 22397 30. 08090 30. 36165 1000 26. 01864 26. 23440 21576 20824 26287 25483 1050 8410 4.61449 4712 30, 63314 5. 69279 4.66161 30, 89601 1150 5. 77239 7518 4.70819 4593 26. 44264 20136 31.15084 24728 26. 64400 27. 02808 27. 39021 27. 73314 28. 05912 5. 84757 5. 98531 6. 10755 4. 75412 4. 84363 4. 92963 1200 1300  $13774 \\ 12224$ 8951 38408 31.39812 47360 8600 31. 87172 32. 31984 32. 74499 33. 14930 36213 44812 34293 32598 31084 1400 10843 8222 42515 1500 1600 6. 21598 6. 31230 9632 8576 5. 01185 5. 09017 7832 7446 38530 7661 1700 6.39806 5. 16463 7069 28. 36996 29723 33. 53460 36792 6. 47467 6. 54336 6. 60518 28. 66719 28. 95206 29. 22567 28487 27361 26328 1800 6869 5. 23532 6707 33 90252 35194 33723 6362 6036 6182 5588 5. 30239 5. 36601 34. 25446 34. 59169 1900 32364 2100 6.66106 5070 5. 42637 5730 29, 48895 25377 34.91533 31106 29, 74272 29, 98769 30, 22449 2200 6.71176 4621 5. 48367 5441 24497 35, 22639 20030 5, 53808 5, 58980 5, 63901 2300 2400 2500 6.75797 6.80024 4227 3882 5172 4921 23680 22919 35. 52578 35. 81430 27840  $\frac{22209}{21543}$ 36. 09270 36. 36164 6.839063580 4685 30, 45368 26894 2600 6, 87486 3312 5. 68586 30, 67577 4466 26008 5. 73052 5. 77313 5. 81382 2700 6, 90798 3076 4261 36, 62172 30. 89120 20918 25179 2866 2675 4872 36, 87351 37, 11751 37, 35417 2800 2900 6. 93874 6. 96740 4069 3891 20330 19776 31.30368 23666 3000 6.99418 5.85273 7289 31.50144 38009 45298 3200 7.042904331 5. 92562 5. 99264 6702 31.88153 36128 37, 80715 42830 32, 24281 32, 58711 32, 91601 34430 32890 31487 3400 7.086213887 6185 38 23545 40616 3600 3800 4000 7, 12508 7, 16028 7, 19241 3520 3213 6. 05449 6. 11178 5729 5324 38. 64161 39. 02780 38619 36810 2954 6.165024964 33, 23088 30201 39, 39590 35165  $\frac{2731}{2538}$ 4200 7, 22195 6.214664641 33. 53289 29018 39. 74755 33660 7. 24926 7. 27464 6. 26107 4400 4600 4352 33, 82307 27929 40.08415 32281 2370 6.30459 4092 3856 34. 10236 34. 37156 26920 25982 40. 40696 40. 71707 31011 4800 5000 7. 29834 7. 32056 2222 29839 6.3840734 63138 41, 01546

TABLE 4. Ideal gas thermodynamic functions for HDS


	BLE 4.		y wo th		dynamic	Janen	one joi i	
°K	C;	<u> </u>	<u>(H°-</u>		$\frac{-(F^{\circ}-RT)}{RT}$	-E <sub>0</sub> )	$\frac{S'}{R}$	-
50	4. 00238	14	3. 96864	563	14.84410	72410	18, 81274	72974
60	4. 00252	22	3. 97427	405	15.56820	61295	19, 54248	61700
70	4. 00274	26	3. 97832	307	16.18115	53145	20, 15948	53451
80	4. 00300	29	3. 98139	242	16.71260	46908	20, 69399	47150
90	4. 00329	35	3. 98381	196	17.18168	41984	21, 16549	42181
100	4. 00364	46	3. 98577	165	17. 60152	37997	21, 58730	38161
110	4. 00410	66	3. 98742	141	17. 98149	34701	21, 96891	34843
120	4. 00476	101	3. 98883	126	18. 32850	31933	22, 31734	32059
130	4. 00577	154	3. 99009	118	18. 64783	29574	22, 63793	29691
140	4. 00731	224	3. 99127	114	18. 94357	27541	22, 93484	27655
150	4, 00955	314	3, 99241	116	19. 21898	25770	23, 21139	25886
160	4, 01269	419	3, 99357	124	19. 47668	24214	23, 47025	24339
170	4, 01688	537	3, 99481	137	19. 71882	22838	23, 71364	22975
180	4, 02225	664	3, 99618	154	19. 94720	21610	23, 94339	21764
190	4, 02889	797	3, 99772	175	20. 16330	20510	24, 16103	20685
200 $210$ $220$ $230$ $240$	4. 03686	930	3. 99947	200	20. 36840	19519	24, 36788	19718
	4. 04616	1063	4. 00147	227	20. 56359	18620	24, 56506	18847
	4. 05679	1190	4. 00374	256	20. 74979	17802	24, 75353	18059
	4. 06869	1313	4. 00630	287	20. 92781	17057	24, 93412	17343
	4. 08182	1428	4. 00917	319	21. 09838	16373	25, 10755	16692
250	4. 09610	1535	4. 01236	351	21, 26211	15743	25, 27447	16095
260	4. 11145	1634	4. 01587	384	21, 41954	15163	25, 43542	15547
270	4. 12779	1726	4. 01971	417	21, 57117	14627	25, 59089	15043
280	4. 14505	1808	4. 02388	448	21, 71744	14128	25, 74132	14576
290	4. 16313	1884	4. 02836	481	21, 85872	13664	25, 88708	14146
300	4, 18197	1953	4. 03317	511	21, 99536	13233	26. 02854	13744
310	4, 20150	2015	4. 03828	541	22, 12769	12830	26. 16598	13371
320	4, 22165	2072	4. 04369	571	22, 25599	12452	26. 29969	13022
330	4, 24237	2123	4. 04940	599	22, 38051	12097	26. 42991	12696
340	4, 26360	2170	4. 05539	625	22, 50148	11765	26. 55687	12391
350	4. 28530	2212	4. 06164	652	22. 61913	11451	26, 68078	12103
360	4. 30742	2250	4. 06816	677	22. 73364	11155	26, 80181	11832
370	4. 32992	2286	4. 07493	701	22. 84519	10877	26, 92013	11578
380	4. 35278	2316	4. 08194	724	22. 95396	10612	27, 03591	11336
390	4. 37594	2345	4. 08918	747	23. 06008	10362	27, 14927	11108
400	4.19939	12066	4. 09665	4029	23. 16370	48480	27, 26035	52510
450	4.52005	12430	4. 13694	4451	23. 64850	43814	27, 78545	48264
500	4.64435	12565	4. 18145	4779	24. 08664	40075	28, 26809	44855
550	4.77000	12499	4. 22924	5028	24. 48739	37014	28, 71664	42041
600	4.89499	12267	4. 27952	5208	24. 85753	34459	29, 13705	39668
650	5. 01766	11902	4, 33160-	5328	25, 20212	32295	29, 57373	37623
700	5. 13668	11438	4, 38488	5396	25, 52507	30436	29, 90996	35832
750	5. 25106	10904	4, 43884	5420	25, 82943	28821	30, 26828	34241
800	5. 36010	10330	4, 49304	5407	26, 11764	27401	30, 61069	32808
850	5. 46340	9736	4, 54711	5364	26, 39165	26143	30, 93877	31506
900	5. 56076	9142	4. 60075	5296	26, 65308	25017	31, 25383	30314
950	5. 65218	8557	4. 65371	5209	26, 90325	24004	31, 55697	29212
1000	5. 73775	7993	4. 70580	5106	27, 14329	23083	31, 84909	28190
1050	5. 81768	7455	4. 75686	4993	27, 37412	22245	32, 13099	27238
1100	5. 89223	6945	4. 80679	4873	27, 59657	21475	32, 40337	26347
1150 1200 1300 1400 1500 1600	5, 96168 6, 02635 6, 14259 6, 24341 6, 33102 6, 40738	6467 11624 10082 8761 7636 6680	4,85552 4,90297 4,99396 5,07969 5,16026 5,23587	9099 8573 8057 7561 7092	27. 81132 28. 01897 28. 41505 28. 78831 29. 14155 29. 47703	20765 39608 37326 35324 33548 31957	32, 66684 32, 92195 33, 40901 33, 86801 34, 30182 34, 71290	25511 48706 45900 43381 41108 39050
1700	6, 47418	5864	5. 30679	6652	29, 79660	30523	35, 10340	37175
1800	6, 53282	5168	5. 37331	6242	30, 10183	29221	35, 47515	35462
1900	6, 58450	4572	5. 43573	5860	30, 39404	28033	35, 82977	33893
2000	6, 63022	4059	5. 49433	5508	30, 67437	26941	36, 16870	32449
2100	6, 67081	3617	5. 54941	5181	30, 94378	25937	36, 49319	31118
2200	6, 70698	3233	5, 60122	4879	31, 20315	25007	36, 80437	29886
2300	6, 73931	2898	5, 65001	4600	31, 45322	24144	37, 10323	28745
2400	6, 76829	2605	5, 69601	4342	31, 69466	23341	37, 39068	27683
2500	6, 79434	2346	5, 73943	4103	31, 92807	22592	37, 66751	26695
2600	6, 81780	2119	5, 78046	3882	32, 15399	21889	37, 93446	25771
2700	6, 83899	1916	5, 81928	3677	32. 37288	21230	38, 19217	24907
2800	6, 85815	1735	5, 85605	3486	32. 58518	20611	38, 44124	24097
2900	6, 87550	1573	5, 89091	3308	32. 79129	20028	38, 68221	23336
3000	6, 89123	2720	5, 92399	6133	32. 99157	38431	38, 91557	44564
3200	6, 91843	2236	5, 98532	5557	33, 37588	36456	39, 36121	42012
3400	6, 94079	1830	6, 04089	5052	33, 74044	34674	39, 78133	39726
3600	6, 95909	1483	6, 09141	4607	34, 08718	33060	40, 17859	37667
3800	6, 97392	1180	6, 13748	4213	34, 41778	31589	40, 55526	35803
4000	6, 98572	913	6, 17961	3862	34, 73367	30246	40, 91329	34107
4200 4400 4600 4800 5000	6, 99485 7, 00158 7, 00612 7, 00862 7, 00922	673 454 250 60	6. 21823 6. 25369 6. 28631 6. 31636 6. 34407	3546 3262 3005 2771	35, 03613 35, 32623 35, 60495 35, 87313 36, 13155	29010 27872 26818 25842	41, 25436 41, 57992 41, 89126 42, 18950 42, 47563	32556 31134 29824 28613



Density-temperature diayram of hydroyen sulfide. Figure 1.



P-T lucus of P-p-T data of Reamer and of Lewis. Figure 2.



P-T locus of P-p-T data of Rau.

Figure 3.

47




Figure 4. Specific neats,  $C_{\nu}(T)$  at 20.34 mol/L.

Table 1. Comparisons of vapor pressure data for H2S.

HYDROGEN SULFIDE VAPOR PRESSURE, MPA, EPP = 1.700 (1) REAMER, (2) GIAUQUE, (8) I.C.T., (15) WEST, (21) CARDOSO (32) KLEMENC, (70) CLARKE TTRP = 187.660, TBLP = 212.874, TCRT = 373.400 PTRD = .02320, PCPT = 8.96291, DPS/DTC = .15238 A = -8.023473844, B = 16.731062287, C =-10.325650140 D = 9.690908499, E = -3.577167041, F = 3.174310817 ID WT Tok T/TC P, MPA CALCO PONT DPS/DT RESID 1.00 187.660 .50257 .02318 ·02320 -·07 ·00155 -.00012 1.00 188.400 .50455 1.00 190.556 .51033 1.00 193.150 .51727 .02438 .01 .02438 .00046 .00153 .02810 -.01 .00183 .00163 .02810 .03319 .00210 .00293 .03318 -.03 .02 .00218 .03478 .03477 .02 .00218 .04217 .04 .00255 2 1.00 193.890 .51926 .00336 2 1.00 197.030 .52766 .04219 .00479 1.00 198.150 .53066 1.00 199.959 .53551 1.00 203.150 .54405 .20 203.450 .54485 .05018 .09 .00269 .06026 -.01 .00339 .06128 .20 .00344 .07301 .23 .0030 70 .04509 .00515 .05022 .00601 70 .06025 .00694 2 .06140 .00738 .20 206.625 .55336 .07319 .00835 2 70 1.00 208.150 .55745 .07925 .07925 -.00 .00423 .00834 .08842 .27 .00461 .10133 -.00 .00514 .10184 -.01 .00516 .10275 -.01 .00520 .20 210.226 .56300 2 .10133 .10183 .08866 .00928 70 1.00 212.875 .57010 70 1.00 212.974 .57036 70 1.00 213.150 .57084 .00936 .00938 .10274 .00941 .20 213.216 .57101 .10339 .10309 .28 .00521 .00991 70 1.00 218.150 .58423 .13144 •13145 **-•**01 •00631 .01019 70 1.00 223.150 .59762 .16508 .16610 -.01 .00758 .01072 .20751 70 1.00 228.150 .61101 70 1.00 233.150 .62440 70 1.00 238.150 .63779 .00901 .20747 -.02 .01102 .25650 -.02 .01062 .25645 .01114 .31389 .31395 -.02 .01240 .01110 70 1.00 243.150 .65118 .38070 -.02 .01436 .45790 -.02 .01652 .54629 -.02 .01887 .64692 -.02 .02142 .38078 -.02 .01436 .01092 70 1.00 248.150 .66457 .45781 .01062 70 1.00 253.150 .67796 70 1.00 258.150 .69135 70 1.00 263.150 .70474 70 1.00 268.150 .71813 .01022 .54617 .64680 .00974 .76079 -.02 .76067 .02417 .00920 .88882 .88892 -.01 .02712 .00861 21 1.00 273.150 .73152 1.03352 1.03235 .11 .03029 .00817 70 1.00 273.150 .73152 1.03230 1.03235 -.01 .03029 70 1.00 278.150 .74491 1.19219 1.19213 .01 .03366 .00797 70 1.00 278.150 .74491 1.19219 .00732 .01 1.00 283.150 .75830 1.36941 1.00 288.150 .77169 1.56527 1.36930 .03725 .00564 70 1.56496 .02 .04105 .00595 70 .20 293.150 .78508 1.77471 .04507 1.78018 -.31 .00471 1 .04507 70 1.00 293.150 .78508 1.78069 1.78018 .03 .00527 .04932 .00459 2.01607 .03 1.00 298.150 .79847 2.01667 70 303.150 .81186 2.27495 2.27374 .05 308.150 .82525 2.55592 2.55435 .06 310.928 .83269 2.71653 2.72059 -.15 311.539 .83433 2.75790 2.75817 -.01 313.150 .83864 2.85443 2.85905 -.16 .05379 .00395 70 1.00 .05849 70 1.00 .00330 1.00 2.72059 -.15 .06120 .00250

.06181

.06343

.06343

.06861

.09 .07404

.07

.08

2.85905

.00275

.00230

.00269

.00212

.00157

313.150 .83864 2.86111

1.00 318.150 .85204 3.19174 3.18904 1.00 323.150 .86543 3.54881 3.54556

1

1

70

70

70

1.00

1.00

1.00

Table 1. Continued.

HYDROGEN SULFIDE VAPOR PRESSURE, MPA, EPP = 1.700

ID	WT	T. K	T/TC	POMPA	CALCD	PCNT	DPS/DT	RESID
1	1.00	333.150	.89221	4.33542	4.34341	18	.08571	.00014
ī	. 20	338.761	.90723	4.82633	4.84400	36	.09278	00061
ī	1.00	344.261	.92196	5.37033	5.37426	07	.10011	00047
î	.20	345.428	.92509	5.51581	5.49203	.43	.10173	.00031
i	1.00	352.039	94279	5.20528	6.19573	•15	.11129	00042
î	1.00	353.150	94577	5.32180	6.32030	.02	.11297	00067
i	1.00	358.094	95901	6.89476	6.89796	05	.12080	00065
1	1.00	360.928	96650	7.24915	7.24701	.03	.12557	00071
i	1.00	363.539	.97359	7.58423	7.58087	.04	.13020	00063
1	1.00	368.706	.98743	8.27371	8.27894	06	.14026	00057
1	1.00	300.100	.70173	0.2/3/1	0.21074	00	.14020	00057
32	0.00	188.200	.50402	.02416	.02406	.42	.00161	.00103
32	0.00	193.200	.51741	.03393	.03329	1.91	.00210	.00618
32	0.00	198.200	•53080	.04666	.04523	3.16	.00269	.01041
32	0.00	203.200	.54419	.06229	.06043	3.08	.00340	.01206
32	0.00	208.200	.5575R	.08158	.07947	2.66	.00424	.01277
32	0.00	219.200	.56294	.09049	.08830	2.47	.00451	.01292
32	0.00	213.200	.57097	.10510	•10301	2.03	.00521	.01280
1	0.00	277.594	.74342	1.16521	1.17352	71	.03327	.00620
15	0.00	277.594	.74342	1.15832	1.17352		.03327	.00520
1	0.00	282.706	.75711	1.37895	1.35284	1.93	.03692	.00990
21	0.00	287.950	.77116	1.51177	1.55676		.04089	.00103
	0.00	298.150	.79847		_	2.60		
21				2.06843	2.01607		.04932	.00884
	0.00	301.000	.80511	2.11161	2.16020		.05184	.00033
	0.00	309.800	.82967	2.50709	2.65218		.06009	.00011
15	0.00	310.928	.83269	2.73722	2.72059	•61	.06120	.00387
21	0.00	319.350	.85525	3.22315	3.27214		.06989	00069
1	0.00	323.150	.86543	3.44738	3.54556		.07404	00330
21	0.00	329.350	.88203	3.97599	4.02643		.08115	00132
1	0.00	331.483	.88774	4.13685	4.20222		.08369	00204
21	0.00	333.250	·89247	4.32962	4.35199	51	.08584	00042
21	0.00	337.800	.90466	4.71364	4.75543	88	.09154	00141
15	0.00	344.261	.92196	5.49512	5.37426	2.25	.10011	.00339
21	0.00	351.400	.94108	6.05214	6.12492	-1.19	.11033	00267
21	0.00	358.750	.96077	6.94380	6.97756	48	.12189	00159
21	0.00	360.900	.96552	7.19610	7.24350	65	.12552	00186
15	0.00	360.928	.96650	7.42565	7.24701	2.46	.12557	.00333
21	0.00	363.450	.97335	7.52541	7.56928	58	.13003	00169
21	0.00	363.65C	.97389	7.56087	7.59533	45	.13040	00147
21	0.00	369.700	.99009	8.40592	8.41942	15	.14241	00066
21	0.00	370.000	.99089	8.50117	8.46224	.46	.14307	.00040

NP = 54, RMSPCT = .081

Table 2. Comparisons of saturated liquid density data for H2S.

HYDROGEN SULFIDE SATLIQUID DENSITIES, EL = .350

ID WT ToK T/TC KG/M3 CALCD PONT MOL/L DDS/DT 32 1.00 190.050 988.8 29.014 29.015 -.00 .50897 -.0507 32 1.00 192.050 .51433 985.4 28.914 28.913 981.5 28.800 28.812 978.4 28.709 28.710 .00 -.0508 32 1.00 194.050 -.04 .51968 -.0509 1.00 32 196.050 .52504 978.4 28.709 28.710 -.00 -.0510 974.8 28.603 32 1.00 198.050 28.608 -.02 .53040 -.0510 32 1.00 200.050 .53575 971.4 28.504 28.506 -.01 -.0511 .00 32 1.00 202.050 •54111 958.0 28.404 28.403 -.0512 1.00 32 204.050 .54646 964.4 28.298 28.301 -.01 -.0513 .55182 -.01 960.9 28.195 -.0515 32 1.00 205.050 28.198 957.4 1.00 3.2 208.050 .55718 28.093 28.095 -.01 -.0516 .56253 953.9 27.990 32 1.00 210.050 -.00 27.991 -.0517 27.867 27.888 -.00 32 1.00 212.050 .56789 950.4 -.0519 1.00 1 282.706 .75711 813.8 23.880 23.882 -.01 -.0645 1.00 298.150 .79847 778.8 22.851 22.842 .04 1 -.0706 .05 1.00 311.539 .83433 745.1 21.862 21.850 .86543 711.6 20.879 20.897 -.0779 1 -.08 1 1.00 323.150 -.0868 584.3 20.078 0.00 331.483 .88774 20.138 -.30 -.0956 1 .90723 657.8 19.302 0.00 338.761 -.54 1 19.407 -.1059 1 0.00 345.428 .92509 631.0 18.514 18.660 -.78 -.1191 0.00 352.039 .94279 600.9 17.532 17.814 -1.02 -.1383 1 .95901 568.7 15.688 .97359 532.6 15.628 16.897 -1.24 15.872 -1.54 1 0.00 358.094 -.1670 -.2155 1 0.00 353.539 .98743 484.0 14.201 14.510 -2.13 -.3359 0.00 368.706 1 193.150 .51727 983.5 28.860 28.857 .01 70 1.00 -.0508 -.0510 .53066 974.8 28.604 28.603 .00 70 1.00 198.150 .54405 966.3 28.353 .55745 957.3 28.090 .57010 949.0 27.847 203.150 .54405 28.347 .02 -.0513 70 1.00 70 1.00 208.150 28.090 .00 -.0516 -.0519 27.845 .01 70 1.00 212.875 .57036 949.0 27.847 .03 -.0519 212.974 27.840 70 1.00 70 1.00 213.150 .57084 948.5 27.832 27.831 .00 -.0519 .03 -.0524 27.570 .58423 939.9 27.579 70 1.00 218.150 .59762 930.9 27.315 .61101 921.8 27.049 .03 -.0528 1.00 223.150 27.307 70 .61101 921.8 27.049 27.042 .62440 912.7 26.781 26.774 .03 -.0533 70 1.00 228.150 .03 -.0539 70 1.00 233.150 1.00 238.150 .63779 903.3 26.504 26.502 -.0546 .01 70 -.0553 243.150 .65118 893.8 26.226 26.228 -.01 70 1.00 -.01 -.0561 248.150 .66457 884.3 25.947 25.949 70 1.00 253.150 .67796 874.5 25.661 258.150 .69135 864.5 25.368 25.667 -.02 -.0570 1.00 70 •69135 -.04 1.00 25.379 -.0580 258.150 70 .70474 854.6 25.075 -.05 -.0591 25.087 70 1.00 263.150 24.777 .71813 844.4 24.788 -.05 -.0603 268.150 70 1.00 -.04 -.0515 24.484 .73152 834.1 24.474 1.00 273.150 70 .74491 823.6 24.166 24.172 -.03 -.0630 70 1.00 278.150 .75830 812.8 .77169 801.9 -.0646 23.849 23.853 -.02 1.00 283.150 70 .01 23.526 -.0664 1.00 23.529 288.150 70 .78508 790.5 23.196 23.189 .03 -.0684 1.00 293.150 70 .05 .79847 778.8 22.852 -.0706 22.842 298.150 70 1.00 .06 -.0730 22.483 766.7 22.497 303.150 .81186 70 1.00 .06 -.0758 754.0 22.124 22.111 308.150 .82525 70 1.00 .05 -.0790 .83964 740.7 21.734 21.724 313.150 70 1.00 726.5 21.317 21.320 -.01 -.0826 1.00 .85204 70 318.150 711.5 20.877 -.0858 20.897 -.09 323.150 .86543 70 1.00

NP = 45, RMSPCT = .033

Table 3. Comparisons of saturated vapor density data for H2S.

HYDROGEN SULFICE SATVAPOR DENSITIES, AG = .70, RG = 2.00

(1) REAMER, (9) VIA B(T), (10) VIA QVAP, (70) CLARKE, (95) VIA R.D. TTRP = 187.650, TBLP = 212.874, TCRT = 373.400 OGAT = .01496, DGBP = .05843, DCRT = 10.20, ZCRT = .28303 -.752579794 1.975480377 2.172963661 -.865481204 -5.766079643 KG/43 CALCD PCNT 00S/DT ΙD ⊌ T T,K T/TC MOL/L F(Z) .42 .51727 .710 .02083 . 8324 70 193.150 .02084 .02 .00122 .943 .53066 .02767 70 .46 198.150 .02766 • 03 .00152 .9333 .50 .54405 .03515 .04 203.150 1.233 .03517 .00188 .8358 7.0 1.587 .04658 .04657 .02 .00229 .9241 .55745 70 .54 208.150 .57010 1.992 .05845 .05843 .02 .00274 70 •57 212.875 .8202 .05872 .05871 .02 70 .57 212.974 .57036 2.001 .00275 .8224 .57084 .05919 .8004 70 .57 213.150 2.017 .05917 -.03 .00277 .02 70 218.150 .58423 .07435 .07433 .00330 2.534 . 3201 .61 .09231 70 .65 223.150 .59762 3.147 .09234 .03 .00393 .8186 .68 .61101 .11349 .00458 7.0 228.150 3.868 .11348 .01 .8135 .13824 .13819 • 03 .00532 .8137 .71 .62440 7.0 233.150 4.711 .63779 .65118 70 .74 238.150 5.689 .16695 .16685 .06 .00615 .8140 .09 .20004 ·19986 .00707 .8137 70 .77 243.150 6.817 .80 .23781 .07 .23765° .00807 70 248.150 .65457 8.105 .8051 .28082 .28070 .7970 70 .82 253.150 .57796 9.570 .04 .00917 .04 .69135 .32948 .7903 .84 258.150 .01037 70 11.233 .32960 .70474 • 02 7 C .86 263.150 13.108 .38452 .38453 .01167 .7830 .44663 .44641 .05 70 . 8.8 268.150 .71813 15.221 .01310 .7782 .51570 .90 .73152 .7715 7.0 273.150 17.585 .51600 .06 .01464 .74491 .59347 .59307 .91 278.150 20.226 .07 70 .01633 .7647 .93 .09 7.0 283.150 .75830 23.158 .67981 .67921 .01816 .7582 288.150 .94 .77169 .77580 .77489 .12 .02015 .7517 26.439 70 .88097 70 . 75 293.150 .78508 30.053 .881 P3 .10 .02232 .7435 .96 298.150 .79847 34.080 1.00000 .99840 .7382 70 .02469 .16 .7298 .02731 70 .97 303.150 .81186 38.495 1.12956 1.12829 .11 .97 .82525 1.27243 1.27192 .04 7.0 308.150 43.364 .03020 .7216 .98 .83864 1.42918 1.43081 -.11 .03342 7.0 313.150 48.707 .7125 1.60026 1.60682 1.78603 1.80229 70 0.00 318.150 .85204 54.537 -.41 .03706 .7019 .86543 60.868 323.150 -.90 .5896 70 0.00 .04123 .39 .589 .01727 .02 .50894 .01728 190.000 .00105 .8374 .47 .53562 .00155 Q 200.000 1.043 .03060 .03060 . 8225 .01 -- 8090 9 .55240 .05096 .05096 .55 210.000 .00246 1.737 -.01 .58918 .08059 .7970 9 .62 220.000 2.747 .08064 -.05 .00352 230.000 .59 .00494 9 .61596 4.150 .12205 .1?219 -.11 .7858 .75 .64274 240.000 5.074 .17853 .00549 .17822 -.18 .7795 Q . 56952 8.602 . 25239 . 25 294 .81 250.000 -.22 .00846 .7726 Q .95 260.000 •69630 11.873 .34839 .34909 -.20 .01084 .7591 . 39 .72309 .47083 .47115 -.07 .01355 .7094 Q 270.000 16.046 10 .38 188.750 .545 .01599 -.08 .00099 .7053 .01600 .57 212.870 .57009 1.992 .05844 .00274 10 .8251 .05842 .03 .99 .87038 -.27 .04293 .7013 95 325.000 63.902 1.87506 1.88012 .99 95 330.000 .88377 71.650 2.10240 2.10728 -.23 .04838 .7009 335.000 .89716 .05427 .7324 95 1.00 80.384 2.35869 2.36257 -.17 95 2.65244 1.00 340.000 .91055 90.322 2.65029 -.08 .05173 .7053 101.770 95 .07175 1.00 345.000 .92394 2.98621 2.98556 . 02 .7128 1.00 .93733 3.37991 3.37571 .08502 .7225 95 350.000 115.187 .12 1.00 .95072 3.85312 3.84545 .7363 95 355.000 131.314 .20 .10417 1.00 4.43605 5.23790 95 151.490 4.44512 .20 360.000 .96411 .7551 .13479 95 1.00 365.000 .97750 179.638 5.24172 .07 .19347 .7858 6.52343 6.54170 222.319 95 370.000 .99089 1.00 -.28 .37047 .9389

Table 4. Coefficients of equation of state for hydrogen sulfide.

```
EGNSTATE COEFFS., HYDROGEN SULFIDE
TTPP =
       •187660F+03, TBLP = .212874E+03, TCRT = .373400E+03 K,
PTRP =
        .231991E-01, PBLP = .101325E+00, PCRT = .895291E+01 MPA,
DGAT = .149574E-O1, DGBP = .58432BE-O1, DCPT = .10200CE+02 MOL/L, DTRP = .291360E+02, DLBP = .278450E+02, DCRT = .1C2C00E+02 MOL/L, DPS/DT8 = .51380E-02 MPA/K, QVAPB, KJ/MOL = 18.6786
IX = 2, FR = 2.000
AL = 1.0000000, 8E = .7500000, GA = .5000000
DE = 0.0000000, EP = 0.0000000, ET = 1.1000000
81 = .39825678673, 82 = 0.00000000000, 83 = .13290189038
C1 = -.31070871113, C2 = 0.30000000000, C3 = 0.0000000000
0/00
         MCL/L
                     TSAT
                              THETA
                                          PSAT
                                                       В
 .10
                                                  .39959
        1.0200
                  299.017
                                                            -.52855
                            266.817
                                        2.0592
 .20
        2.0400
                  328.577
                            303.309
                                        3.9541
                                                  .40357
                                                            -. 43856
 .30
        3.0600
                  346.021
                            327.959
                                                  .41022
                                        5.5526
                                                            -.35347
 .40
        4.0800
                                                  .41952
                  357.141
                                        6.7836
                           345.285
                                                            -.27535
 .50
        5.1000
                 364.264
                           357.217
                                       7.6757
                                                  .43148
                                                            -.20555
 .60
        6.1200
                 358.723
                           365.054
                                                  .44610
                                       8.2814
                                                            -.14533
 .70
        7.1400
                  371.369
                                                            -.09455
                            369.805
                                        8.6602
                                                  .46338
 .80
                  372.762
                                                  .48331
        8.1600
                            372.297
                                        8.8665
                                                            -.05415
 .90
        9.1900
                 373.313
                          373.254
                                        8.9495
                                                  .50591
                                                            -.02280
                                                  .53115
1.00
      10.2000
                 373.400
                           373.400
                                       8.9629
                                                           0.00000
1.10
      11.2200
                373.318
                           373.260
                                       8.9505
                                                  .55907
                                                            .01527
1.20
       12.2400
                 372.816
                           372.350
                                       8.8745
                                                  .58964
                                                             .02420
                                                            .02803
1.30
       13.2600
                  371.577
                            370.C13
                                       8.6908
                                                  .62286
                           365.683
                                                  .55874
                                                            .02777
1.40
       14.2800
                  369.360
                                        8.3711
1.50
      15.3000
                                                  .69729
                 355.984
                           358.903
                                       7.9048
                                                            .02522
1.40
                                                  .73849
      16.3200
                361.328 349.333
                                      7.2974
                                                            .02073
1.70
                                                  .78234
                                                            .01538
      17.3400
                355.310
                           336.754
                                       6.5679
1.80
       18.3600
                 347.892
                           321.129
                                       5.7459
                                                  .82886
                                                            .00984
1.90
       19.3900
                 339.016
                            302.508
                                        4.8677
                                                  .87803
                                                             .00450
                                       3.9739
                  328.699
                            291.139
                                                  .92985
                                                           0.00000
2.00
       20.4000
       21.4200
                 316.933
                           257.409
                                                  . 98435
                                       3.1063
                                                           -.00377
2.10
2.20
       22.4400
                 303.734
                           231.848
                                       2.3053
                                               1.04150
                                                            -.00553
                           205.107
                                                1.10131
       23.4500
                 289.139
                                       1.6059
                                                           -.03853
2.30
2.40
       24.4800
                 273.212
                            177.928
                                       1.0342
                                                 1.16377
                                                            -.00977
                                        .6033
2.50
       25.5000
                  256.058
                            151.096
                                                 1.22889
                                                            -.01024
                            125.383
                                                 1.29667
2.50
       26.5200
                  237.828
                                        .3100
                                                            -.01016
2.70
                                        .1351
       27.5400
                 218.722
                           101.488
                                                1.36711
                                                            -.00955
```

79.976

61.235

.0474

.0124

1.44021

1.51596

-.00833

-.00793

198.984

178.882

2.80

2.90

28.5600

29.5800

Calculated critical isotherm for hydroyen sulfide. 5 Table

TC = 373.400 K, DC = 10.20 MOL/L, PC = 8.962907 MPA, AT THE C.D., DPS/DT = .152378, DP/DT = .152378 MPA/K.

	.0054	9600	9000	71	0078	.0087		0111	0126	46	01709	03	9	306	0394	0531	765	1293	522	.1062	000	.5016	483	.12835	773	538	400	312	251	207		n n	130	-9"	_		81	073	67	061	56
DP/DT MPA/K	3783434	79	3941026	4019307	4097224	14174749	14251853	4328500	14404652	4480259	67	4629608	4703200	4775943	4847707	14918325	4987567	15055534	15120696	5183210	15237757	5292423	5357932	5426886	5500005	576018	5654914	5736463	820498	5906891	5995541	086368	6179307	274301	371305	0279	.165711909	6674009	778738	885300	6993704
00 / J-Vd	. ന	413459	352637	298086	249355	205146	158157	135076	0105587	082369	052032	045421	032018	021535	013623	007927	004087	0001516	0000481	7600000	000000	000016	000500	01707	004271	008363	014511	023160	034767	049802	063747	092098	120352	154058	193719	239887	293118	353979	423276	501180	588489
D/PC	99866	.999888991	99910	99928	99943	96666	99666	99975	99982	49987	16666	90666	96666	16666	86666	56666	66666	666666	56666	.00000	0000000	000000	000000	00000	000000	000000	.000001	•00000	•00000	9000000	00000°	.000013	.0000	.000027	.00003	.00004	00064	.000082	.000103	.000129	.000159
PAP	38186550	4697715	1348153	8163278	5134011	2262823	9552209	7004590	14622796	2409072	0366075	8496382	5802507	5287435	3953683	2804392	1843019	01006990	0446635	0082073	00000000	0038823	0471635	.01005634	1796975	.02719150	3813893	5076339	0	8088507	9831441	1729278	3776304	5972969	.18315857	0802653	431127	6199111	9117368	2158958	353338372
PS/PC	9851954	.998722771	9840486	9907350	210	9935424	9947087	9957270	966085	9973517	.999799622	9985215	9686474	965838	9995467	283	9998570	999433	25	1866666	00000000	9665666	9999820	.999994257	9998597	9997345	9995531	9993060	в в в в в	9985777	980786	9974781	9967675	9959385	9949829	9038656	6596	9912760	7272	890187	c
015/DD K-L/MDL	.51422764	940	.06257030	.85245179	.45273027	.46354548	.28504043	1735122	6045506	1507565	7301	5790348	4662793	4711091	5952937	407238	095323	06508305	052430	21	000000	254785	95247	54654	794107	7847750	5035106	3325055	2691312	3111275	564771	7033509	.90501114	.04951822	1.20371243	1,35745593	1.54062149	.72308147	1,91556532	2,11532003	32402082
TS/TC	9975535	47	9275B	9985386	7732	9989817	9391666	9993264	9994654	9995845	0306845	0497670	0098341	9398871	9399276	999572	4116666	99999910	226666	866666666	00000000	6666666	999971	666	0226666	999581	9999598	9998904	668365	9997758	96972	9996025	9994905	93597	0662666	99037C	9938424	986240	- 5367FR606.	A1094	9979123
20/0	006.	.905	-	7	2	2	.930	3	4	4	•950	S.	2	4	-	~	α.	œ	0	95	000	00	~	015	2	~	03	3	4	5	rc.	0.5	~	90	-	075	α	085	666.	560.1	0

Table 6. Comparisons for P-p-T data for hydrogen sulfide.

ID	PN	WT	TyK	MOL/L	CALCD	D, PCT	P, MPA	CALCD	P,PCT
1	1	1.000	277.594	.0444	.0443	•17	.1013	.1015	17
1	2	1.000	277.594	.0607	.0605	•22	.1379	.1382	22
ī	3	1.000	277.594	.0917	.0914				
ī	4	1.000	277.594			.30	.2068	.2074	29
	5			.1232	•1228	•36	•2758	. 2768	35
1		1.000	277.594	.1552	•1546	•39	.3447	•3460	38
1	6	1.000	277.594	.1878	.1869	• 45	.4137	.4155	43
1	7	0.000	277.594	•2547	• 2532	• 5 8	•5516	.5546	54
1	8	0.000	277.594	.3243	.3217	.79	.5895	.6945	72
1	9	0.000	277.594	.4150	. 4109	.99	.8518	.8695	28
1	10	0.000	277.594	.5101	.5046	1.10	1.0342	1.0442	95
1	11	1.000	277.594			.04	1.3790		-11.61
1	12	1.000		24.2704		.04	2.0684	2.2564	-8.33
î	13	1.000		24.3109				2.9651	
i	14	_				• 0 5	2.7579		-6.93
		1.000		24.3590		.09	3.4474	3.8188	-9.73
1	15	1.000	277.594			•13	4.1369		-11.80
1	16	1.000		24.4856		•14	5.5158		-10.12
1	17	1.000		24.5644		•16	6.8948	7.6321	-9.56
1	1.8	1.000		24.6514	24.6153	.15	8.6184	9.3275	-7.60
1	19	1.000	277.594	24.7428	24.7022	.16	10.3421	11.1632	<b>-7.35</b>
1	20	1.000	277.594	24.8271	24.7867	•16	12.0658	12.9077	-6.52
1	21	1.000		24.9121		.17	13.7895	14.7130	-6.23
ī	22	1.000		24.9937		.18	15.5132	16.4949	-5.95
î	23	1.000		25.0719		.18	17.2369	18.2468	-5.53
1	24	1.000							
				25.1546		• 20	18.9606	20.1456	-5.88
1	25	1.000		25.2339		• 2 2	20.5843	22.0121	-6.03
1	26	1.000		25.3899		• 27	24.1317	25.8215	-5.54
1	27	1.000		25.5355		•30	27.5790	29.5460	-5.55
1	28	1.000	277.594	25.6583	25.5918	. 26	31.0264	32.8103	-5.44
1	29	1.000	277.594	25.7822	25.7191	.25	34.4738	36.2274	-4.94
1	3 0	1.000	277.594	26.0845	25.9606	. 48	41.3685	45.0927	-8.25
1	31	1.000	277.594	25.3245	26.1866	.53	48.2633	52.6873	-8.43
1	3 2	1.000			26.3993	.51	55.1581	59.7268	-7.65
ī	33	1.000		26.7019		•38	62.0528	55.6711	-5.51
î	3 4	1.000		26.8091		.07	68.9476	69.6035	94
1	35		310.928	.0395	.0395	.06	.1013	.1014	05
_		1.000					.1379	.1380	04
1	36	1.000	310.928	•0539	.0538	• 04			
1	37	1.000	310.928	.0812	.0812	•03	.2068	.2069	03
1	3 8	1.000	310.928	.1088	.1088	.05	.2758	.2759	05
1	39	1.000	310.928	.1367	.1367	.01	.3447	.3448	01
1	40	1.000	310.928	•1650	.1649	•07	.4137	.414C	07
1	41	1.000	310.928	.2222	.2222	.01	•5516	• 5516	01
1	42	1.000	310.928	.2805	.2807	06	.6895	.6891	.05
1	43	1.000	310.928	.3552	.3558	17	.8618	.8605	•15
ī	44	1.000	310.928	.4329	.4330	02	1.0342	1.0340	.02
î	45	1.000	310.928	.5937	. 5947	17	1.3790	1.3768	.15
i	46	1.000	310.928	.9523	9539	16	2.0684	2.0657	.13
				21.9071		.02	2.7579	2.9107	-1.89
1		1.000				01	3.4474	3.4295	•52
1	4.8	1.000	310.928	21.9702	21.9/20	03	4.1369	4.0682	1.69
1	49	1.000	310.928	22.0336	22.0404				
1	50	1.000	310.928	22.1555	22.1717	07	5.5158	5.3419	3.26
1	51	1.000	310.928	22.2757	22.2966	09	6.8948	6.6591	3.54
1	52	1.000	310.928	22.4191	22.4447	11	8.6184	8.3140	3.65
1	53	1.000	310.928	22.5544	22.5849	09	10.3421	10.0847	2.55
ī	54	1.000	310.928	22.6987	22.7181	09	12.0658	11.8089	2.18
ī	5 5	1.000	310-928	22.8248	22.8453	09	13.7895	13.5072	2.39
i	56	1.000	310-928	22.9491	22.9668	08	15.5132	15.2569	1.55
i	57	1.000	310-928	23.0647	23.0835	08	17.2369	16.9553	1.65
1	) (	1.000	310.720	23,00.1					

Table 6. Continued.

ID	PN	WT	TøK	MOL/L	CALCO	DPCT	P,MPA	CALCD	P, PCT
1	58	1.000	310.928	23.1816	23.1956	06	18.9606	18.7415	1.17
1	59	1.000	310.928			06	20.6843	20.4549	1.12
1	60	1.000	310.928	23.5082		00	24.1317	24.1256	• 02
ī	61	1.000		23.7100		.04	27.5790	27.7535	63
ī	62	1.000		23.8975	23.8815	.07	31.0264	31.3396	-1.00
î	63	1.000	310.928			.10	34.4738	34.9779	-1.44
î	64	1.000	310.928	24.3924	24.3705	.09	41.3685	41.8675	-1.19
î	65	1.000	310.928			.04	48.2633	48.4995	49
i	66	1.000	310.928	24.9315		.01	55.1581	55.230F	13
1				25.1467	24.9287				
	67	1.000				12	62.0528	61.1537	1.45
1	68	1.000		25.3457		26	68.9476	66.9676	2.96
1	69	1.000	344.261	•0356	• 0356	•01	.1013	.1013	01
1	70	1.000	344.261	•0495	.0485	00	.1379	.1379	•00
1	71	1.000	344.261	.0730	•0730	04	.2068	.2068	.04
1	72	1.000	344.261	.0977	.0978	02	.2758	. 2757	• 02
1	73	1.000	344.261	.1226	.1227	08	.3447	• 3445	• <b>3</b> 8
1	74	1.000	344.261	.1476	.1477	07	.4137	.4134	• 07
1	75	1.000	344.251	.1982	.1985	13	.5516	•5509	•13
1	76	1.000	344.261	.2495	.2501	22	•6895	•5880	•21
1	77	1.000	344.261	.3147	.3156	29	.8618	.8595	•28
1	78	1.000	344.261	.3814	.3825	28	1.0342	1.0315	. 26
1	79	1.000	344.261	.5184	.5201	33	1.3790	1.3747	•31
1	80	1.000	344.261	.8107	.8132	31	2.0684	2.0527	.28
1	81	1.000	344.261	1.1328	1.1346	15	2.7579	2.7544	•13
1	82	1.000	344.261	1.4971	1.4936	. 23	3.4474	3.4536	18
1	83	1.000	344.251	1.9230	1.9072	. 83	4.1369	4.1610	58
1	8 4	1.000		18.7044		70	5.5158	5.0461	9.31
ī	8.5	1.000		19.0153	19.1740	83	6.8948	6.2178	10.89
ī	86	1.000		19.3787		77	8.6184	7.8508	9.78
ī	87	1.000		19.6911	19.8343	77	10.3421	9.4459	9.49
î	88	1.000		19.9806		61	12.0658	11.2565	7.19
î	89	1.000		20.2535	20.3441	45	13.7895	13.1218	5.09
î	90	1.000		20.4552		53	15.5132	14.6423	5.95
î	91	1.000		20.6530	20.7661	54	17.2369	16.2566	5.03
i	92	1.000		20.8357		56	18.9606	17.8612	
i	93	1.000		21.0051		59			6.16
1			244 241	21.3153	21.1295		20.6843	19.4513	6.34
1	94	1.000				63	24.1317	22.6322	6.63
	95	1.000		21.5999		64	27.5790	25.8739	6.59
1	96	1.000		21.8921		50	31.0264	29.5490	5.00
1	97	1.000		22.1311	22.2441	51	34.4738	32.8304	5.01
1	98	1.000		22.5612		52	41.3685	39.4111	4.97
1	99	1.000	344.251			56	48.2633	45.8442	5.28
1	100	1.000			23.4067	46	55.1581	52.9399	4.19
1	101	1.000		23.6261		40	62.7528	59.9189	3.55
1	102	1.000		23.9690		16	68.9476	67.9722	1.44
1	103	1.000	377.594	.0324	.0324	02	.1013	.1013	•02
1	104	1.000	377.594	.0441	.0442	04	.1379	.1378	-04
1	105	1.000	377.594	.0564	.0664	06	.2068	.2067	.05
1	106	1.000	377.594	.0887	.0P88	09	.2758	.2756	• 09
1	107	1.000	377.594	.1112	.1113	10	.3447	.3444	•10
1	108	1.000	377.594	.1338	.1340	14	.4137	.4131	•13
1	109	1.000	377.594	.1794	.1797	18	•5516	.5506	•18
1	110	1.000	377.594	.2253	.2259	28	.6895	.6876	.27
1	111	1.000	377.594	.2835	.2844	33	.8618	.8591	•32
1	112	1.000	377.594	•3430	.3438	22	1.0342	1.0320	.21
1	113	1.000	377.594	.4530	.4649	42	1.3790	1.3734	.40
1	114	0.000	377.594	.7461	.7176	3.97	2.0684	2.1438	-3.51
1	115	1.000	377.594	.9833	.9854	21	2.7579	2.7528	.19
							,		-

Table 6. Continued.

ID	PN	WT	TyK	MOL/L	CALCD	D, PCT	P, MPA	CALCO	P,OCT
1	116	1.000	377.594	1.2713	1.2707	•05	3.4474	3.4488	04
1	117	1.000	377.594	1.5829	1.5772	.36	4.1369	4.1491	29
1	118	1.000	377.594	2.3015	2.2781	1.03	5.5158	5.5571	74
ī	119	1.000	377.594	3.2361	3.1773	1.85	6.8948	6.9704	-1.09
î	120	1.000	377.594	5.2008				8.5718	
					5.1026	1.92	8.5184		51
1	121	1.000		13.9899		• 58	10.3421	10.3861	42
1	122	1.000	3//.594	15.6798	15.6889	06	12.0658	12.0518	•12
1	123	1.000	3/7.594	16.5463	16.5687	14	13.7895	13.7356	•39
1	124	1.000		17.1522		19	15.5132	15.4104	. 57
1	125	1.000		17.6434	17.6675	14	17.2369	17.1424	• 5 5
1	126	1.000		18.0185	18.0689	28	18.9606	18.7284	1.24
1	127	1.000	377.594	18.3551	18.4148	32	20.5843	20.3699	1.54
1	128	1.000		18.9165		41	24.1317	23.6275	2.13
1	129	1.000	377.594	19.3811	19.4718	47	27.5790	26.8792	2.50
1	130	1.000		19.7881	19.8817	47	31.0264	30.1961	2.75
ī	131	1.000		20.1617		40	34.4738	33.6679	2.39
1	132	1.000		20.7493		52	41.3685	40.0529	3.28
1	133	1.000		21.2531		57	48.2533	46.5363	3.71
1	134	1.000	377.594		21.8239	48	55.1581	53.4794	3.14
1	135	1.000		22.1402		37	62.0528	60.5816	2.43
1	136	1.000	377.594			05	68.9476	68.7109	. 34
1	137	1.000	410.928	• 02 97	.0297	04	.1013	.1013	.04
1	13 A	1.000	410.928	.0405	.0405	04	.1379	.1378	• 04
1	139	1.000	410.928	.0609	.0609	0B	.2068	.2067	• D 8
1	140	1.000	410.928	.0814	.0814	08	.2758	.2756	.08
î	141	1.000	410.928	.1019	.1020	11	.3447	.3444	.10
î	142	1.000	410.928	.1225	.1227	18	.4137	.4130	.17
	143	1.000	410.928	.1640	.1543	21	.5516	.5504	.21
1			410.928	.2059	.2063	20	.6895	.6882	.19
1	144	1.000				36	.8618	.8588	.35
1	145	1.000	410.928	.25R4	.2593				.37
1	145	1.000	410.928	.3116	.3128	38	1.0342	1.0304	
1	147	1.000	410.928	•4193	.4216	54	1.3790	1.3719	• 52
1	148	0.000	410.928	•6955	.5457	7.71	2.0684	2.2180	-5.74
1	149	1.000	410.92R	.8763	.8791	32	2.7579	2.7499	.29
1	150	1.000	410.928	1.1202	1.1223	19	3.4474	3.4415	.17
1	151	1.000	410.928	1.3773	1.3765	.06	4.1369	4.1391	35
1	152	1.000	410.928	1.9369	1.9249	• 63	5.5158	5.5445	52
î	153	1.000	410.928	2.5753	2.5439	1.23	6.8948	6.7597	93
î	154	1.000	410.928	3.5361	3.4704	1.89	8.6184	8.7260	-1.23
	155	1.000	410.928	4.7533	4.5886	1.38	10.3421	10.4191	74
1			410.928	6.4202	6.4575	58	12.0658	12.0360	. 25
1	155	1.000		8.6821	8.9455	-2.94	13.7895	13.6149	1.28
1	157	1.000	410.928		11.2058	-1.42	15.5132	15.3723	. 92
1	158	1.000	410.928				17.2369	17.1954	.24
1	159	1.000	410.928		12.8059	25		18.8969	.34
1	160	1.000	410.928		13.9282	25	18.9606	_	
1	161	1.000	410.928	14.7093	14.7606	35	20.5843	20.5643	.58
1	162	1.000	410.928	15.9229	15.9526	19	24.1317	24.0283	. 43
1	163	1.000	410.928	16.7820	16.9063	14	27.5790	27.4574	. 41
ī	154	1.000	410.928	17.4493	17.4743	14	31.0264	30.8840	. 45
î	165	1.000	410.928	17.9983	18.0255	15	34.4738	34.2895	.54
1	156	1.000	410.92B	18.8741	18.9086	18	41.3685	41.0640	.74
			410.928		19.6078	34	48.2633	47.5518	1.50
1	167	1.000		20.1363	20.1903	27	55.1581	54.4709	1.25
1	168	1.000	410.928		20.6917	05	62.0528	61.9157	.22
1	169	1.000	410.928	21 1004	21.1331	.26	68.9476	69.8704	-1.32
1	170	1.000		21.1884	0275	03	.1013	.1013	.33
1	171	1.000	444.261		.0275	03	.1379	.1378	.03
1	172	1.000	444.261		.0375		.2068	.2067	.07
1	173	1.000	444.261	.0562	.0563	07	• :000	• 2001	• 0 1

Table 6. Continued.

ΙD	PN	WT	T∍K	MOL/L	CALCD	D, PCT	PoMPA	CALCD	P,PCT
1	174	1.000	444.261	.0751	.0752	11	.2758	.2755	.11
1	175	1.000	444.261	.0940	.0941	15	.3447	.3442	•14
1	176	1.000	444.261	.1130	.1132	18	.4137	. 4129	.18
1	177	1.000	444.261	.1511	.1514	21	.5516	.5505	.20
1	178	1.000	444.261	.1893	.1899	32	.6895	.5873	.31
1	179	1.000	444.261	.2377	.2385	33	.8618	.8590	•33
1	180	1.000	444.261	.2866	.2874	28	1.0342	1.0314	• 27
1	181	1.000	444.261	.3851	.3863	33	1.3790	1.3746	•32
1	182	1.000	444.261	.5859	.5888	49	2.0684	2.0588	.47
1	183	1.000	444.261	.7938	.7972	43	2.7579	2.7468	.40
1	184	1.000	444.261	1.0087	1.0117	30	3.4474	3.4379	• 28
1	185	1.000	444.261	1.2312	1.2328	13	4.1369	4.1320	•12
1	186	1.000	444.261	1.7005	1.6971	.20	5.5158	5.5256	18
1	197	1.000	444.261	2.2094	2.1967	.58	6.8948	6.9286	49
1	188	1.000	444.261	2.9124	2.8863	.91	8.5184	8.5798	71
1	189	1.000	444.251	3.7080	3.6742	. 92	10.3421	10.4105	55
1	190	1.000	444.261	4.6296	4.5970	.71	12.0658	12.1216	45
1	191	1.000	444.261	5.5823	5.6941	21	13.7895	13.7724	•12
1	192	1.000	444.261	6.8484	6.9751	-1.82	15.5132	15.3514	1.05
1	193	1.000	444.261	8.1271	8.3537	-2.71	17.2369	16.9530	1.67
1	194	1.000	444.261	9.3730	9.6591	-2.96	18.9606	18.5545	2.13
1	195	1.000	444.261	10.5454	10.7938	-2.30	20.6843	20.2832	1.98
1	196	1.000	444.261	12.4754	12.5852	87	24.1317	23.9853	1.03
1	197	1.000	444.251	13.8329	13.8939	44	27.5790	27.3939	.68
1	198	1.000	444.261	14.8319	14.8886	38	31.0264	30.8058	.72
1	199	1.000	444.251	15.6430	15.6802	24	34.4738	34.2956	.52
1	200	1.000	444.261	16.8793	16.8915	07	41.3685	41.2873	.20
1	201	1.000	444.251	17.8003	17.8060	03	48.2633	48.2148	•19
1	202	1.000	444.261		18.5422	13	55.1581	54.9140	.44
1	203	1.000	444.261	19.1379	19.1601	12	52.0528	61.7864	.43
1	204	1.000	444.261	19.7272		.17	68.9476	69.4132	57

NP = 204, DNRMSPCT = .598, DNTRNDPCT = -.119, PMEANPCT = 2.023

Table 6. Continued.

ID	PN	WT	T,K	MOL/L	CALCD	D, PCT	P, MPA	CALCD	P. PCT
4	205	1.000	493.000	.0540	•0541	05	.2208	.2207	.06
4	206	1.000	493.000	.0869	.0870	11	.3541	•3538	.11
4	207	1.000	493.000	.1395	.1398	18	.5670	•566C	.17
4	208	1.000	493.000	.1529	.1532	19	.6207	.6195	.19
4	209	1.000	493.000	.1804	.1808	22	.7310	.7294	•22
4	210	1.000	493.000	.2242	• 2248	26	.9064	9040	• 25
4	211	1.000	493.000	.2456	.2463	28	•9914	.9887	
4	212	1.000	493.000	.2898	.2907	30	1.1665	1.1630	.27
4	213	1.000	493.000	•3603	•3615	33			.30
4	214	1.000	493.000	.3946	•3019		1.4438	1.4392	• 3 2
4	215	1.000	493.000	•4556	•4671	33	1.5781	1.5729	•33
4	215	1.000	493.000	•5788		33	1.8536	1.8476	• 3 2
4	217	1.000	493.000		•5806	30	2.2881	2.2815	•29
4	218	1.000	493.000	.6340 .7481	•6358	28	2.4978	2.4912	.27
4	219	1.000	493.000		•7496	20	2.9263	2.9207	•19
4	220	1.000		.9301	.9305	04	3.5975	3.5960	.04
4	221		493.000	1.0197	1.0182	•05	3.9186	3.9203	34
4		1.000	493.000	1.2019	1.1990	• 25	4.5718	4.5824	23
4	222	1.000	493.000	1.4946	1.4860	•58	5.5849	5.6151	54
4	223	1.000	493.000	1.6370	1.6248	.75	6.0644	6.1060	68
4		1.000	493.000	1.9319	1.9116	1.06	7.0325	7.1000	95
	225	1.000	493.000	2.2052	2.1766	1.32	7.9001	7.9925	-1.16
4	226	1.000	493.000	2.4027	2.3679	1.47	8.5102	8.6199	-1.27
4	227	1.000	493.000	2.6315	2.5697	1.62	9.2001	9.3282	-1.37
4	228	1.000	493.000	2.9342	2.8838	1.75	10.0868	10.2353	-1.45
4	229	1.000	493.000	3.1046	3.0501	1.79	10.5737	10.7313	-1.47
	230	1.000	493.000	3.5436	3.4811	1.80	11.7895	11.9504	-1.43
4	231	1.000	493.000	3.8605	3.7954	1.72	12.6356	12.8065	-1.34
4	232	1.000	493.000	4.2254	4.1622	1.54	13.5926	13.7442	-1.18
4	233	1.000	493.000	4.7136	4.6574	1.21	14.7987	14.9326	90
4	234	1.000	493.000	4.9907	4.9394	1.04	15.4528	15.5817	75
4	235	1.000	493.000	5.6965	5.678C	.33	17.1228	17.1632	?4
4	236	1.000	493.000	6.2070	6.2184	18	18.2826	18.2586	.13
4	237	1.000	493.000	6.7980	6.8489	74	19.6023	19.4964	•54
4	238	1.000	493.000	7.5870	7.6852	-1.28	21.3413	21.1359	.97
4	239	1.000	493.000	8.0197	8.1526	-1.63	22.3301	22.0467	1.29
4	240	1.000	493.000	9.3067	9.3191	13	24.9417	24.9123	•12
4	241	1.000	493.000		10.1256	-1.49	26.9424	26.5534	1.45
4	242	1.000	493.000		11.0395	-1.09	29.4804	29.1269	1.21
4	243	1.000	493.000	12.1940	12.2393	37	33.3875	33.2256	.49
4	244	1.000	493.000		12.9165	-2.00	35.9698	34.9468	2.93
4	245	1.000	523.150	.0484	.0485	07	.2102	.2100	.07
4	246	1.000	523.150	.0511	.0511	07	.2216	• 2214	.07
4	247	1.000	523.150	.0561	.0562	08	.2434	.2432	• 0 9
4	248	1.000	523.150	.0565	.0565	08	.2449	•2447	.08
4	249	1.000	523.150	.0778	.0779	12	• 3372	.3368	.12
4	250	1.000	523.150	.0821	.0822	13	.3554	• 3550	•13
4		1.000	523.150	•0902	.0903	14	•3905	.3855	.14
4	252	1.000	523.150	.0907	.0909	14	.3928	.3923	.14
4	253	1.000	523.150	.1251	.1253	19	.5405	.5395	.17
4	254	1.000	523.150	.1318	.1321	20	•5695	.5684	•20
4	255	1.000	523.150	•1449	.1453	22	.6258	.6244	•22
4	256	1.000	523.150	.1457	.1461	22	.6292	.6278	•22
4	257	1.000	523.150	.2009	.2015	29	.8648	.8624	.29
4	258	1.000	523.150	•2118	.2124	30	.9112	.9085	•30
4	259	1.000	523.150	.2328	.2336	32	1.0007	.9975	.32
4	260	1.000	523.150	.2341	•2349	33	1.0062	1.0030	•32
4	261	1.000	523.150	.3227	.3240	39	1.3806	1.3753	.33

Table 6. Continued.

10	PN	WT	T≠K	MOL/L	CALCO	D, PCT	$P \rightarrow MPA$	CALCD	P, PCT
4	262	1.000	523.150	.3402	.3416	40	1.4540	1.4483	• 4 0
4	263	1.000	523.150	.3740	.3756	42	1.5957	1.5892	.41
4	264	1.000	523.150	.3761	.3777	42	1.6044	1.5979	•41
4	265	1.000	523.150	.4513	• 4532	43	1.9176	1.9095	• 4 2
4	266	1.000	523.150	.5032	,5054	43	2.1324	2.1234	.42
4	267	1.000	523.150	.5183	.5206	43	2.1949	2.1856	.42
4	268	1.000	523.150	.5464	•5488	43	2.3106	2.3010	.42
4	269	1.000	523.150	• 5626	•5650	42	2.3768	2.3670	-41
4	270	1.000	523.150	.6008	.6033	41	2.5331	2.5229	.40
4	271	1.000	523.150	.6042	.6067	41	2.5470	2.5368	.40
4	272	1.000	523.150	.7248	.7274	36	3.0362	3.0257	.35
4	273	1.000	523.150	.8082	.8107	31	3.3709	3.3610	. 27
4	274	1.000	523.150	.8326	.8350	29	3.4683	3.4587	.28
4	275	1.000	523.150	.877€	.8800	25	3.6479	3.6390	.24
4	276	1.000	523.150	. 9036	.9057	23	3.7503	3.7419	.22
4	277	1.000	523.150	.9650	.9657	18	3.9920	3.9851	.17
4	278	1.000	523.150	.9705	.9722	18	4.0136	4.0068	•17
4	279	1.000	523.150	1.1644	1.1643	.01	4.7673	4.7678	01
4	280	1.000	523.150	1.2985	1.2966	.15	5.2796	5.2870	14
4	281	1.000	523.150	1.3380	1.3355	.19	5.4292	5.4390	13
4	282	1.000	523.150	1.4109	1.4072	.27	5.7036	5.7179	25
4	283	1.000	523.150	1.4517	1.4473	.31	5.8563	5.8734	29
4	284	1.000	523.150	1.5510	1.5446	.41	6.2251	6.2492	39
4	285	1.000	523.150	1.5595	1.5529	.42	6.2565	6.2813	-,37
4	286	1.000	523.150	1.7533	1.7425	•62	6.9654	7.0054	57
4	287	1.000	523.150	1.8714	1.8578	.73	7.3910	7.4408	67
4	288	1.000	523.150	2.0870	2.0681	92	8.1556	8.2239	83
4	289	1.000	523.150	2.1502	2.1296	.97	8.3765	8.4502	87
4	290	1.000	523.150	2.2682	2.2446	1.05	8.7859	8.8696	94
4	291	1.000	523.150	2.3334	2.3081	1.10	9.0102	9.0991	- 98
4	292	1.000	523.150	2.4929	2.4636	1.19	9.5537	9.6550	-1.05
4	293	1.000	523.150	2.5066	2.4770	1.19	9.6000	9.7023	-1.05
4	294	1.000	523.150	2.8172	2.7807	1.31	10.6358	10.7583	-1.14
4	295	1.000	523.150	3.0073	2.9573	1.35	11.2568	11.3884	-1.16
4	296	1.000	523.150	3.3526	3.3084	1.33	12.3620	12.5023	-1.12
4	297	1.000	523.150	3.4613	3.4092	1.53	12.6814	12.8452	-1.27
4	298	1.000	523.150	3.6509	3.5991	1.44	13.2742	13.4338	-1.19
4	299	1.000	523.150	3.7562	3.7013	1.48	13.5887	13.7563	-1.22
4	300	1.000	523.150	4.0114	3.9579	1.35	14.3644	14.5237	-1.10
4	301	1.000	523.150	4.0352	3.9815	1.35	14.4349	14.5946	-1.09
4	302	1.000	523.150	4.5349	4.4886	1.03	15.9116	16.0431	82
4	303	1.000	523.150	4.8412	4.8038	.78	16.7977	16.9014	61
4	304	1.000	523.150	5.3983	5.3841		18.3771		21
4	305	1.000	523.150	5.5617	5.5568	•26 •09	18.8365	18.4150	07
4	306	1.000	523.150	6.0358	6.0572	35		18.8495	07
4	307	1.000	523.150	6.4451			20.1471	20.0916	
4	308	1.000			6.4959	78	21.2803	21.1495	•62
			523.150	5.4839	6.5379	83	21.3884	21.2492	•65
4	309	1.000	523.150	7.2872	7.3960	-1.47	23.6004	23.3180	1.21
	310	1.000	523.150	7.7796	7.9104	-1.65	24.9511	24.6047	1.41
4	311	1.000	523.150	8.6740	8.8475	-1.96	27.5259	27.0344	1.82
4	312	1.000	523.150	8.9381	9.1165	-1.96	28.3044	27.7857	1.87
4	313	1.000	523.150	9.6980	9.8743	-1.79	30.6255	30.0670	1.86
4	314	1.000	523.150	10.3581	10.5228	-1.57	32.7913	32.2237	1.76
4	315	1.000	523.150	10.4184	10.5845	-1.57	33.0072	32.4300	1.78
4	316	1.000	523.150	11.7148	11.8213	90	37.7608	37.3160	1.19

NP = 112, ONRMSPCT = .902, DNTRNDPCT = .041, PMEANPCT = .631

Table 6. Continued.

ID	PN	WT	Τ»K	MOL/L	CALCD	D, PCT	PoMPA	CALCD	P,PCT
1	317	.001	360.928	17.7983	17.9241	70	10.5835	10.1864	3.90
1	318	.001	360.028	16.8515	17 0024				
ī	319					83	8.2186	7.9549	3.31
		.001	360.928	4.4496	4.2904	3.71	7.1154	7.1952	-1.11
1	320	.001	360.928	4.0046	3.8477	4.08	6.8396	6.9468	-1.54
1	321	.001	366.483	17.7983	17.8154	10	12.7691	12.7102	.46
1	322	.001	366.483	16.8615	16.8887	16	10.2042		
1	323				-			10.1465	.57
		.001	366.483		16.0339	10	8.7701	8.7508	• 22
1	324	.001	366.483	5.7209	5.4840	4.32	7.9565	8.0116	59
1	325	.001	366.483	5.0058	4.8474	3.27	7.7359	7.8016	84
1	326	.001	366.483	4.4496	4.3133	3.16	7.4532	7.5349	-1.08
1	327	.001	366.483	4.0046					
					3.8770	3.29	7.1430	7.2418	-1.36
1	328	.001		16.8615	16.8743	08	12.3761	12.3449	• 25
1	329	.001	372.039	16.0185	16.0210	02	10.6869	10.6829	.04
1	330	.001	372.039	14.5622	14.4653	.67	9.1700	9.2229	57
1	331	.001		13.3487		-2.53	8.8804	8.8088	.81
1	332	.001	372.039	8.0092	7.4922	6.90	8.7563	8.7846	32
1	333	.001	372.039	6.6744	6.5501	1.90	8.6598	8.6786	22
1	334	.001	372.039	5.7209	5.6898	• 5 5	8.4599	8.4696	11
1	335	.001	372.039	5.0058	4.9445	1.24	8.1565	8.1871	37
ī	336	.001							
		_	372.039	4.4496	4.3509	2.27	7.7980	7.8659	85
1	337	.001	372.039	4.0046	3.9070	2.50	7.4463	7.5305	1.12
1	33 R	.001	377.594	16.0185	16.0227	03	12.6312	12.6233	.05
1	339	.001	377.594	14.5622	14.5052	.39	10.7282	10.7735	42
1	340	.001	377.594		13.3064	•32	10.0801	10.0952	15
1	341	.001	377.594	11.4418	11.5511	95	9.7216	9.7096	.12
1	342	.001	377.594	10.0115	9.8513	1.63	9.5768	9.5883	12
1	343	.001	377.594	8.0092	7.8448	2.10	9.4113	9.4301	20
1	344	.001	377.594	6.6744	6.5732	•02	9.2114	9.2117	00
	345		377.594			1.41	8.8804	6.9131	37
1		.001		5.7209	5.5416				
1	346	.001	377.594	5.0058	4.9023	2.11	8.5012	8.5632	72
1	347	.001	377.594	4.4496	4.3447	2.41	8.1082	8.1902	-1.00
1-	348	.001	377.594	4.0046	3.9080	2.47	7.7221	7.8140	-1.18
1	349	.001		14.5622	14.5355	.18	12.3071	12.3349	22
1	350	.001	383.150	13.3487	13.3370	•09	11.3901	11.3966	35
1	351	.001	383.150	11.4418	11.6761	-2.01	10.7627	10.7044	• 5 5
1	352	.001	383.150	10.0115	10.0685	57	10.4249	10.4148	.13
1	353	.001	383.150	8.0092	8.1420	-1.63	10.0939	10.0682	.26
î	354	.001	383.150	6.6744	6.6857	17	9.7354	9.7317	.04
1	355	.001	383.150	5.7209	5.6427	1.39	9.3079	9.3472	42
1	356	.001	383.150	5.0058	4.9202	1.74	8.8736	8.9323	55
1	357	.001	383.150	4.4496	4.3690	1.85	8.4392	8.5091	82
1	358	.001	383.150	4.0046	3.9323	1.84	8.0186	8.0933	92
						-1.44	12.8587	12.7070	1.19
1	359	.001		13.3487					
1	360	.001	388.706		11.7979	-3.02	11.8452	11.7043	1.20
1	361	.001	388.706	10.0115	10.2187	-2.03	11.3005	11.2404	.54
ī	362	.001	388.706	8.0092	8.0178	11	10.7007	10.6982	.02
			388.706	6.6744	6.5494	1.91	10.1905	10.2432	52
1	363	.001							
1	364	.001	388.706	5.7209	5.5755	2.61	9.6871	9.7742	89
1	365	.001	388.706	5.0058	4.8803	2.57	9.1976	9.2958	-1.06
1	366	.001	388.706	4.4496	4.4224	.61	8.7977	8.8234	29
			388.705	4.0046	3.9198	2.16	8.2737	8.3690	-1.14
1	367	.001				-2.72	12.8794	12.7077	1.35
1	368	.001	394.261		11.7618				
1	369	.001	394.261	10.0115	10.3012	-2.81	12.1830	12.0653	.93
1	370	.001	394.261	8.0092	8.1153	-1.31	11.3626	11.3226	.35
ī	371	.001	394.261	6.6744	6.6211	.80	10.7213	10.7483	25
			394.261	5.7209	5.5928	2.29	10.1077	10.1954	86
1	372	.001				1.99	9.5699	9.6544	87
1	373	.001	394.261	5.0058	4.9081		9.0528	9.1338	89
1	374	.001	394.261	4.4496	4.3717	1.78			
1	375	.001	394.261	4.0046	3.9341	1.79	8.5564	8.6413	99
_									

NP = 59, DNRMSPCT = 2.136, DNTRNDPCT = .898, PMEANPCT = .704

Table 6. Continued.

ID	PN	WT	T,K	MOL/L	CALCD	D, PCT	PAMPA	CALCD	PPPCT
2	376	.001	-	14.0000		2.08	9.1193	9.2150	-1.04
								9.8055	2.30
2	377	.001		15.0000		-1.62	10.0312		
2	378	.001		16.0000		60	11.1458	10.9888	1.43
2	379	.001	373.000	17.0000	17.1415	83	13.4762	13.0842	3.00
2	380	.001	373.000	18.0000	18.1003	55	16.9213	16.4894	2.62
2	381	.001		19.0000		74	22.5955	21.6877	4.19
								29.2578	
2	382	.001		20.0000		46	30.0935		2.86
2	383	.001		21.0000		17	40.3274	39.8877	1.10
2	384	.001	373.000	22.0000	21.9770	•10	54.0062	54.3900	71
2	385	.001	373.000	23.0000	22.9421	.25	72.4474	73.7155	-1.72
2	386	.001	393.000	8.0000	6.2872	27.24	10.4365	11.1780	-6.63
		.001	393.000	9.0000	6.9023	30.39	10.7405	11.5220	-6.78
2	387								
2	388	.001		10.0000	8.1951	22.02	11.2471	11.8738	-5.28
2	389	.001	393.000	11.0000	9.6698	13.76	11.7537	12.2763	-4.26
2	390	.001	393.000	12.0000	10.9634	9.45	12.2603	12.7702	-3.99
2	391	.001			12.6464	2.80	13.1723	13.4324	-1.94
2	392	.001		14.0000		1.31	14.1855	14.3884	-1.41
2	393	.001			14.8102	1.28	15.5027	15.8222	-2.02
2	394	.001		16.0000		12	18.0359	17.9951	.29
2	395	.001	393.000	17.0000	16.9672	.19	21.0756	21.2018	60
2	396	.001		18.0000		06	25.9392	25.8773	.24
2	397	.001		19.0000		22	32.8293	32.5046	1.00
2	398	.001		20.0000		08	41.8472	41.6751	.41
2	399	.001	393.000	21.0000	20.9940	.03	54.0062	54.0926	16
2	400	.001	393.000	22.0000	21.9204	.36	69.1037	70.5880	-2.10
2	401	.001	393.000	23.0000	22.9192	.35	90.1792	92.1332	-2.12
2	402	.001	413.000	8.0000	7.6841	4.11	13.1723	13.3941	-1.65
2	403	.001	413.000	9.0000	8.4103	7.01	13.6789	14.0909	-2.92
2	404	.001		10.0000	9.6842	3.26	14.5908	14.8348	-1.64
2	405	.001	413.000	11.0000	10.5835	2.96	15.4014	15.6848	-1.81
2	406	.001	413.000	12.0000	11.6437	3.06	16.3133	16.5979	-2.30
2	407	.001	413,000	13.0000	12.6823	2.50	17.5292	17.9682	-2.44
2	408	.001		14.0000		•69	19.4544	19.6378	93
2									
2	409	.001		15.0000		21	21.9875	21.9044	.38
2	410	.001		16.0000		34	25.2299	25.0302	.80
2	411	.001	413.000	17.0000	17.0070	04	29.3843	29.3490	.12
2	412	.001	413.000	18.0000	18.0273	15	35.4638	35.2749	.54
2	413	.001		19.0000		37	43.9751	43.3112	1.53
2	414	.001		20.0000			54.2089	54.0621	.27
						06			
2	415	.001	413.000			.14	67.7864	68.2465	67
2	416	.001	413.000	22.0000	21.9129	.40	84.9103	86.7131	-2.08
2	417	.001	413.000	23.0000	22.8610	.61	106.7966	110.4532	-3.31
2	418	.001	433.000	8.0000	8.0264	33	15.6041	15.5764	.18
2	419	.001	433.000	9.0000	8.9806	.22	16.6173	16.6384	13
2	420	.001		10.0000		-1.16	17.9345	17.7897	.81
2									
2	421	.001	433.000		11.0336	30	19.1504	19.1027	• 25
2	422	.001	433.000	12.0000	12.0721	60	20.7716	20.6486	•50
2	423	.001	433.000	13.0000	13.2149	-1.63	23.0008	22.5364	2.06
2	424	.001		14.0000		-1.55	25.5339	24.9227	2.45
2	425	.001		15.0000		09	28.0670	28.0190	.17
	426								
2		.001		16.0000		•11	32.0187	32.0989	25
2	427	•001		17.0000		27	37.7942	37.5074	•75
2	428	.001		18.0000		15	44.8870	44.6689	.49
2	429	.001	433.000	19.0000	19.0384	20	54.5129	54.0979	.77
2	430	.001		20.0000		06	66.5705	66.4116	.24
2	431	.001		21.0000		.07	82.0733	82.3441	33
2	432	.001		22.0000					-2.48
2	732	• 001	433.000	22.0000	21.00/2	• 51	100.2104	102.7508	-2.45

Table 6. Continued.

ID	PN	₩T	TøK	MOL/L	CALCD	DPCT	P,MPA	CALCD	P,PCT
2	433	.001	433.000	23.0000	22.7968	.89	122.9072	128.5723	-4.49
2	434	.001	453.000	8.0000	8.2136	-2.60	18.0359	17.7356	1.59
2	435	.001	453.000	9.0000	9.4535	-4.80	19.8597	19.1707	3.59
2	436	.001	453.000	10.0000	10.2589	-2.52	21.1769	20.7386	2.11
2	437	.001	453.000	11.0000	11.2437	-2.17	23.0008	22.5239	2.12
2	438	.001	453.000	12.0000	12.1368	-1.13	24.9260	24.5108	1.28
2	439	.001	453.000	13.0000	13.1555	-1.18	27.5604	27.1215	1.52
2	440	.001	453.000	14.0000	14.077R	55	30.4988	30.2263	.90
2	441	.001	453.000	15.0000		60	34.5518	34.1496	1.15
2	442	.001	453.000		16.0592	37	39.5168	39.1774	.87
2	443	.001	453.000		17.0725	42	46.2042	45 - 6657	1.18
2	444	.001	453.000		18.0378	21	54.4115	54.0503	.67
2	445	.OC1	453.000		19.0322	17	65.2533	64.8577	.61
2	446	.001		20.0000	20.0072	04	78.8309	78.7184	.14
2	447	.001	453.000		20.9112	.42	94.6375	96.3810	-1.81
2	448	.001		22.0000		.93	113.7880	118.7282	-4.15
2	449	.001		23.0000	22.7447	1.12	139.0179	146.7884	-5.29
2	450	.001	473.000	8.0000	8.2761	-3.34	20.3663	19.8773	2.45
2	451	.001	473.000	9.0000	9.2092	-2.27	22.0889	21.6905	1.84
2	452	.001			10.2955	-2.87	24.3180	23.6812	2.69
2	453	.001		11.0000	11.3231	-2.85	26.7498	25.9451	3.10
2	454	.001			12.2414	-1.97	29.2829	28.5780	2.47
2	455	.001			13.2017	-1.53	32.4240	31.7149	2.24
2	456	.001			14.0537	38	35.7677	35.5388	.54
2	457	.001		15.0000	14.9886	.08	40.2260	40.2865	15
2	458			15.0000	16.0822	51	46.8122	46.2563	1.20
	459	.001		17.0000	17.0695	41	54.4115	53.8158	1.11
2	460	.001	473.000	18.0000	18.0203	11	63.6321	63.4127	•35
2				19.0000	18.9705	.16	75.1832	75.5856	53
2	461	.001		_	19.9475	.26	90.0779	90.9783	99
2	452	.001	473.000		20.9144	•41	108.5191	110.3546	-1.66
2	463	.001	473.000	21.0000			128.9867	134.6131	-4.18
2	464	•001		22.0000	21.7870	.98	154.5206	164.8005	-6.24
2	455	.001		23.0000	22.6830	1.40	22.8995	22.0048	4.37
2	455	.001	493.000	8.0000	8.4165	-4.95		24.1998	4.25
2	457	.001	493.000	9.0000	9.4402	-4.66	25.2299		4.33
2	458	.001		10.0000	10.4339	-4.16	27.7631	26.6175	
2	469	.001	493.000	11.0000	11.4717	-4.11	30.8028	29.3639	4.90
2	470	.001		12.0000	12.3923	-3.17	33.9439	32.5451	4.29
2	471	.001	493.000	13.0000	13.2321	-1.75	37.2876	36.3110	2.69
2	472	.001		14.0000	14.1944	-1.37	41.9472	40.8535	2.43
2	473	.001	493.000	15.0000	15.1427	94	47.3188	44.4229	1.93
2	474	.001	493.000	16.0000	16.0871	54	54.0062	53.3293	1.27
2	475	.001		17.0000	17.0166	10	62.1122	61.9523	• 20
2	476	.001	493.000	18.0000	17.9663	.19	72.3461	72.7513	56
2	477	.001	493.000	19.0000	19.0034	02	86.3289	86.2777	.06
2	478	.001		20.0000	19.9979	.01	103.1489	103.1886	34
2	479	.001	493.000	21.0000	20.8934	•51	121.7927	124.2626	-1.99
2	480	.001		22.0000	21.7030	1.37	142.0577	150.4146	-5.55
2	481	.001	493.000	23.0000	22.6499	1.55	170.6313	182.7084	-6.51

NP = 106, DNRMSPCT = 5.095, DNTRNDPCT = .716, PMEANPCT = 1.946

Table 6. Continued.

ID	PN	WT	Tak	MOL/L	CALCD	D, PCT	P, MPA	CALCD	P, PCT
	482	.001		14.8540		-3.34	12.5000	11.8546	5.44
3	_		_						
3	483	.001		14.8436	14.9783	90	15.0000	14.7883	1.43
3	484	.001	398.600	14.8489	14.9897	94	17.5000	17.2266	1.59
3	485	.001	408-600	14.8361	14.7609	.51	20.0000	20.1722	85
3	486	•001		14.8196		•26	22.5000	22.6001	44
3	487	•001	426.600	14.8098	14.6578	1.04	25.0000	25.4579	-1.80
3	488	.001	435.600	14.8069	14.6211	1.27	27.5000	28.1283	-2.23
3	489			14.7942		1.01	30.0000	30.5533	-1.81
		.001							
3	490	.001	451.600	14.7793	14.7099	.47	32.5000	32.7840	87
3	491	.001	460.400	14.7667	14.6897	.52	35.0000	35.3424	97
3	492	.001		14.7578		.64	40.0000	40.4890	-1.21
3	493	.001		14.7458		1.17	42.5000	43.4443	-2.17
3	494	.001	495.900	14.7295	14.6183	•76	45.00CO	45.6543	-1.43
3	495	.001		14.7332		1.56	47.5000	48.9228	-2.91
									-2.29
3	496	.001		14.7169		1.22	50.0000	51.1729	
3	497	.001	532.100	14.7095	14.5493	1.10	55.0000	56.1755	-2.09
3	498	.001	552.900	14.6683	14.4288	1.55	60.0000	61.9335	-3.12
3	499	.001		14.6994		.89	52.5000	53.4023	-1.69
3	500	.001	541.900	14.5850	14.5084	1.22	57.5000	58.8561	-2.32
3	501	.001	389.900	9.9206	12.6319	-21.46	12.5000	11.3898	9.75
3	502	.001	409.600	9.9118	10.8737	-8.85	15.0000	14.2691	5.12
3	503	.001	428.600		10.3129	-3.98	17.5000	17.0305	2.76
3	504	.001	444.400	9.8922	10.3505	-4.43	20.0000	19.3136	3.55
3	505	.001	461.900	9.8824	10.2383	-3.48	22.5000	21.8314	3.05
3	506	.001	480.100		10.1203	-2.44	25.0000	24.4393	2.29
3	507	.001	498.100	9.8619	10.0501	-1.97	27.5000	26.9981	1.85
3	508	.001	515.900	9.8503	10.0093	-1.59	30.0000	29.5133	1.55
3	509	.001	533.900	9.8542	9.9710	-1.17	32.5000	32.0953	1.26
3	510	.001	552.500	9.8416	9.9199	79	35.0000	34.6967	.87
3	511	.001	570.100	9.8280	9.9134	66	37.5000	37.136C	.99
3	512	.001	588.500	9.8135	9.8848	72	40.0000	39.6674	.84
3	513	.001	606.900	9.8020	9.8620	61	42.5000	42.1957	.72
3	514	.001	624.900	9.8058	9.8539	49	45.0000	44.7356	•59
3	515	.001	643.900	9.7991	9.8242	25	47.5000	47.3525	.31
3	516	.001	663.900	9.7847	9.7773	.08	50.0000	50.0469	09
3	517	.001	701.900	9.7723	9.7416	•31	55.0000	55.2191	40
3	518	.001	740.400	9.7542	9.7078	• 4 8	60.0000	60.3694	61
3	519	.001	402.100	7.2051	8.6128	-16.34	12.5000	11.7672	6.23
3	520	.001	428.400	7.2052	7.9204	-9.02	15.0000	14.3028	4.87
3	521	•001	454.400	7.2077	7.7284	-6.74	17.5000	15.7604	4.41
3	522	.001	480.100	7.2098	7.6621	-5.90	20.0000	19.1586	4.37
3	523	.001	507.400	7.1870	7.5639	-4.98	22.5000	21.6230	4.06
3	524	.001	535.400	7.1839	7.4825	-3.99	25.0000	24.1526	3.47
3	525	.001	562.400	7.1927	7.4593	-3.57	27.5000	26.5290	3.27
3	526	.001	589.400	7.1798	7.4459	-3.57	30.0000	29.0080	3.42
3	527	.001	617.100	7.1762	7.4231	-3.33	32.5000	31.4631	3.30
3	528	.001	645.400	7.1745	7.3958	-2.99	35.0000	33.9652	3.05
3	529	.001	672.900	7.1726	7.3900	-2.94	37.5000	36.3812	3.03
3	530	.001	702.100	7.1705	7.3596	-2.57	40.0000	38.9345	2.74
3	531	.001	730.900	7.1590	7.3416	-2.35	42.5000	41.4436	2.55
3	532	.001	759.900	7.1574	7.3250	-2.15	45.0000	43.9594	2.37
3	533	.001	390.900	4.8900	5.8177	-15.95	10.0000	9.3436	7.03
3	534	.001	435.600	4.8924	5.1979	-5.88	12.5000	12.0526	3.71
3	535	.001	478.900	4.8852	5.1039	-4.28	15.0000	14.5392	3.17
3	536	.001	523.400	4.8852	5.0538	-3.34	17.5000	17.0369	2.72
3	537	.001	568.100	4.8828	5.0332	-2.99	20.0000	19.4920	2.61
3									
3	538	.001	613.600	4.8733	5.0164	-2.85	22.5000	21.9263	5.65

Table 6. Continued.

```
ID
     PN
                    Tok
                          MOL/L
                                  CALCD OPPCT
                                                  P, MPA
                                                            CALCO
                                                                    P,PCT
3
    539
          .001 663.600
                         4.8709
                                 4.9558 -1.73 25.0000 24.5966
                                                                    1.54
   540
          .001
                                                 27.5000 27.1217
3
                711.500
                         4.8662
                                 4.9369
                                         -1.43
                                                                    1.39
 3
    541
          .001
                759.100
                         4.8514
                                                           29.5968
                                                                     1.35
                                 4.9287
                                          -1.37
                                                 30.0000
 3
    542
          .001
                361.900
                         3.9293
                                  4.3410
                                          -9.48
                                                  7.2000
                                                            6.9475
                                                                     3.63
                385.900
                         3.0120
                                  3.3915 -11.19
                                                                     7.71
    543
                                                            6.9631
 3
          .001
                                                  7.5000
 3
    544
          .001
                465.100
                         3.0184
                                  3.1779
                                          -5.02
                                                 10.0000
                                                            9.5966
                                                                     4.20
    545
                544.600
                                                           12.0667
                                                                     3.59
 3
          .001
                         3.0120
                                 3.1351
                                          -3.92
                                                 12.5000
          .001
                                  3.0944
                                                           14.5065
 3
    546
                628.700
                         3.0075
                                          -2.81
                                                 15.0000
                                                                     2.57
          .001
 3
    547
                715.300
                          3.0021
                                  3.0625
                                          -1.97
                                                 17.5000
                                                           17.1660
                                                                     1.95
                         3.0211 19.2180 -84.28
    548
                342.300
                                                            5.3725 11.68
 3
          .001
                                                  6.0000
```

NP = 67, ONRMSPCT =11.516, ONTRNOPCT = -4.044, PMEANPCT = 2.781

NP = 316, ONRMSPCT = .723, ONTRNDPCT = -.061, PMEANPCT = 1.520

Table 7. Comparisons of ideal gas functions for hydrogen sulfide.

HYDROGEN SULFIDE IDEAL GAS, JOULES, MOLES, KELVINS
(1) BAEHR, (2) JANAF.

		,	•							
ID	T, K	HZ-HZZ	CALCD	PCNT	SZ	CALCD	PCNT	CPZ	CALCO	PCNT
1	50.0	1644.6	1645.0	03	157.543	157.560	01	33.27	33.26	.02
ī	100.0	3308.4	3308.2	.01	180.616	180.609	.00	33.29	33.28	• 02
1	150.0	4973.2	4973.3	00	194.110	194.110	00	33.31	33.32	02
ī	180.0	5973.3	5973.4	00	200.188	200.188	.00	33.37	33.36	.01
ī	200.0	6641.1	6641.3	00	203.705	203.706	00	33.43	33.43.	.02
ī	220.0	7310.7	7310.7	00	206.898	205.895	.00	33.53	33.53	.01
1	240.0	7982.9	7932.6	.00	209.825	209.819	.00	33.67	33.67	.03
1	250.0	9657.9	8657.6	.00	212.527	212.520	.00	33.84	33.94	01
1	280.0	9336.5	9335.3	.00	215.038	215.035	.00	34.03	34.04	02
1	300.0	10019.3	10019.3	0.00	217.391	217.391	0.00	34.26	34.26	02
1	320.0	10706.9	10707.0	00	219.611	219.610	•00	34.51	34.51	01
1	340.0	11399.6	11399.8	OC	221.714	221.710	.00	34.77	34.77	01
1	360.0	12097.7	12098.0	00	223.710	223.705	•00	35.05	35.05	.00
1	380.0	12801.7	12801.9	00	225.614	225.608	.00	35.34	35.34	.01
1	400.0	13511.7	13511.7	00	227.435	227.428	•00	35.65	35.64	01
1	420.0	14227.8	14227.7	.00	229.181	229.175	•00	35.96	35.95	.02
1	440.0	14950.0	14949.9	.00	230.860	230.855	•00	36.28	36.27	• 02
1	460.0	15678.9	15678.6	• 00	232.473	232.474	00	36.60	36.60	.01
1	480.0	16414.0	16413.9	•00	234.045	234.039	•00	36.94	36.93	.01
1	500.0	17156.1	17155.9	.00	235.558	235.553	•00	37.27	37.27	•00
1	520.0	17905.1	17904.8	.00	237.030	237.022	• 00	37.62	37.62	00
1	540.0	18660.6	18550.6	• 0 0	238.452	238.448	•00	37.96	37.97	00
1	560.0	19423.5	19423.4	• 00	239.840	239.835	•00	38.32	38.32	01
1	580.0	20193.4	20193.4	00	241.187	241.186	.00	38.67	38.68	01
1	600.0	20970.5	20970.5	00	242.509	242.503	• 0 0	39.03	39.04	01
1	620.0	21754.6	21754.9	00	243.789	243.789	• 0 0	39.39	39.40	01
1	640.0	22546.3	22546.5	00	245.045	245.046	00	39.76	39.76	01
1	660.0	23345.2	23345.4	00	246.275	246.275	.00	40.12	40.13	01
1	680.0	24151.0	24151.5	00	247.481	247.478	e·00	40.49	40.49	01
1	700.0	24964.4	24955.0	00	248.662	248.657	•00	40.85	40.85	01
1	720.0	25784.8	25795.6	00	249.817	249.813	.00	41.21	41.22	00
1	740.0	26613.0	26613.6	00	250.948	250.947	•00	41.58	41.58	00
1	760.0	27447.9	27448.7	00	252.062	252.061	.00	41.94	41.93	.00
1	780.0	28290.2	28290.9	00	253.160	253.155	• 00	42.29	42.29	.01
1	800.0	29140.0	29140.3	00	254.232	254.230	•00	42.65	42.64	.01
1	820.0	29996.7	29995.7	• 0 0	255.288	255.287	•00	43.00	42.99	.01
1	840.0	30859.6	30860.0	00	256.328	256.327	•00	43.35	43.34	•01
1	860.0	31730.2	31730.2	00	257.359	257.351	•00	43.69	43.68	•01
1	980.0 900.0	32607.1 33491.1	32607.2 33491.0	00	258.365	258.359	•00	44.03	44.32	•01
1	920.0	34381.5	34381.3	•00	259.354 260.335	259.352 260.331	•00	44.69	44.58	•01 •01
1	960.0	36182.0	36181.5	•00	262.248	262.246	•00	45.32	45.32	•01
	1000.0	38007.2	38005.8	.00	264.110	264.109	•00	45.94	45.94	00
ī	1050.0	40323.2	40322.5	•00	266.372	266.368	•00	46.68	46.58	01
i	1100.0	42674.1	42674.4	00	268.558	268.556	•00	47.38	47.39	02
	1150.0	45059.4	45060.5	00	270.679	270.677	•00	48.04	48.05	02
i	1200.0	47477.5	47478.8	00	272.741	272.736	•00	48.67	48.68	02
ī	1300.0	52403.5	52404.3	00	276.682	276.679	•00	49.82	49.81	.03
2	200.0	6646.9	6641.3	.09	191.932		-6.13	33.38	33.43	14
2	300.0	10019.3	10019.3	0.00	205.859	217.391		34.21	34.25	15
2	400.0	13508.7	13511.7	02	215.886	227.42A		35.58	35.6+	17
2	500.0	17144.5	17155.9	07	223.993	235.553		37.19	37.27	21
2	600.0	20952.0	20970.5	09	230.927	242.503		38.94	39.04	26
2	700.0	24935.3	24965.0	12	237.063	248.657		40.74	40.85	2R

Table 8. Interpolated ideal gas functions for hydrogen sulfide.

HYDROGEN SULFIDE IDEAL GAS, JOULES, MOLES, KELVINS

T∍K	EZ-EZZ	HZ-HZZ	SZ	CVZ	CPZ
180.0	4476.8	5973.4	200.188		
190.0	4727.4			25.05	33.36
		6307.2	201.992	25.08	33.39
200.0	4978.4	6641.3	203.706	25.11	33.43
210.0	5229.7	6975.8	205.338	25.16	33.47
220.0	5481.6	7310.7	206.896	25.21	33.53
230.0	5734.0	7646.3			
			208.388	25.28	33.59
240.0	5987.2	7982.6	209.819	25.35	33.67
250.0	6241.1	8319.7	211.195	25.43	33.75
260.0	6495.8	8657.6	212.520	25.52	33.84
270.0	6751.6	8996.5	213.799	25.62	33.93
280.0	_				
	7008.3	9336.3	215.035	25.72	34.04
290.0	7266.0	9677.3	216.231	25.83	34.15
300.0	7525.0	10019.3	217.391	25.95	34.26
310.0	7785.0	10362.5	218.516	26.07	34.38
320.0	8046.4	10707.0	219.610	26.20	34.51
330.0	8309.0	11052.8	220.674	26.32	34.64
340.0	8572.9	11399.8	221.710	26.46	34.77
350.0	8838.1	11748.2	222.720	26.60	34.91
360.0	9104.8	12098.0	223.705	26.74	35.05
370.0	9372.9	12449.2	224.668	26.88	35.19
380.0	9642.4	12801.9	225.608	27.03	35.34
390.0	9913.4	13156.1	226.528	27.18	35.49
400.0	10185.9	13511.7	227.428	27.33	35.64
410.0	10460.0	13868.9	228.310	27.48	35.80
420.0	10735.6	14227.7	229.175	27.64	35.95
430.0	11012.7	14588.0	230.023	27.80	36.11
440.0	11291.5	14949.9	230.855	27.96	36.27
450.0	11571.9	15313.4	231.572	28.12	36.43
450.0	11853.9	15578.6	232.474	28.28	36.60
470.0	12137.6	15045.4	233.263	28.45	36.75
		_			
480.0	12422.9	16413.9	234.039	28.62	35.93
490.0	12709.9	15784.0	234.802	28.79	37.10
500.0	12998.6	17155.9	235.553	28.96	37.27
510.0	13289.1	17529.5	236.293	29.13	37.44
520.0	13581.2	17904.8	237.022	29.30	37.52
530.0	13875.1	18281.8	237.740	29.48	37.79
540.0	14170.7	18660.5	238.448	29.65	37.97
550.0	14468.1	19041.1	239.146	29.83	38.14
560.0	14767.3	19423.4	239.835	30.01	38.32
570.0	15068.3	19807.5	240.515	30.18	38.50
580.0	15371.0	20193.4	241.186	30.36	38.68
			241.849	30.54	38.86
590.0	15675.5	20581.1			
600.0	15981.8	20970.5	242.503	30.72	39.04
610.0	16290.0	21361.8	243.150	30.90	39.22
620.0	16599.9	21754.9	243.789	31.08	39.40
630.0	16911.7	22149.8	244.421	31.27	39.58
		22546.5	245.046	31.45	39.76
640.0	17225.2	_			
650.0	17540.6	22945.0	245.664	31.63	39.94
660.0	17857.8	23345.4	246.275	31.81	40.13
670.0	18176.8	23747.6	246.880	31.99	40.31
680.0	18497.7	24151.5	247.478	32.18	40.49
		24557.3	248.071	32.36	40.67
690.0	18820.3		248.657	32.54	40.85
700.0	19144.8	24965.0			
710.0	19471.1	25374.4	249.238	32.72	41.03
720.0	19799.2	25785.6	249.813	32.90	41.22
730.0	20129.1	26198.7	250.383	33.08	41.40
740.0	20460.8	25613.6	250.947	33.26	41.58
		27030.2	251.507	33.44	41.76
750.0	20794.3	2107002			

Comparison with H2S thermofunctions by Starling. Table 9.

HYDROGEN SULFIDE PROPERTIES, STARLING(OATA) VS. RDG(CALC)

u	11.67	2.27	12.28	12.31	2.31	12.34	2.38	640	1.29	12.21	12,23	2.24	12.27	12,34	11.56	11.44	1.07	10.40	10,33	10.56	10.88	11.59	11.47	11.18	9 6 9 8	2,55	0.57	1.04	1.66	1,55	1,33	0.88	70.0	0.4.0	1.72	1.63	•	1,21	1.08	0.42	0.40	1.87	1.78	1.66	1.55	-11.513	1 • 50	• • •
7	11.74	30.46	30.22	29.87	29.76	29.43	28.95	18.52	95.20	44.45	43.77	43.58	43.03	42.21	24.26	01.65	89,98	59.19	57.78	99.66	53.74	25,32	02.78	91044	79.30	67.02	59.36	56.73	27.36	04.95	94.08	84.50	07°T8	00000	70.30	06.99	96.44	87.93	85.44	77.35	68.31	33.82	11.68	01.61	94.28	192.418	74.00	2000
4	90,00	18,19	17.93	17.56	17.45	17.09	16.53	07.02	83.91	32.21	31.54	31.34	30.75	29.87	12.70	90.20	78.90	48.79	47.45	45°12	45.86	13,72	91,31	80.26	69.31	24.46	48.79	45.68	15.69	93.39	82.74	73.61	10.07	51 70	17.57	95.36	84.98	76.72	74.36	66.93	57.90	21.94	99.89	89.94	82.73	180.905	11.07	04.20
J/MOL	435.1 -17225.	8684.1 -17379.	37.8 -17383.	8565.8 -17388.	8541.2 -17389.	8465.6 -17395.	8334.5 -17405.	0348.8 -17223.	609.3 -17134.	4513.1 -17418.	4626.7 -17423.	4626.6 -17425.	615.4 -17433.	4569.6 -17449.	2291.1 -17226.	1785.3 -17166.	0487.3 -17009.	657.4 -16791.	225.8 -16763.	304.4 -16839.	-650.8 -16947.	684.1 -17227.	2208.4 -17169.	1031.8 -17041.	055.2 -16592.	649.6 -17560.	32.1 -16800.	430.6 -16968.	3475.3 -17229.	3050.2 -17175.	055.8 -17081.	0070.3 -16912.	0.000 - 100000	046.9 -1680/0	4273.6 -17232.	3889.8 -17179.	027.0 -17105.	1480.8 -17021.	0833.8 -16976.	8218.5 -16704.	060.0 -16656.	6302.5 -17238.	5995.2 -17191.	5346.6 -17140.	4328.5 -17121.	6.0	2708.1 -17092.	
ENT	9789.	25054.0	021.2	25953.9	25930.9	25861.2	25740.0	6874.5	7524.	22031.1	22050.1	22052.4	2049.3	22019.2	4935.2	5381.2	-6521.9	16134.	6538	171440	17598.1	4543.1	4961.4	6009.4	8537.	3911.	15768.	6537.4	3754.1	4124.8	5025.5	6842.0	7.77	1 704 °	- 205B B	3289.9	078.9	5540.4	6142.5	8485.7	1596.	936.3	1196.2	793.5	2193.2	3150.8	334.0	31000
רור	, ,		0	.2	.3	4	8	•	.3	• 4	8	6.	• 2	9 .	့	9.	<b>5</b> • •	1 0 1	ڻ. د	3 0 6	3 . 4	0	.5	-	1.5	404		4 . 2	0	5.	7.	3	ο C	• -	•	6	. m	6.	0	2.2	9.	<u>٠</u>	2	.5	ပ	2.51	י מ	•
NSITY	1 40	5.574	693	5.863	5.919	6.077	6.326	039	• 594	2.040	2.415	2.529	845	3 • 303	. 333	.481	1.6659	5.5632	.6103	6160.9	9.4025	.032	•464	.577	4.561	0.833	568	8.414	030	• 435	6435	• 538	4.0040	000	0.00	604	,323	.055	.812	3125	.3536	025	.356	.121	. 411	6 6	1700	1)1.
<	40	5.614	698	5.811	5.839	5.953	6.112	039	.586	1.943	2.233	2,318	564	2.916	• 033	.478	1.657	29392	. 191	7160)	8.726	.032	• 462	.574	4.492	2.408	.879	7.637	.030	. 433	.437	• 586	4.0000	404	0.28	407	.323	.117	.890	151	.343	.025	•356	.127	. 345	2.9662	4004	•
Ø. <	2	376	136	.273	. 552	. 789	0.684	.101	.378	• 136	.273	.652	789	0.684	. 101	.378	136	• 273	9.652	6 6 6 6	0.684	101	.378	.136	.273	9.652	. 789	0.634	.101	976	. 136	.273	70006		101	378	136	.273	.652	.789	0.664	.101	•378	.136	.273	9.652	707	0 0 0
⊢×	55.37	55.37	55.37	55.37	55.37	55.37	55.37	10.92	10.92	10,92	10.92	10.92	10.92	10.92	66.43	66.48	66.48	66.43	66.48	66.48	56.49	77.59	17.59	77.53	77.59	77.59	77.59	77.53	99.81	18.66	T6 66	18066	100 66	100 66	22.03	22.03	22 . 03	22.03	22.03	22.03	22.03	17.59	77.59	77.53	77.53	477.534	11.31	46011

Table 10. Calculated P(T) isochores of hydrogen sulfide.

HYDROGEN SULFIDE ISOCHORE AT .500 MDL/L

		_		00 02.2		
T	P	· Z	DP/DD	DD/DT	DP/DT	029/012
K	MPA	_	MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
272.065	.9999	.88403	1.7372	2730E-02	.00474	0000084
280.000	1.0373	.89110	1.8237	2568E-02	•00468	0000064
288.000	1.0745	.89748	1.9096	2429E-02	.00464	0000054
296.000	1.1115	.90323	1.9917	2308E-02	.00460	00000004
304.000	1.1481	.90845	2.0733	2201E-02		
312.000	1.1845	.91321	2.1535		.00456	0000038
320.000	1.2207	.91758	2.2330	2106E-02	.00454	0000032
328.000	1.2567	.92160	2.2330	2020E-02	.00451	0000028
336.000	1.2925	.92532		1943E-02	.00449	0000024
344.000	1.3282		2.389?	1872E-02	•00447	0000021
352.000	1.3638	•92877 •93198	2 • 4663	1807E-02	.00446	0000019
360.000	1.3993	.93498	2.5429	1747E-02	.00444	0000017
368.000	1.4347		2.6188	1691E-02	• 00443	0000015
375.000	1.4700	.93778	2.6944	1639E-02	.00442	0000013
384.000	1.5052	•94041	2.7695	1591E-02	.00441	0000012
392.000	_	.94288	2.8443	1545E-02	.00440	0000011
	1.5404	.94521	2.9198	15045-02	.00439	0000010
400.000	1.5754	.94740	2.9930	1464E-02	.00438	0000009
408.000	1.5105	.94948	3.0669	1427E-02	.00438	0000008
415.000	1.6454	.95144	3.1406	1391E-02	•00437	0000003
424.000	1.6804	.95330	3 • 21 41	1357E-02	•00436	0000007
+32.000	1.7152	. 95507	3.2874	1326E-02	.00436	0000006
440.000	1.7501	. 95575	3.3605	1295E-02	.00435	00000006
448.000	1.7349	.95836	3.4334	1266E-02	.00435	0000005
456.000	1.8197	.95988	3.5062	1239E-02	•00434	0000005
464.000	1.8544	.96134	3.5798	1213E-02	.00434	0000005
472.000	1.8891	.95273	3.6513	1188E-02	.00434	00000004
480.000	1.9238	.96405	3.7236	1164E-02	•00433	30333304
498.000	1.9584	. 95534	3.7959	1141E-02	•00433	00000004
495.000	1.9930	•95556	3.86RO	1119E-02	.00433	2000004
504.000	2.0275	.95773	3.9400	1097E-02	.00432	0000003
512.000	2.0622	.96886	4.0120	1077E-02	.00432	0000003
520.000	2.0968	.96994	4.0838	1058E-02	.00432	00000003
528.000	2.1313	•97093	4.1556	1039E-02	•00432	00000003
536.000	2.1659	.97198	4.2273	1021E-02	.00431	0000003
544.000	2.2004	.97294	4.2999	1003E-02	.00431	000003
552.000	2.2348	.97387	4.3705	9862E-03	.00431	0000002
550.000	2.2693	.97477	4.4419	9699E-03	.00431	0000002
568.000	2.3038	.97563	4.5133	9542E-03	.00431	0000002
575.000	2.3382	.97647	4.5847	9390E-03	.00430	0000032
584.000	2.3727	.97727	4.6560	9242E-03	.00430	0000002
592.000	2.4071	.97805	4.7272	9100E-03	.00430	0000002
500.000	2.4415	.97881	4.7984	8962E-03	.00430	00000002
608.000	2.4759	.97954	4.8696	8828E-03	.00430	0000032
616.000	2.5103	.98024	4.9407	8698E-03	.00430	0000002
624.000	2.5446	.98093	5.0117	8572E-03	.00430	0000002
632.000	2.5790	.98159	5.0827	8450E-03	.00430	0000001
640.000	2.6134	.98223	5.1537	8332E-03	.00429	0000301
648.000	2.6477	.98285	5.2246	8216E-03	.00429	0000001
656.000	2.6820	.98346	5.2955	8104E-03	.00429	0000001
664.000	2.7164	.98405	5.3664	7995E-03	.00429	3300001
672.000	2.7507	.98462	5.4372	7890E-03	.00429	0000001
580.000	2.7850	.98517	5.5080	7786E-03	.00429	0000001
688.000	2.8193	.98571	5.5788	7686E-03	.00429	0000001
696.000	2.8536	.98624	5.6495	7588E-03	.00429	0000001
704.000	2.8879	.98675	5.7202	7493E-03	.00429	0000001
712.000	2.9222	.98724	5.7909	7400E-03	.00429	0000001
720.000	2.9565	.98772	5.8615	7309E-03	.00428	0000001
120.000	207303					

Table 10. Continued.

### HYDROGEN SULFIDE ISOCHORE AT 1.000 MOL/L

Т	Р	7	DP/DD	DD/DT	DP/DT	D2P/DT2
ĸ	MPA	۷	MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
298.215	2.0193	.81438	1.5764	6595E-02	.01040	0333279
304.000	2.0790	.82251	1.6515	6206E-02	.01025	0000235
312.000	2.1603	.83275	1.7517	5755E-02	.01008	0000190
320.000	2.2403	.842C3	1.8485	5379E-02	.00994	0000158
328.000	2.3194	.85048	1.9427	5058E-02	.00983	0000133
336.000	2.3976	.85823	2.0347	4781E-02	.00973	0000114
344.000	2.4751	.86536	2.1249	4538E-02	.00964	0000099
352.000	2.5519	.87194	2.2136	4323E-02	.00957	0000086
360.000	2.6282	.87805	2.3009	4131E-02	.00950	0000075
368.000	2.7040	.88374	2.3872	3957E-02	.00945	0000057
376.000	2.7794	.88904	2.4724	38015-02	.00940	0000060
384.000	2.8544	.89401	2.5567	3658E-02	.00935	0000054
392.000	2.9290	.89867	2.6402	3526E-02	.00931	0000048
400.000	3.0033	.90304	2.7231	3406E-02	.00927	0000044
408.000	3.0774	.90717	2.8053	3294E-02	.00924	0000039
416.000	3.1512	.91105	2.8669	3190E-02	.00921	0000035
424.000	3.2248	.91474	2.9681 3.0487	3094E-02	.00918 00916	0000033
432.000	3.2981 3.3713	.91823 .92153	3.1290	2919E-02	•00914	0000033
448.000	3.4443	.92467	3.2098	2840E-02	.00911	0000025
456.000	3.5171	.92765	3.2883	2755E-02	.00909	00000323
464.000	3.5898	93050	3.3675	2695E-02	.00908	0000022
472.000	3.6624	.93322	3.4453	2629E-02	.00906	0303020
480.C00	3.7348	.93581	3.5249	2565E-02	.00904	0000019
488.000	3.8071	.93828	3.6033	2505E-02	.00903	0000017
496.000	3.8792	.94065	3.6813	2449E-02	.00902	0000015
504.000	3.9513	.94292	3.7592	2395E-02	.00900	0003015
512.000	4.0233	.94510	3.8348	2343E-02	.00 899	0000014
520.000	4.0952	.9471R	3.9143	2294E-02	•00898	0000013
528.300	4.1670	.94919	3.9916	2247E-02	.00897	0000013
536.000	4.2387	•95111	4.0687	2202E-02	.00896	0000012
544.000	4.3103	.95297	4.1456	2159E-02	•00895	0000011
552.000	4.3819	.95475	4.2224	2118E-02	.00894	3330311
560.000 568.000	4.4534 4.5249	•95647 •95812	4.2990 4.3755	2078E-02 2040E-02	.00893 .00893	0000010 000010
576.000	4.5962	.95972	4.4519	2003E-02	.00892	0000009
584.000	4.5676	96126	4.5281	1958E-02	.00891	3333039
592.000	4.7388	.96275	4.6043	1934E-02	.00890	0000008
600.000	4.8100	.96419	4.6803	1901E-02	.00890	00000003
608.000	4.6812	. 96558	4.7562	1870E-02	.00889	0000007
515.000	4.9523	.95592	4.8320	1839E-02	.00889	0000007
624.000	5.0234	.96822	4.9078	1810E-C2	.00888	0000007
632.000	5.0944	.96949	4.9834	1761E-02	.00888	00000005
640.000	5.1654	.97071	5.0589	1753E-02	.00887	00000005
648.000	5.2364	•97,189	5.1344	1727E-02	.00887	0000006
656.000	5.3073	.97304	5.2098	1701E-02	.00886	0000006
654.000	5.3781	.97415	5.2851	1676E-02	•00886	0000005
672.000 680.000	5.4490 5.5198	.97523 .97628	5.3604 5.4355	1651E-02	•00885	00000005
588.000	5.5905	.97730	5.5106	1628E-02 1605E-02	•00885 •00884	0000005 0000005
696.000	5.6613	.97830	5.5857	1583E-02	.00884	0000005
704.000	5.7320	.97926	5.6607	1561E-02	.00884	0000005
712.000	5.8027	.98020	5.7356	1540E-02	.00883	00000004
720.000	5.8733	.98111	5.8104	1520E-02	.00883	3033334

Table 10. Continued.

## HYDROGEN SULFIDE ISOCHORE AT 2.000 MOL/L

_		_				
T	P	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
К	MPA		MPA-L/MOL	WOF\F\K	MPA/K	MPA/K/K
327.709	3.8949	•71472	1.2175	1946E-01	.02369	0000930
328.000	3.9017	•71535	1.2223	1935E-01	.02356	0000920
336.000	4.0884	•73172	1.3487	1707E-01	.02302	0000708
344.000	4.2704	.74653	1.4683	1533E-01	.02251	0000559
352.000	4.4488	.75004	1.5829	1395E-01	.02210	0000471
360.000	4.6242	.77244	1.6936	1284E-01	.02175	0000399
368.000	4.7970	.78389	1.8011	1191E-01	.02146	0000341
376.000	4.9676	.79450	1.9051	1112E-01	.02120	0000296
384.000	5.1364	.80437	2.0088	1045E-01	.02098	0000259
392.000	5.3034	.81359	2.1098	9854E-02	.02079	00000229
400.000	5.4690	.82221	2.2090	9333E-02	.02062	0000203
408.000	5.6333	.83031	2.3069	8870E-02	• 02 0 4 6	0000182
415.000	5.7965	.83792	2.4036	8456E-02		
424.000	5.9586	.84510	2.4991		•02032	0000163
432.000	6.1197	.85188	2.5936	8083E-02	.02020	0000148
440.000				7745E-02	•02009	0000134
448.000	6 • 2 8 0 0 6 • 4 3 9 5	.85830	2.6873	7437E-02	.01999	0000122
		.86439	2.7801	7155E-02	.01989	0000111
456.000	6.5983	.87016	2.8723	6896E-02	.01981	0300102
454.000	6.7564	.87566	2.9637	6657E-02	.01973	0000094
472.000	6.9140	.88089	3.0546	6435E-02	.01966	0000087
480.000	7.0710	.88587	3.1449	6229E-02	.01959	0000080
488.000	7.2274	.89063	3.2347	6037E-02	.01953	0000074
495.000	7.3834	.89518	3.3240	5858E-02	.01947	0000059
504.000	7.5390	.89953	3.4128	5689E-C2	.01942	0000054
512.000	7.6941	• 90369	3.5013	5531E-02	.01937	0000050
520.000	7.8488	.90759	3.5894	5383E-02	.01932	0000056
528.000	8.0032	•91152	3.6771	5242E-02	.01928	0000053
535.000	8.1573	.91520	3.7645	5110E-02	.01924	00000349
544.000	8.3110	.91873	3.8516	4984E-02	.01920	0000047
552.000	8.4645	.92213	3.9384	4855E-02	.01916	0000044
560.000	8.6176	.92541	4.0250	4752E-02	.01913	0000041
568.000	8.7705	.92856	4.1113	4645E-02	.01910	0000039
576.000	8.9232	.93160	4.1973	4542E-02	.01907	0000037
584.000	9.0755	.93453	4.2831	4445E-02	.01904	0000035
592.000	9.2277	.93736	4.3687	4351E-02	.01901	0000033
600.000	9.3797	.94010	4.4541	4262E-02	.01898	0000032
608.000	9.5315	.94274	4.5393	4177E-02	.01896	0000033
616.000	9.6831	.94529	4.6243	4095E-02	.01893	0000029
524.000	9.8344	.94776	4.7091	4016E-02	.01891	0000027
632.000	9.9857	95015	4.7938	3941E-02	.01889	0000025
540.000	10.1367	95247	4.8783	3868E-02	.01887	0000025
548.000	10.2876	.95471	4.9626	3799E-02	.01885	0000024
556.000	10.4383	95689	5.0468	3732E-02	.01883	0000023
664.000	10.5889	95900	5.1309	3667E-02	.01881	0000022
672.000	10.7394	.96104	5.2148	3605E-02	.01880	00000321
	10.8897	.96303	5.2986	3544E-02	.01878	3003020
680.000		.96495	5.3823	3486E-02	.01876	0000023
688.000	11.0399		5.4658	3430E-02	.01875	2222219
596.000	11.1899	.96683 .96865	5.5493	3376E-02	.01873	0000018
704.000	11.3398		5.6326	3324E-02	•01673 •01872	00000017
712.000	11.4897	.97042		3273E-02	.01871	0303317
720.000	11.6394	.97214	5.7158	• 3 Z I 3 E - U Z	• 01011	10000011

Table 10. Continued.

### HYDROGEN SULFIDE ISOCHORE AT 4.000 MOL/L

	Р	7	DP/DD	DD/DT	DP/DT	D2P/DT2
T K	MPA	Z	MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
		E / E 1 0	• 5666	9708E-01	•05500	0003395
356.435	6.6998	•56518	•6342	8502E-01	.05392	0002724
360.000	6.8939	.57579		6721E-01	.05211	0001394
368.000	7.3176	.59789	.7753	5595E-01	•05079	0001544
376.000	7.7289	.61807 .63667	.9077 1.0347	4808E-01	.04975	0001447
384.000	8.1310	.65394	1.1579	4224E-01	.04891	30001163
392.000	8.5255	.67005	1.2782	3771E-01	.04820	0000318
400.000	8.9138 9.2969	•68515	1.3963	3408E-01	.04759	0000318
416.000	9.6755	•69933	1.5124	3112E-01	•04706	0000615
424.000	10.0501	•71270	1.6271	2864E-01	•04660	0000542
432.000	10.4213	.72534	1.7404	2654E-01	.04619	0000482
440.000	10.7893	.73730	1.8525	2474E-01	.04583	0000432
448.000	11.1546	•74865	1.9637	2317E-01	•04550	0000389
456.000	11.5174	.75944	2.0739	2180E-01	•04520	0000357
454.000	11.8780	.76971	2.1834	2058E-01	.04494	0000321
472.000	12.2365	.77950	2.2922	1950E-01	.04469	0000321
480.000	12.5931	.78885	2.4003	1852E-01	.04447	0000269
4 68 . 000	12.9480	.79778	2.5079	1765E-01	.04426	0000267
496.000	13.3013	.80633	2.6149	1685E-01	.04407	0000229
504.000	13.6531	.81452	2.7214	1613E-01	.04389	0000227
512.000	14.0036	.82238	2.8275	1547E-01	.04373	0000199
520.000	14.3528	.82992	2.9331	1486E-01	.04378	000014
528.000	14.7008	.83716	3.0383	1429E-01	.04343	0000172
536.000	15.0477	.84413	3.1432	1378E-01	.04330	0003172
544.000	15.3936	.85083	3.2478	1329E-01	.04317	0000151
552.000	15.7385	.85729	3.3520	1285E-01	.04306	3033142
560.000	16.0825	.86352	3.4559	1243E-01	.04295	0000134
568.000	16.4257	.85952	3.5595	1204E-01	.04284	0000127
575.000	16.7680	.87531	3.6628	1167E-01	.04274	0000120
584.000	17.1095	.88091	3.7659	1133E-01	.04265	0000114
592.000	17.4504	.88632	3.8688	1100E-01	.04256	0000109
600.000	17.7906	.89154	3.9714	1070E-01	•04248	0000103
608.C00	18.1301	.89660	4.0737	1041E-01	.04240	0000098
616.000	18.4690	•90150	4.1759	1013E-01	.04232	0300093
624.000	18.8072	.90624	4.2778	9876E-02	.04225	0000089
632.000	19.1449	.91084	4.3796	9631E-02	.04218	0000085
640.000	19.4821	.91529	4.4812	9397E-02	.04211	0000082
648.000	19.8187	.91961	4.5826	9176E-02	.04205	0000078
656.000	20.1549	.92380	4.6838	8964E-02	.04199	0000075
664.000	20.4905	.92787	4.7848	8763E-02	.04193	0000072
672.000	20.8257	.93183	4.8857	8570E-02	.04187	3000369
580.000	21.1605	.93566	4.9854	8386E-02	.04182	0000067
688.000	21.4948	.93940	5.0869	8210E-02	.04176	0000064
696.000	21.8287	.94302	5.1873	8041E-02	.04171	0000062
704.000	22.1622	.94655	5.2P76	7880E-02	.04167	0000060
712.000	22.4954	.94998	5.3877	7725E-02	.04162	0000058
720.000	22.8281	.95333	5.4877	7576E-02	.04157	0000055

Table 10. Continued.

## HYDROGEN SULFIDE ISOCHORE AT 6.000 MOL/L

T	Þ	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
K	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
368.306	8.2230	.44754	.1830	4828E+00	.08835	0009175
376.000	8.8839	.47362	•3196	2631E+00	.08408	0003591
384.000	9.5465	.49834	.4503	1815E+00	.08174	0702353
392.000	10.1937	•52126	• 5776			
400.000	10.8294			1387E+00	.08013	0001735
		•54271	.7033	1122E+00	.07890	0001370
408.000	11.4568	•56288	.8282	9407E-01	.07791	0001127
415.000	12.0765	•58192	•9525	8092E-01	.07708	0000952
424.000	12.6904	•59996	1.0765	7095E-01	•07638	00003320
432.000	13.2989	.61708	1.2003	6312E-01	•07576	0000715
440.000	13.9028	.63338	1.3238	5682E-01	.07522	0000534
448.000	14.5026	.64890	1.4471	5165E-01	.07474	0000565
455.000	15.0988	.66373	1.5704	4732E-01	.07432	0000509
464.000	15.6918	.67790	1.6935	4365E-01	.07393	0000461
472.000	16.2818	.69147	1.8164	4051E-01	.07358	0000421
480.000	15.8691	.70447	1.9393	3777E-01	.07325	0000386
488.000	17.4539	.71694	2.0621	3538E-01	.07296	0000355
496.000	18.0364			· · · · · · · · ·		
		•72892	2.1847	3327E-01	.07268	0000329
504.000	18.6169	.74044	2.3073	3139E-01	.07243	0000305
512.000	19.1954	.75152	2.4297	2971E-01	.07219	0000285
520.000	19.7720	•75218	2.5521	2820E-01	.07197	0000255
528.000	20.3470	.77246	2.6744	2684E-01	.07177	0000250
536.000	20.9203	.78238	2.7965	2559E-01	.07157	0000235
544.000	21.4922	.79194	2.9185	2445E-01	.07139	0000222
552.000	22.0626	.80118	3.0405	2342E-01	.07122	0000210
560.000	22.6317	.81011	3.1623	2247E-01	.07106	0000199
568.000	23.1995	.81874	3.2840	2159E-01	.07090	0000189
576.000	23.7661	.82708	3.4056	2078E-01	.07075	0000180
584.000	24.3316	.83516	3.5271	2002E-01	.07061	0000171
592.000	24.8960	.84299	3.6485	1932E-01	.07048	0000154
500.000	25.4593	.85056	3.7698	1866E-01	•07035	0000157
						0000150
608.000	26.0216	.85791	3.8910	1805E-01	.07023	
616.000	26.5829	. 86504	4.0121	1747E-01	.07011	0000144
624.000	27.1434	.87195	4.1330	1694E-01	.07000	0000139
632.000	27.7029	.87866	4.2538	1643E-01	.06989	0000134
640.000	28.2616	.88517	4.3746	1595E-01	.06978	0000129
648.000	28.8194	.89150	4.4952	1550E-01	• 06968	0000125
656.000	29.3765	.89765	4.6157	1508E-01	.06958	0000120
554.000	29.9327	.90363	4.7360	1467E-01	.06949	3333115
672.000	30.4883	.90944	4.8563	1429E-01	.06940	0000113
680.000	31.0431	.91510	4.9764	1393E-01	.06931	0000109
688.000	31.5972	.92060	5.0965	1358E-01	.06922	0000105
696.000	32.1507	92596	5.2164	1325E-01	.06914	0000103
		.93118	5.3362	1294E-01	.06906	0000100
704.000	32.7034		5.4559	1254E-01	.06898	0000003
712.000	33.2556	.93626		1236E-01	.06890	00000095
720.000	33.8071	.94121	5.5755	12305-01	•00090	*3003347

Table 10. Continued.

### HYOROGEN SULFIDE ISOCHORE AT 8.000 MOL/L

T	Р	Z	00/00	DD/DT	DP/DT	D2P/OT2
К	MPA		MPA-L/MOL	MOL/L/K	MPA/K	454/4/4
372.609	8.8436	.35682	.0297	4061E+01	.12061	0031997
376.000	9.2439	.36961	.0846	1378E+01	.11656	0005050
384.000	10.1631	.39789	.2116	5373E+00	.11367	0002392
392.000	11.0659	.42440	.3421	3278E+00	.11215	0001542
400.000	11.9586	.44946	.4756	2336E+00	.11109	0001151
408.000	12.8439	.47327	.6113	1804E+00	.11027	0000920
416.000	13.7233	49595	.7488	1464E+00	.10959	0000767
424.000	14.5977	.51760	.8878	1228E+00	.10903	0000558
432.000	15.4679	.53830	1.0280	1056E+00	.10853	0000575
440.000	16.3344	•55812	1.1692	9245E-01	.10810	0000513
		.57712	1.3114	8214E-01	.10771	0000461
448.000	17.1976	_				
456.000	18.0579	.59536	1.4543	7382E-01	.10736	0000419
464.000	18.9155	.61288	1.5979	6699E-01	.10704	0000385
472.000	19.7706	.62973	1.7420	6128E-01	.10674	0300356
480.000	20.6234	.64594	1.8866	5643E-01	.10647	0000331
488.000	21.4742	•65155	2.0316	5228E-01	.10621	000310
496.000	22.3229	.67652	2.1770	4868E-01	.10597	0000291
504.000	23.1698	.69114	2.3227	4553E-01	•10575	0000275
512.000	24.0149	.70515	2.4687	4275E-01	.10553	0000261
520.000	24.8583	.71869	2.6148	4028E-01	.10533	0000249
528.000	25.7001	.73177	2.7612	3807E-01	.10513	0000238
536.000	26.5405	.74442	2.9078	3609E-01	•10495	0000228
544.000	27.3793	.75665	3.0544	3430E-01	.10477	0000219
552.000	28.2168	.76850	3.2012	3267E-01	.10460	0000210
560.000	29.0529	.77997	3.3481	3119E-01	.10443	0000203
568.000	29.8877	.79108	3.4950	2984E-01	.10427	0000196
576.000	30.7213	.80185	3.6419	2859E-01	.10412	0000190
584.000	31.5536	.81229	3.7889	2744E-01	.10397	0000184
592.000	32.3848	.82242	3.9359	2638E-01	.10382	0000179
600.000	33.2148	. 83225	4.0829	2539E-01	.10368	0000174
608.000	34.0437	.84180	4.2299	2448E-01	.10354	0000170
616.000	34.8715	.85107	4.3768	2363E-01	.10341	0300155
624.000	35.6982	.85027	4.5238	2283E-01	.10328	0000162
632.000	36.5239	.86883	4.6706	2208E-01	.10315	0000158
540.000	37.3486	.87734	4.8174	2139E-01	.10303	0000155
648.000	38.1724	88562	4.9642	2073E-01	.10290	0000151
656.000	38.9951	.89358	5.1109	2011E-01	.10278	0000148
664.000	39.8169	.90152	5.2575	1953E-01	.10278	0000146
672.000	40.6377	.90915	5.4040	1898E-01	•10257	0000145
590.000	41.4577	• 90915 • 91658	5.5505			
598.000	42.2767	.92382		1846E-01	.10244	0000140
			5.6968	1796E-01	.10233	0000139
696.000	43.0949	•93087	5.8431	1749E-01	.10222	0000135
704.000	43.9122	.93775	5.9892	1705E-01	.10211	0000133
712.000	44.7287	. 94445	6.1353	1663E-01	.10200	0000131
720.000	45.5443	.95099	6.2812	1622E-01	.10190	0000129

Table 10. Continued.

### HYDROGEN SULFIDE ISOCHORE AT 9.000 HOL/L

T	P	Z	DP/DD	D0/0T	DP/DT	D2P/DT2
K	MPA	-				
			MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
373.261	8.9417	.32013	.0053	2574E+02	.13586	0093268
376.000	9.3069	.33078	.0477	2772E+01	.13220	0004575
384.000	10.3550	.36036	.1806	7210E+00	.13023	0001510
392.000	11.3928	.38839	.3212	4025E+00	.12928	0000955
400.000	12.4242	•41508	• 4663	2758E+00	.12862	0000714
408.000	13.4511	.44057	.6148	2084E+00	.12811	3333577
416.000	14.4742	.46497	.7657	1667E+00	.12769	0000489
424.000	15.4942	.48834	•9188	1386E+00	•12732	0000427
432.000	16.5115	•51077	1.0735	1183E+00	.12700	0000382
440.000	17.5263	.53230	1.2296	1030E+00	.12671	0000347
448.000	18.5388	.55300	1.3859	9117E-01	.12644	0000320
456.000	19.5494	.57291	1.5453	8166E-01	.12619	0000293
464.000	20.5580	• 5 9 2 0 8	1.7045	7390E-01	.12596	0000291
472.000	21.5548	.61056	1.8644	6744E-01	.12574	0000256
480.000	22.5699	.62836	2.0250	6199E-01	.12554	0000253
			_			
438.000	23.5734	.64554	2.1862	5733E-01	•12534	0000243
496.000	24.5753	.65212	2.3478	5330E-01	.12515	0000234
504.000	25.5758	.67814	2.5099	4979E-01	.12496	0000225
512.000	26.5748	.69362	2.5723	4670E-01	.12479	0000219
	27.5724	.70858		4395E-01	.12461	_
520.000			2.9350	· · · · · · · · ·		0000213
528.000	28.5686	.72306	2.9979	4151E-01	.12444	0000208
536.000	29.5635	.73708	3.1511	3932E-01	.12428	0000203
544.000	30.5571	.75064	3.3245	3734E-01	.12412	0000193
552.000	31.5494	.76379	3.4880	3554E-01	.12396	0000194
						0000191
550.000	32.5405	.77653	3.6516	3391E-01	.12381	
558.000	33.5304	.78888	3.8153	3241E-01	.12366	3303187
576.000	34.5190	.80086	3.9791	3104E-01	.12351	0000184
584.000	35.5065	.81249	4.1429	2978E-C1	.12336	0000181
		.82377	4.3068	2861E-01	.12322	0000178
592.000	36.4928					
600.000	37.4760	.83473	4.4707	2753E-01	.12308	0000176
508.000	38.4621	.84538	4.6345	2653E-01	.12294	0000173
616.000	39.4451	.85572	4.7983	2559E-01	.12280	0000171
524.000	40.4269	.85578	4.9621	2472E-01	.12267	0000159
				2390E-01	.12253	0000157
632.000	41.4077	.87556	5.1259			
640.000	42.3874	.88507	5.2896	2314E-01	.12240	0000155
648.000	43.3661	.89433	5.4532	2242E-01	.12227	0000153
556.000	44.3437	.90334	5.6168	2175E-01	.12214	0000151
		.91211	5.7802	2111E-01	.12201	0000159
654.000	45.3203					
672.300	46.2959	• 92065	5.9436	2051E-01	.12188	0000157
680.000	47.2705	.92897	6.1069	1994E-01	.12176	0000155
688.000	48.2440	.93708	6.2700	1940E-01	.12164	0000154
	49.2166	94498	6.4331	1889E-01	.12151	0000152
696.000			6.5960	1840E-01	.12139	0000153
704.000	50.1882	.95269				
712.000	51.1589	. 96020	6.7588	1794E-01	.12127	0000149
720.000	52.1286	.96753	6.9215	1750E-01	.12115	0000147

Table 10. Continued.

### HYDROGEN SULFICE ISOCHORE AT 10.200 MOL/L

T	Р	Z	OP/DO	DD/OT	OP/OT	D2P/DT2
К	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
373.400	8.9629	.28303	0.0000	<b>-</b> R	.15238	0.0000000
376.000	9.3591	.29350	.0448	3403E+01	.15238	0000006
384.000	10.5781	.32482	.1988	7663E+00	.15236	0000024
392.000	11.7959	.35485	.3620	4208E+00	.15234	0000040
400.000	13.0154	.38367	.5303	2872E+00	.15230	0000055
408.000	14.2337	•41136	.7023	2168E+00	.15225	0000069
415.000	15.4514	.43796	.8771	1735E+00	.15219	0000081
424.000	16.6687	46355	1.0542	1443E+00	.15212	000092
432.000	17.8854	.48818	1.2331	1233E+00	.15204	0000102
		•51189	1.4136	1075E+00	.15196	0000111
440.000	19.1014					
448.000	20.3167	.53474	1.5953	9520E-01	.15187	0000119
456.000	21.5312	•55676	1.7781	8535E-01	.15177	0000126
464.000	22.7450	•57800	1.9619	7731E-01	•15167	0000133
472.000	23.9579	•59851	2.1464	7061E-01	.15156	0000139
4 60 • 0 0 0	25.1699	.61831	2.3317	6495E-01	.15144	0000145
488.000	26.3810	.63743	2.5175	6011E-01	.15133	0000149
496.000	27.5911	.65592	2.703°	5592E-01	•15120	0000154
504.000	28.8002	.67380	2.8905	5227E-01	. •15108	0000158
512.000	30.0083	.69109	3.0776	4905E-01	.15095	0000151
520.000	31.2154	.70783	3.2650	4619E-01	.15082	0000154
528.000	32.4215	.72404	3.4526	4364E-01	.15069	0000167
536.000	33.6265	.73974	3.6405	4136E-01	.15055	0000169
544.000	34.8304	.75496	3.9285	3929E-01	.15042	0000172
552.000	36.0332	.76971	4.0166	3741E-01	.15028	0000173
560.000	37.2348	.78402	4.2048	3571E-01	.15014	0000175
568.000	38.4354	.79790	4.3931	3414E-01	•15000	0000176
576.000	39.5348	.81137	4.5814	3271E-01	•14986	0000177
584.000	40.8331	.82445	4.7598	3139E-01	.14972	0000177
592.000	42.0303	.83715	4.9581	3017E-C1	.14957	0000179
500.000	43.2263	.84949	5.1464	2904E-01	•14943	0000180
608.000	44.4212	.86149	5.3347	279°E-01	.14929	0000180
616.000	45.6149	.87315	5.5229	2700E-01	.14914	0000180
624.000	46.8075	.88449	5.7110	2609E-01	.14900	0000181
632.000	<b>47.9</b> 989	.89552	5.8991	2523E-01	.14885	0000181
640.000	49.1891	• 90626	6.0870	2443E-01	.14871	0000181
648.000	50.3782	.91671	6.2749	2368E-01	.14856	0303190
656.000	51.5661	.92688	6.4626	2297E-01	.14842	0000180
664.000	52.7529	.93679	6.5502	2230E-01	.14828	0300180
672.000	53.9385	. 94644	6.8377	2166E-01	.14813	0000179
680.000	55.1230	.95585	7.0250	2107E-01	.14799	0000179
688.000	56.3064	.96501	7.2121	2050E-01	.14785	0000178
696.000	57.4886	.97395	7.3991	1996E-01	.14770	0000178
704.000	58.6696	98256	7.5860	1945E-01	.14756	0000177
712.000	59.8495	•99116	7.7726	1897E-01	•14742	0000177
720.000	61.0283	.99945	7.9591	1850E-01		0000176
720.000	01.0203	• 77797	1.4241	1030E-01	.14728	0000176

Table 10. Continued.

## HYDROGEN SULFIDE ISOCHORE AT 11.000 MOL/L

Т	Þ	7	00.400	00.40*	00407	0001070
ĸ	MPA	Z	DP/DD	DD/DT	DP/DT	029/012
373.359	8.9567	24222	MPA-L/MOL	MOL/L/K	MPA/K	494/4/4
		.25230	.0019	8850E+02	.16490	.0187937
376.000	9.3984	.27330	.0555	3027E+01	.16801	.0003320
384.000	10.7489	•30506	.2313	7322E+00	.16936	.0000993
392.000	12.1063	.33767	.4156	4089É+00	.16996	•3333582
400.000	13.4676	.35813	.6049	2816E+00	.17034	.0303391
408.000	14.8315	.39746	•7977	2139E+00	.17060	.0000275
416.000	16.1971	•42571	•9931	1720E+00	.17079	•3303194
424.000	17.5640	.45293	1.1907	1435E+00	•17092	.0000133
432.000	18.9317	•47916	1.3900	1230E+00	.17101	.00000335
440.000	20.2999	.50444	1.5907	1075E+00	.17106	•0000045
448.000	21.6685	• 52884	1.7927	9543E-01	.17108	.0000014
456.000	23.0372	•55238	1.9957	8573E-01	.17108	0000014
464.000	24.4057	•57510	2.1995	7777E-01	.17106	0000037
472.000	25.7741	•59705	2.4041	7114E-01	.17102	0000058
480.000	27.1420	.61826	2.6092	6552E-01	.17097	0000075
488.000	28.5095	.63877	2.8149	6071E-01	.17090	0000091
495.000	29.8764	.65859	3.0210	5654E-01	.17082	3000134
504.000	31.2427	.67778	3.2275	5290E-01	.17073	0000115
512.000	32.5082	.69635	3.4343	4969E-01	.17064	0000127
520.000	33.9728	.71433	3.6413	4683E-01	.17053	0000135
529.0C0	35.3367	.73175	3.8485	4428E-01	.17042	0000145
536.000	36.6995	.74863	4.0559	4199E-01	.17030	0000152
544.000	38.0614	.76499	4.2633	3992E-01	.17018	0000159
552.000	39.4223	.78086	4.4709	3803E-01	.17005	0000165
560.000	40.7822	•79626	4.6785	3632E-01	.16991	0000170
568.000	42.1409	.81120	4.8850	3475E-01	.16977	0000175
576.000	43.4986	.82570	5.0936	3330E-01	.16963	3003179
584.000	44.8551	.83979	5.3011	3197E-01	.16949	0000182
592.000	46.2104	. 85347	5.5086	3074E-01	.16934	0000185
600.000	47.5645	.86677	5.7160	2950E-01	•16919	0000188
608.000	48.9175	.87969	5.9233	2854E-01	.16904	0000191
	50.2692	.89226	6.1305	2755E-01	.16889	0000193
616.000		.90449	6.3376	2662E-01	.16873	0000194
524.000	51.6197		6.5445	2575E-01	.16858	2233196
632.000	52.9689	.91638	6.7513	2495E-01	.16842	0000197
640.000	54.3169	.92795		2475E-01	.16826	0000198
648.000	55.5636	.93922	6.9579	2346E-01	.16810	0000199
656.000	57.0091	.95019	7.1643		.16794	00000144
664.000	58.3533	.96088	7.3706	2279E-01		<del>-</del>
672.000	59.6962	.97129	7.5767	2214E-01	.16778 .16762	0000200 0000201
680.000	61.0378	.98143	7.7826	2154E-01		
688.000	62.3781	.99132	7.9883	2096E-01	.16746	0000201
696.000	63.7172	1.00095	8.1938	2042E-01	.16730	0000201
704.000	65.0549	1.01037	8.3991	1990E-01	.16714	0000201
712.000	66.3914	1.01954	8.6042	1941E-01	.16698	0000201 0000200
720.000	67.7266	1.02849	8.8090	1894E-01	.16682	0000103

Table 10. Continued.

### HYDROGEN SULFIDE ISOCHORE AT 12.000 MOL/L

т	Р	Z	DP/DD	DD/DT	DP/DT	027/012
K	МРД	L	MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
372.990	8.9008	.23917	•0237	7915E+01	.18745	.0045988
376.000	9.4729	.25251	.1028	1861E+01	.19143	.0005925
•		.28754		6150E+00	.19407	.0002057
3 P4 • 000	11.0167		•3156			
392.000	12.5748	.32151	.5339	3659E+00	•19535	.0001257
400.000	14.1411	.35433	.7559	2595E+00	.19619	.0000830
408.000	15.7132	.38600	.9807	2007E+00	.19679	•0000552
416.000	17.2894	.41655	1.2076	1633E+00	.19725	.0000495
424.000	18.8689	.44503	1.4361	1376E+00	•19760	.0000378
432.000	20.4507	. 47447	1.6661	1188E+00	.19786	•0000288
440.000	22.0344	.50192	1.8972	1044E+00	•19806	.0000215
448.000	23.6195	.52842	2.1292	9309E-01	.19821	.0000155
456.000	25.2056	.55401	2.3619	8396E-01	.19831	.0000104
464.000	26.7924	.57873	2.5954	7644E-01	.19838	•0000062
472.000	28.3796	.50262	2.8293	7013E-01	.19841	•0000725
480.000	29.9669	•62572	3.0636	6477E-01	.19842	0000007
488.000	31.5542	.64807	3.2983	6015E-01	•19840	0000035
495.000	33.1413	•66968	3.5333	5614E-01	.19836	0000059
504.000	34.7279	•69061	3.7685	5262E-01	.19831	0000081
512.000	36.3141	<b>.7</b> 1087	4.0038	4951E-01	.19823	0000100
520.000	37.8997	.73049	4.2392	4674E-01	•19815	0000115
528.000	39.4845	.74951	4.4747	4426E-01	.19805	0000131
536.000	41.0684	.75794	4.7102	4202E-01	.19794	0000145
544.000	42.6514	.78581	4.9457	4000E-01	.19782	0000155
552.000	44.2335	.80315	5.1812	3816E-01	.19769	0000157
560.000	45.8144	.81997	5.4165	3647E-01	.19755	0000175
568.000	47.3943	.83630	5.6518	3493E-01	.19741	0000185
574.000	48.9729	.85215	5.8869	3351E-01	.19726	0000192
584.000	50.5503	.86755	6.1219	3220E-01	.19710	0000199
592.000	52.1265	.88251	6.3568	3098E-01	.19694	0000205
600.000	53.7013	.89705	6.5914	2985E-01	•19677	3030210
608.000	55.2748	.91119	6.8259	2880E-01	.19660	0000215
616.000	56.8470	. 92493	7.0602	2782E-01	.19643	0000219
624.000	58.4177	.93830	7.2942	2691E-01	.19625	0000222
632.000	59.9870	.95131	7.5281	2605E-01	.19607	0000225
640.000	61.5549	.96397	7.7616	2524E-01	.19589	0000228
648.000	63.1213	.97630	7.9950	2448E-01	.19571	0000231
656.000	64.6862	.98830	8.2281	2376E-01	.19552	0000233
564.000	66.2496	1.00000	8.4609	2309E-01	•1953↔	0000235
672.000	67.8115	1.01139	8.6935	2245E-01	.19515	0000235
680.000	69.3720	1.02249	8.9257	2184E-01	.19496	0000237
688.000	70.9308	1.03331	9.1578	2127E-01	.19477	0000238
696.000	72.4882	1.04386	9.3895	2072E-01	.19458	0000239
704.000	74.0441	1.05414	9.6209	2020E-01	.19438	0000240
712.000	75.5984	1.05418	9.8521	1971E-01	.19419	0000240
720.000	77.1511	1.07397	10.0830	1924E-01	.19400	0000241

Table 10. Continued.

## HYDROGEN SULFIDE ISOCHORE AT 14.000 MOL/L

T	P	Z	00/00	DD/DT	DP/DT	D2P/DT2
K	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
370.077	8.4733	.19670	.2630	9595E+00	.25237	.0311726
376.000	9.9822	.22807	•5003	5127E+00	.25651	.0004588
384.000	12.0462	.26950	.8114	3195E+00	.25923	.0002592
392.000	14.1273	.30961	1.1204	2329E+00	. 26095	.0001777
400.000	16.2200	.34836	1.4289	1835E+00	.26217	.0001311
408.000	18.3212	.38577	1.7373	1514E+00	.26308	.0001002
416.000	20.4288	.42188	2.0457	1289E+00	.26379	.0333777
424.000	22.5414	• 45672	2.3542	1123E+00	.26434	.0000505
432.000	24.6580	.49035	2.6626	9944E-01	.26477	.3300469
440.000	26.7775	•52282	2.9709	8923E-01	.26510	.0000357
448.000	28.8993	•55417	3.2792	8092E-01	. 26535	.0000255
455.000	31.0228	.58446	3.5873	7402E-01	.26553	.0000186
464.000	33.1476	.61372	3.8953	6820E-01	.26565	.0000119
472.000	35.2731	.64200	4.2030	6322E-01	.26572	.0000061
480.000	37.3989	•66935	4.5106	5892E-01	.26575	.0000011
488.000	39.5249	.69580	4.8178	5516E-01	.26574	0000033
496.000	41.6507	.72140	5.1247	5185E-01	.26570	0000072
504.000	43.7760	.74518	5.4313	4891E-01	.26562	0000105
512.000	45.9006	.77017	5.7376	4628E-01	• 26553	0000135
520.000	48.0243	.79340	6.0434	4392E-01	.26541	0000152
528.000	50.1471	.81592	5.3489	4178E-01	.26527	0000185
536.000	52.2686	.83774	6.6540	3984E-01	.26511	0000207
544.000	54.3888	.85891	6.9587	3807E-01	. 26494	0000225
552.000	56.5075	.87943	7.2630	3645E-01	• 26475	0000243
560.000	58.6247	.89935	7.5668	3496E-01	.26455	0000258
568.000	60.7403	.91858	7.8702	3359E-01	.26434	0000272
576.000	62.3541	•93745	8.1731	3232E-01	.26411	0000284
584.000	64.9661	.95567	8.4755	3113E-01	.26388	0003294
5 92 .000	67.0762	.97338	8.7775	3004E-01	.26364	0000304
500.000	69.1844	.99059	9.0789	2901E-01	•26340	0000312
608.000	71.2906	1.00731	9.3799	2805E-01	.26314	0000320
616.000	73.3947	1.02358	9.6805	2716E-01	.26289	0000327
624.000	75.4967	1.03939	9.9805	2631E-01	. 26262	0000332
632.000	77.5966	1.05478	10.2800	2552E-01	.26235	0000338
640.000	79.6944	1.06975	10.5790	2477E-01	. 26208	0000342
648.000	81.7899	1.08433	10.8776	2407E-01	.26181	0000346
655.000	83.8833	1.09852	11.1756	2340E-01	.26153	0000350

Table 10. Continued.

### HYDROGEN SULFIDE ISOCHORE AT 16.000 MOL/L

_			00400	00 (07	00/07	020/072
Ţ	P	Z	DP/OD	DD/DT	DP/DT	029/012
К	MPA		MPA-L/MOL	MUL/L/K	MPA/K	MPA/K/K
362.932	7.5022	•15538	1.0347	3329E+C0	.34440	.0004765
364.000	7.8702	.16253	1.0937	3154E+00	.34488	.0004371
368.000	9.2529	.18901	1.3116	2641E+00	.34641	.0003334
372.000	10.6410	.21502	1.5264	-,2277E+00	.34760	•0302580
376.000	12.0334	.24057	1.7391	2004E+00	.34858	.0002222
380.000	13.4294	.26555	1.9502	1792E+00	.34939	.0301878
384.000	14.8284	.29027	2.1601	1621E+00	.35009	.0001507
388.000	16.2300	.31443	2.3691	1480E+00	.35069	.0001387
392.000	17.6338	.33815	2.5772	1363E+00	.35120	.0001203
396.000	19.0395	.36141	2.7847	1263E+00	.35165	.0001047
400.000	20.4469	.38425	2.9915	1177E+00	.35204	.0003912
		• 40666	3.1978	1102E+00	.35238	.0000715
404.000	21.8558					
408.000	23.2659	.42865	3.4036	1036E+00	• 35 2 6 8	•0000588
412.000	24.6772	. 45024	3.6089	9780E-01	.35294	•0000595
416.000	26.0894	.47143	3.8138	9260E-01	.35316	.0030511
420.000	27.5024	.49223	4.0183	8793E-01	.35335	.0000435
424.000	28.9161	•51265	4.2225	8372E-01	.35351	.0000366
428.000	30.3304	•53269	4.4262	7990E-01	.35364	.0000303
432.000	31.7452	•55238	4.6296	7641F-01	.35375	•0000245
436.000	33.1604	.57171	4.8327	7322E-01	.35384	.0000192
440.000	34.5758	.59070	5.0355	7028E-01	•35390	.0000143
444.000	35.9916	.60934	5.2379	6757E-01	.35395	.0000097
448.000	37.4074	.62765	5.4401	6507E-01	.35398	•0000055
452.000	38.8234	.64565	5.6419	6274E-01	.35399	.0000016
456.000	40.2394	.66333	5.8435	6058E-01	.35399	0000021
460.000	41.6553	.68070	6.0448	5856E-01	.35398	0000055
464.000	43.0712	•69777	6.2459	5667E-01	.35395	0000085
468.000	44.4869	.71455	6.4465	5490E-01	.35391	0000115
472.000	45.9024	.73103	6.6470	5324E-01	.35386	00001144
476.000	47.3177	.74724	6.8472	5167E-01	•35379	0000170
480.000	48.7328	.76317	7.0471	5019E-01	.35372	0000194
484.000	50.1475	.77884	7.2468	4880E-01	.35364	0000217
488.000	51.5619	.79424	7.4462	4748E-01	. 35 35 5	0000239
492.000	52.9759	.80939	7.6454	4623E-01	. 35345	0000259
496.000	54.3894	.82428	7.8443	4504E-01	.35334	0000278
500.000	55.8026	.83893	8.0429	4392E-01	• 35323	0000296
504.000	57.2152	.85335	8.2413	4285E-01	• 35310	0000313
508.000	58.6274	.86752	8.4395	4182E-01	• 3529°	0000329
512.000	60.0390	.88147	8.6374	4085E-01	.35284	0000344
516.000	61.4501	.89519	8.8351	3992E-01	.35270	0000358
520.000	62.8606	.90870	9.0325	3903E-01	.35255	0000372
524.000	64.2705	.92199	9.2297	3818E-01	.35240	0003384
528.000	65.6798	.93507	9.4266	3737E-01	.35225	0000396
532.000	67.0885	.94794	9.6234	3659E-01	.35209	0000407
536.000	68.4965	.96061	9.8198	3584E-01	.35192	0000418
540.000	69.9039	.97309	10.0161	3512E-01	.35175	0000428
544.000	71.3105	.98537	10.2121	3443E-01	.35158	0000437
548.000	72.7165	99746	10.4079	3376E-01	.35140	0000445
552.000	74.1218	1.07937	10.6034	3312E-01	.35122	0000454
556.000	75.5263	1.02110	10.0034	3251E-01		
					•35104	0000452
560.000	76.9301	1.03265	10.9938	3191E-01	.35085	0000459
564.000	78.3331	1.04402	11.1886	3134E-01	• 35066	0000476
568.000	79.7354	1.05523	11.3833	3079E-01	.35047	0000483
572.000	81.1369	1.06627	11.5777	3025E-01	.35028	0000489
576.000	82.5376	1.07714	11.7718	2974E-01	.35008	0000495
580.000	83.9375	1.08786	11.9658	2924E-01	.34988	0000500

Table 10. Continued.

### HYDROGEN SULFIDE ISOCHORE AT 18.000 MOL/L

Т	Р	Z	DP/DD	DD/DT	DP/DT	02P/0T2
K	мрд		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
350.667	6.0444	.11517	2.6721	1744E+00	.46610	.0001915
352.000	6.6660	.12654	2.7658	1686E+00	.46635	.0001803
356.000	8.5328	.16015	3.0453	1534E+00	.46701	.0001514
360.000	10.4019	•19306	3.3227	1407E+00	.46757	.0001280
364.000	12.2732	.22529	3.5985	1301E+00	.46804	.0001084
368.000	14.1462	.25685	3.8727	1210E+00	.46844	.0000915
372.000	16.0206	.28776	4.1456	1131E+00	.46878	.0000770
376.000	17.8963	.31803	4.4174	1062E+00	.46906	.0000541
380.000	19.7730	.34768	4.6881	1001E+00	.46929	.0000527
384.000	21.6506	•37673	4.9578	9470E-01	.46948	.0000424
388.000	23.5288	•40519	5.2266	8985E-01	•46963	.0000331
392.000	25.4076	.43308	5 • 4 9 4 6	8549E-01	.46975	.0300245
396.000	27.2867	•45041	5.7617	8154E-01	.46983	.0000159
400.000	29.1662	.48720	6.0282	7795E-01	.46988	.0000098
404.000	31.0457	.51347	6.2939	7466E-01	.46991	.000033
408.000	32.9254	.53922	6.5589	7164E-01	•46991	0000028
412.000	34.8050	• 55446	6.8233	6887E-01	.46989	00000384
416.000	36.6845	.58922	7.0870	6630E-01	.46984	0000135
420.000	38.5637	.61351	7.3501	6391E-01	.46978	0000184
424.000	40.4427	.63733	7.6127	6170E-01	•46970	0000229
428.000	42.3213	•66070	7.8747	5963E-01	. 46960	0000271
432.000	44.1994	.68363	8 • 1351	5770E-01	.46948	0000310
436.000	46.0771	.70614	8.3970	5589E-01	.46935	0000347
440.000	47.9542	.72822	8.6574	5420F-01	.46920	0000382
444.000	49.8307	.74990	8.9172	5260E-01	.46904	0000414
448.000	51.7065	.77118	9.1766	5109E-01	.46887	0000444
452.000	53.5816	.79208	9.4355	4967E-01	.46869	0000473
456.000	55.4560	.81260	9.6938	4833E-01	.46849	0333499
450.000	57.3296	.83275	9.9518	4706E-01	.46829	0000525
454.000	59.2023	.85253	10.2092	4585E-01	.46807	0000548
468.000	61.0741	.87197	10.4662	4470E-01	.46785	0000570
472.000	62.9451	.89107	10.7227	4361E-01	.46762 .46738	0000591 0000611
476.000	64.8151	.90983	10.9788	4257E-01	•46713	0000511
480.000	66.6841	.92827	11.2345	4158E-01	.45687	0003547
484.000	68.5521	.94638	11.4897	4063E-01	.46661	0003547
488.000	70.4191	.96419	11.7446 11.9990	3973E-01 3887E-01	.46634	0000579
492.000	72.2850	.98169 .99889	12.2529	3804E-01	•46607	0000577
496.000	74.1498	1.01581	12.5065	3724E-01	.46579	0000707
500.000	76.0135	1.03244	12.7597	3648E-01	•46550	0000719
504.000	77.8761	1.04879	13.0124	3575E-01	.46521	0000711
508.000	79.7375		13.0124	3505E-01	.46492	0000731
512.000	81.5978	1.06488	13.5167	3437E-01	•46462	0000753
516.000	83.4569	1.08070	12.0101	34315-01	• 70702	. 70007173

Table 10. Continued.

### HYDROGEN SULFIDE ISOCHORE AT 20.000 MOL/L

Т	Р	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
K	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
332.918	4.3235	.07810	5.5111	1129E+00	.62217	.0000262
336.000	6.2413	.11170	5.7819	1076E+00	•62223	.0000180
340.000	8.7303	.15441	6.1321	1015E+00	.62229	.0000082
344.000	11.2195	.19613	6.4809	9602E-01	.62230	0000010
348.000	13.7087	.23689	6.8284	9113E-01	.62228	0000095
352.000	16.1977	.27672	7.1747	8672E-01	•62222	0000176
356.000	18.6864	.31565	7.5199	8273E-01	.62214	0000251
360.000	21.1748	.35371	7.8541	7910E-01	.62202	0000321
354.000	23.6626	.39093	8.2072	7577E-01	.62188	0000387
368.000	26.1498	.42732	8.5492	7272E-01	.62171	0000449
372.000	28.6363	.46292	8.8904	6991E-01	.62152	0000507
376.000	31.1220	.49775	9.2306	6731E-01	.62131	0000562
380.000	33.6067	•53183	9.5698	6490E-01	.62107	0000514
384.000	36.0905	.55519	9.9083	6266E-01	.62082	0000552
388.000	38.5733	.59784	10.2458	6057E-01	.62054	0000708
392.000	41.0549	.62981	10.5826	5851E-01	•52025	0000751
396.000	43.5353	.66112	10.9185	5678E-01	.61994	0000792
400.000	46.0144	.59178	11.2536	5505E-01	•61962	0000831
404.000	48.492?	.72181	11.5880	5344E-01	.51928	0000967
408.000	50.9686	.75124	11.9216	5192E-01	.51893	0000901
412.000	53.4436	.78007	12.2544	5048E-01	·61856	0000933
416.000	55.9171	.80832	12.5866	4911E-01	.61818	0000953
420.000	58.3890	.83602	12.9180	4782E-01	.61779	0000992
424.000	60.8594	.85317	13.2487	4660E-01	.61739	0001019
428.000	63.3281	.88979	13.5787	4544E-01	.61697	0001044
432.000	65.7951	.91589	13.9080	4433E-01	•61655	0001058
436.000	68.2605	.94149	14.2367	4328E-01	.61612	0001090
440.000	70.7241	.95660	14.5647	4227E-01	•61568	0001112
444.000	73.1859	.99124	14.8920	4131E-01	.61523	0001131
448.000	75.5459	1.01541	15.2187	4040E-01	.61477	0001150
452.000	78.1041	1.03913	15.5448	3952E-01	.61431	0001167
456.000	80.5604	1.05241	15.8702	3869E-01	.51384	0001184
460.000	83.0148	1.08525	16.1950	3787E-01	.61336	0001199

Table 10. Continued.

# HYDROGEN SULFIDE ISOCHORE AT 22.000 MOL/L

T	P	Z	DP/DD	TOLOG	DP/DT	DZP/DT2
K	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MP A/K/K
309.602	2.6403	.04662	9.9105	8275E-01	.82008	0000913
310.000	2.9667	.05232	9.9542	8238E-01	.82004	0000919
312.000	4.5066	.08072	10.1739	8058E-01	.81986	0000948
314.000	6.2461	.10875	10.3932	7887E-01		
316.000	7.8852	•13642		_	.81966	0000977
313.000			10.6123	7722E-01	.81947	0001006
	9.5240	•16373	10.8311	7564E-01	.81926	0001035
320.000	11.1623	.19070	11.0496	7412E-01	.81905	0001064
322.000	12.8002	•21732	11.2679	7257E-01	.81884	0001092
324.000	14.4376	.24361	11.4859	7127E-01	. R1 E62	0001121
326.000	16.0745	.26957	11.7036	6993E-01	.81839	0001149
328.000	17.7112	.29520	11.9210	6863E-01	.81815	0001175
330.000	19.3473	.32051	12.1381	6738E-01	.81792	0001204
332.000	20.9828	.34552	12.3550	6618E-01	.81767	0001231
334.000	22.5179	.37021	12.5716	6502E-01	.81743	0001257
336.000	24.2525	.39460	12.7879	6390E-01	.81717	0001284
339.000	25.8866	.4187C				
			13.0040	6282E-01	.81691	0001309
340.000	27.5202	.44250	13.2198	6177E-01	.81665	0001335
342.000	29.1532	.46602	13.4354	6075E-01	.81638	0001359
344.000	30.7857	.48925	13.6506	5979E-01	.81610	3301334
346.000	32.4176	.51221	13.8656	5884E-01	.81582	0001408
348.000	34.0490	.53489	14.0804	57925-01	.81554	0001431
350.000	35.6798	•55731	14.2949	5703E-01	.81525	0001454
352.000	37.3100	.57946	14.5091	5617E-01	.81496	0001475
354.000	38.9396	•60135	14.7231	5533E-01	.81466	0301478
356.000	40.5686	.52299	14.9368	54525-01	.81436	0001519
358.000	42.1971	.64438	15.1503	5373E-01	.81405	0001540
360.000	43.8249	•66552	15.3635	5297E-01	.81374	0001550
362.000	4.5 . 4520	.68641	15.5764	5222E-01	.81343	0001580
354.000	47.0786	.70707	15.7891	5150E-01	.81311	0001500
366.000	48.7045	.72749	16.0016	5079E-01	.81279	0001518
368.000	50.3297	.74768	16.2138	5011E-01	.81246	0001637
370.000	51.9543	.76765	16.4258	4944E-01	.81214	0001555
372.000	53.5783	.78738	16.6375	4879E-01	.81180	0001572
	55.2015	.80590	16.8490	4816E-01	.81147	0001589
374.000					.81113	0001705
376.000	56.8241	.82620	17.0602	4755E-01		
378.000	58.4460	.84529	17.2712	4694E-01	.81078	0001722
380.000	60.0673	.86416	17.4819	4636E-01	.81044	0001737
382.000	61.6878	.88283	17.6924	4579E-01	.81009	0001752
384.000	63.3076	•90129	17.9027	4523E-01	.80974	0001757
385.000	64.9268	.91955	18.1127	4459E-01	.80938	0001781
388.000	66.5452	.93762	18.3225	4415E-01	.80903	0001795
390.000	68.1629	. 95549	18.5321	4364E-01	.80867	0001309
392.000	69.7793	.97316	18.7414	4313E-01	.80830	3001822
394.000	71.3961	. 99055	18.9505	4263E-01	.80794	0001934
396.000	73.0116	1.00795	19.1594	4215E-01	.80757	0001845
398.000	74.6263	1.02506	19.3681	4168E-01	.80720	3301858
400.000	76.2404	1.04200	19.5765	4121E-01	.80683	0001370
402.000	77.8536	1.05875	19.7846	4076E-01	.80645	0001831
404.000	79.4661	1.07533	19.9926	4032E-01	.80607	0001892
406.000	81.0779	1.09174	20.2003	3989E-01	.80569	0001902
		1.10797	20.4078	3946E-01	.80531	0001712
408.000	82.6889		20.4070	3905E-01	.80493	0001922
410.000	84.2992	1.12404	20.0171	+3,07t OI	• • • • • •	

Table 10. Continued.

HYDROGEN SULFIDE ISOCHORE AT 24.000 MOL/L

T	Р	7	DP/DD	DD/DT	DP/DT	DZP/DT2
K	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
280.867	1.2862	.02295	16.2124	6607E-01	1.07113	0001857
282.000	2.4995	.04442	16.3691	6542E-01	1.07092	0001889
284.000	4.6410	.08189	16.6456	6431E-01	1.07054	0001927
286.000	6.7817	.11883	16.9217	6324E-01	1.07015	0001956
288.000	8.9216	.15524	17.1975	6220E-01	1.06975	0002004
290.000	11.0607	.19113	17.4730	6120E-01	1.06935	0002341
292.000	13.1990	.22652	17.7491	6023E-01	1.06894	0002079
294.000	15.3364	.26141	18.0230	5929E-01	1.06852	0002116
296.000	17.4730	.29582	18.2975	5837E-01	1.06809	0002152
298.000	19.6088	.32975	18.5717	5749E-01	1.06765	0002188
300.000	21.7436	.36321	18.8456	5663E-01	1.06721	0002224
302.000	23.8776	.39622	19.1192	5580E-01	1.06677	0002259
304.000	26.0107	.42878	19.3924	5499E-01	1.06631	0002293
306.000	28.1428	.46089	19.6653	5420E-01	1.06585	0002326
308.000	30.2741	.49258	19.9378	5344E-01	1.06538	0002359
310.000	32.4044	.52383	20.2100	5269E-01	1.06490	0002392
312.000	34.5337	.55468	20.4819	5197E-01	1.06442	0002423
314.000	36.6620	.58511	20.7535	5127E-01	1.06394	0002454
316.000	38.7894	.61515	21.0247	5058E-01	1.06344	0002484
318.000	40.9158	.64479	21.2955	4991E-01	1.06294	0002514
320.000	43.0412	.67404	21.5661	4926E-01	1.06244	0002543
322.000	45.1655	•70292	21.8363	4863E-01	1.06192	0002571
324.000	47.2889	.73142	22.1061	4801E-01	1.06141	3002598
326.000	49.4112	•75955	22.3757	4741E-01	1.06089	0002624
328.000	51.5324	.78733	22.6448	4683E-01	1.06036	002650
330.000	53.6526	.81476	22.9137	4625E-01	1.05983	0002675
332.000	55.7717	.84184	23.1822	4569E-01	1.05929	0002700
334.000	57.8897	.86858	23.4504	4515E-01	1.05875	0002724
336.000	60.0067	.89498	23.7182	4462E-01	1.05820	0002747
338.000	62.1225	•92105	23.9857	4409E-01	1.05765	0002759
340.000	64.2373	.94681	24.2529	4359E-01	1.05709	0302791
342.000	66.3509	.97224	24.5198	4309E-01	1.05653	0002812
344.000	68.4634	• 99736	24.7863	4260E-01	1.05597	0002832
346.000	70.5748	1.02218	25.0524	4213E-01	1.05540	0002852
348.000	72.6850	1.04669	25.3183	4166E-01	1.05483	0002871
350.000	74.7941	1.07091	25.5838	4121E-C1	1.05425	0002889
352.000	76.9020	1.09483	25.8490	4076E-01	1.05367	0002907
354.000	79.0087	1.11847	26.1138	4033E-01	1.05309	0002924
356.000	81.1143	1.14183	26.3783	3990E-01	1.05250	0002941
358.000	83.2187	1.16491	26.6425	3948E-01	1.05191	0002957

Table 10. Continued.

# HYDROGEN SULFIDE ISOCHORE AT 26.000 MOL/L

Т	P	Z	DP/DD	DD/DT	DP/DT	02P/0T2
K	MPA		MPA-L/MOL	MOL/L/K	MPA /K	MPA/K/K
247.245	.4431	•00829	24.5849	5661E-01	1.39178	0002741
248.000	1.4939	.02787	24.7180	5630E-01	1.39158	0002772
250.000	4.2765	.07913	25.0704	5548E-01	1.39101	0002854
252.000	7.0580	.12956	25.4223	546 9E-01	1.39043	0002935
254.000	9.8382	•17917	25.7737	5392E-01	1.38984	0003013
256.000	12.6173	.22799	26.1247	5318E-01	1.38923	0003090
258.000	15.3951	.27603	26.4751	5245E-01	1.38860	0003165
260.000	18.1717	.32331	26.8250	5174E-01	1.38796	0003238
262.000	20.9470	.35984	27.1744	5105E-01	1.38731	0003309
264.000	23.7209	•41564	27.5233	5038E-01	1.38664	3003378
266.000	26.4935	•46073	27.8717	4973E-01	1.38596	0003445
268.000	29.2648	•50513	28.2195	4909E-01	1.38526	0303511
270.000	32.0346	.54884	28.5668	4847E-01	1.38455	0003574
272.000	34.8030	•59189	28.9136	4786E-01	1.38383	0003536
274.000	37.5699	•63428	29.2599	4727E-01	1.38310	0003595
275.000	40.3354	•57603	29.6056	4669E-01	1.38235	0303754
278.000	43.0993	•71716	29.9508	4613E-01	1.38160	0003810
280.000	45.8617	.75768	30.2955	4558E-01	1.38083	0003855
282.000	48.6226	•79759	30.6397	4504E-01	1.38005	0003917
284.000	51.3820	•83692	30.9833	4452E-01	1.37926	0003958
285.000	54.1397	.87567	31.3264	4400E-01	1.37847	0004018
288.000	56.8958	•91386	31.6689	4350E-01	1.37766	0304055
290.000	59.6503	.95149	32.0109	4301E-01	1.37684	0004111
292.000	62.4032	.98859	32.3524	4253E-01	1.37601	0304156
294.000	65.1543	1.02515	32.6934	4206E-01	1.37518	0004199
296.000	67.9039	1.05119	33.0338	4160E-01	1.37433	0304240
299.000	70.6517	1.09672	33.3737	4115E-01	1.37348	0004230
300.000	73.3978	1.13175	33.7130	4071E-01	1.37262	0304318
302.000	76.1422	1.16630	34.0519	4028E-01	1.37175	0304355
304.000	78.8848	1.20036	34.3902	3985E-01	1.37088	00044390
3 66 . 000	81.5257	1.23395	34.7279	3945E-01	1.37000	0004424
309.000	84.3648	1.26707	35.0652	3904E-01	1.36911	0004457

Table 10. Continued.

HYDPOGEN SULFIDE ISOCHORE AT 28.000 MOL/L

_	_	_		00.407	00.407	2224272
Ţ	P	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
K	MPA	0.01.70	MPA-L/MCL	MOT/T/K	MPA/K	MPA/K/K
209.883	•0869	.00178	34.8306	5184E-01	1.80569	0003551
210.000	.2974	.00608	34.8572	5180E-01	1.80565	0003673
211.000	2.1029	.04281	35.0854	5145E-01	1.80528	0003770
212.000	3.9080	.07918	35.3134	5111E-01	1.80490	0003865
213.000	5.7127	•11520	35.5410	5077E-01	1.80450	0003359
214.000	7.5170	.15088	35.7685	5044E-01	1.80410	0004051
215.000	9.3209	.18622	35.9957	5011E-01	1.80369	0304141
216.000	11.1243	.22122	36.2227	4978E-01	1.80328	0004230
217.000	12.9274	.25589	36.4494	4946E-01	1.80285	0004317
218.000	14.7300	.29024	36.6759	4914E-01	1.80241	0004403
219.000	16.5322	.32426	36.9021	4883E-01	1.80197	0004487
220.000	18.3340	.35796	37.1281	4852E-01	1.80151	0004570
221.000	20.1353	.39135	37.3538	4822E-01	1.80105	0304551
222.000	21.9361	.42444	37.5793	4791F-01	1.80058	0004730
223.000	23.7364	.45721	37.8046	4762E-01	1.80011	0004808
224.000	25.5363	•48968	38.0296	4732E-01	1.79962	0004985
225.000	27.3357	.52186	38.2543	4703E-01	1.79913	0004950
225.000	29.1345	.55374	38.4788	4674E-01	1.79863	0005034
227.000	30.9329	.58533	38.7031	4645E-01	1.79812	0305106
228.000	32.7308	.61663	38.9271	4618E-01	1.79761	0005177
229.000	34.5281	.64765	39.1509	4590E-01	1.79709	0005246
230.000	36.3250	.67840	39.3744	4563E-01	1.79656	0005315
231.000	38.1213	.70885	39.5977	4536E-01	1.79603	0005381
232.000	39.9170	•73905	39.8207	4509E-01	1.79548	0005447
233.000	41.7122	.76898	40.0435	4482E-01	1.79494	0005511
234.000	43.5069	.79863	40.2660	4456E-01	1.79438	0005574
235.000	45.3010	.82803	40.4883	4430E-01	1.79382	0005535
236.000	47.0945	.85716	40.7104	4405E-01	1.79326	0005696
237.000	48.8875	.88604	40.9322	4380E-01	1.79268	0005755
238.000	50.6799	.91467	41.1537	4355E-01	1.79210	0005813
239.000	52.4717	.94305	41.3750	4330E-01	1.79152	0005870
240.000	54.2629	•97118	41.5961	4306E-01	1.79093	0005925
241.000	56.0536	•99906	41.8169	4281E-01	1.79034	0005979
242.000	57.8436	1.02671	42.0375	4257E-01	1.76973	0006033
243.000	59.6330	1.05411	42.2578	4234E-01	1.78913	0005085
244.000	61.4219	1.08128	42.4779	4210E-01	1.78852	0006136
245.000	63.2101	1.10822	42.6977	4187E-01	1.78790	0006186
246.000	64.9977	1.13493	42.9173	4164E-01	1.78728	0306234
247.000	66.7846	1.16141	43.1367	4142E-01	1.78665	0005282
248.000	68.5710	1.18767	43.3558	4119E-01	1.78602	0006327
249.000	70.3567	1.21370	43.5747	4097E-01	1.78539	0005374
250.000	72.1417	1.2395?	43.7933	4075E-01	1.78475	0006419
251.000	73.9262	1.26512	44.0117	4054E-01	1.78411	0005453
252.000	75.7099	1.29050	44.2299	4032E-01	1.78346	0006505
253.000	77.4931	1.31567	44.4478	4011E-01	1.78280	0005547
254.000	79.2756	1.34064	44.6655	3990E-01	1.78215	0006588
255.000	81.0574	1.36539	44.8829	3969E-01	1.78149	0005527
256.000	82.8385	1.38995	45.1002	3949E-01	1.78082	0006666
257.000	84.6190	1.41430	45.3171	3928E-01	1.78015	0005704

Table 10. Continued.

### HYDROGEN SULFIDE ISOCHORE AT 29.136 MOL/L

		.*				
T	P	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
K	МРΔ		MPA-L/MOL	MOL/L/K	MPA/K	MP 4/ <</td
187.560	.0232	.00051	41.3041	5072E-01	2.09475	0004255
192.000	9.1102	.19587	42.4564	4929E-01	2.09275	0004931
193.000	11.2027	.23961	42.7209	4897E-01	2.09225	0005076
194.000	13.2947	.28289	42.9850	4866E-01	2.09174	0005218
195.000	15.3861	.32571	43.2488	4835E-01	2.09121	0005357
196.000	17.4771	.36808	43.5122	4805E-C1	2.09066	0005493
197.000	19.5675	.41002	43.7752	4775E-01	2.09011	0005525
198.000	21.6573	.45152	44.0379	4745E-01	2.08954	0005757
199.000	23.7466	.49259	44.3001	4715E-01	2.08896	0005884
200.000	25.8352	.53323	44.5620	4686E-01	2.08836	0005008
201.000	27.9233	.57346	44.8235	4658E-01	2.08776	0005130
202.000	30.0107	.61328	45.0946	4629E-01	2.08714	0005249
203.000	32.0975	.65269	45.3454	4601E-C1	2.08651	0005355
204.000	34.1837	.59171	45.6058	4574E-01	2.08586	0005479
205.000	36.2693	.73033	45.8658	4545E-01	2.08521	0005591
206.000	38.3541	.76856	46.1255	4519E-01	2.09455	0006599
207.000	40.4384	.80641	46.3847	4493E-01	2.08387	3305935
208.000	42.5219	.84389	46.6437	4466E-01	2.08318	0005909
209.000	44.6047	.88099	46.9022	4440E-01	2.08249	0007011
210.000	46.5869	.91772	47.1604	4414E-01	2.08178	0007110
211.000	48.7583	.95409	47.4182	4389E-01	2.08107	0007205
212.000	50.8490	.99010	47.6756	4354E-01	2.08034	0007301
213.000	52.9290	1.02577	47.9327	4339E-01	2.07961	0007393
214.000	55.0082	1.06108	48.1895	4314E-01	2.07886	0007483
215.000	57.0867	1.09605	48.4458	4290E-01	2.07811	3337571
216.000	59.1644	1.13068	48.7018	4265E-01	2.07735	0007557
217.000	61.2414	1.16498	48.9575	4242E-01	2.07658	0007741
218.000	63.3176	1.19895	49.2127	4218E-01	2.07580	0007822
219.000	65.3930	1.23260	49.4677	4195E-01	2.07501	0007902
220.000	67.4676	1.26592	49.7222	4172E-01	2.07422	0007930
221.000	69.5414	1.29893	49.9764	4149E-01	2.07342	0008055
222.000	71.6144	1.33163	50.2303	4126E-01	2.07261	0008129
223.000	73.6866	1.35401	50.4836	4104E-01	2.07179	3338202
224.000	75.7580	1.39609	50.7370	4082E-01	2.07097	3308272
225.000	77.8286	1.42788	50.9898	4060E-01	2.07014	0008340
226.000	79.8983	1.45936	51.2422	4038E-01	2.06930	0008407
227.000	81.9672	1.49056	51.4943	4017E-01	2.05846	3338472
228.000	84.0352	1.52146	51.7461	3996E-01	2.06761	0008535

Table 11. Calculated  $P(\rho)$  isotherms of hydrogen sulfide.

### HYDROGEN SULFIDE ISOTHERM AT 200.000 K

DEN	P	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.031	.0503	.98861	1.6233	1585E-03	.00026	0000001
28.508	.0503	.00106	37.6755	5121E-01	1.92948	0003921
28.600	3.5581	.07481	38.5439	5051E-01	1.95206	0004194
28.700	7.4758	.15554	39.7128	4978E-01	1.97689	0004504
28.800	11.5012	.24015	40.7978	4907E-01	2.00200	0304827
28.900	15.6358	.32535	41.8989	4839E-01	2.02738	0005153
29.000	19.8815	.41227	43.0163	4773E-01	2.05303	0005513
29.100	24.2397	.50092	44.1501	4709E-01	2.07897	0005375
29.200	28.7120	.59131	45.3004	4647E-01	2.10518	0305250
29.300	33.3003	.68346	46.4673	4587E-01	2.13166	0006538
29.400	38.0061	.77739	47.6509	4530E-01	2.15842	0007040
29.500	42.8310	.87311	48.8513	4474E-01	2.18546	0007454
29.600	47.7769	.97064	50.0687	4419E-01	2.21277	0007881
29.700	52.8453	1.07000	51.3031	4367E-01	2.24036	0003320
29.800	58.0381	1.17120	52.5546	4316E-01	2.26823	0008773

Table 11. Continued.

## HYDROGEN SULFIDE ISOTHERM AT 210.000 K

DEN	P	z	DP/DD	DD/DT	DP/DT	029/012
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.051	.0874	.98202	1.6806	2568E-03	.00043	0000001
27.994	.0873	.00179	34.7974	5185E-01	1.80427	0003558
28.000	.2974	.00608	34.8572	5180E-01	1.80565	0003573
28.100	3.8331	.07812	35.8582	5100E-01	1.82861	0003917
29.200	7.4696	.15170	36.8747	5022E-01	1.85182	0004173
28.300	11.2085	.22683	37.9069	4947E-01	1.87530	0004441
28.400	15.0515	.30353	38.9547	4875E-01	1.89904	0304719
28.500	19.0000	.38182	40.0185	4805E-01	1.92303	0005003
28.600	23.0557	.46170	41.0981	4738E-01	1.94729	0005309
28.700	27.2202	.54319	42.1938	4673E-01	1.97181	0005620
28.800	31.4950	.62632	43.3056	4610E-01	1.99659	0005943
28.900	35.8819	.71109	44.4337	4550E-01	2.02164	0005277
29.000	40.3823	.79751	45.5780	4491E-C1	2.04695	0006622
29.100	44.9980	.88551	46.7388	4434E-01	2.07252	0005979
29.200	49.7306	.97541	47.9161	4379E-01	2.09836	0007345
29.300	54.5818	1.05690	49.1100	4326E-01	2.12446	0007725
29.400	59.5532	1.15012	50.3206	4274E-01	2.15082	0008115
29.500	64.6465	1.25507	51.5481	4224E-01	2.17745	JJJ8515
29.600	69.9633	1.35177	52.7925	4175E-01	2.20435	0008927
29.700	75.2055	1.45023	54.0539	4128E-01	2.23150	3009353
29.800	80.5747	1.55048	55.3324	4082E-01	2.25893	0009784

Table 11. Continued.

## HYDROGEN SULFIDE ISOTHERM AT 220.000 K

DEN	P	Z	DP/DO	OD/OT	DP/DT	D2P/DT2
MOL/L	MPA		MPA-L/MOL	MDL/L/K	MPA/K	MPA/K/K
.081	.1435	.97312	1.7269	3992E-03	.00069	0000003
27.473	.1435	.00286	31.9745	5273E-01	1.68589	0003405
27.500	1.0109	.02010	32.2284	5249E-01	1.69165	0003459
27.600	4.2810	.08480	33.1778	5164E-01	1.71314	0003663
27.700	7.6469	.15092	34.1424	5081E-01	1.73486	0003875
27.800	11.1100	.21848	35.1222	5002E-01	1.75683	0004097
27.900	14.6718	.28749	36.1174	4926E-01	1.77905	0004329
28.000	18.3340	.35796	37.1281	4852E-01	1.80151	0004570
28.100	22.0980	.42992	38.1543	4781E-01	1.82422	0004820
28.200	25.9654	•50337	39.1962	4713E-01	1.84718	0005080
28.300	29.9379	.57833	40.2537	4647E-01	1.87039	0305350
28.400	34.0167	.65481	41.3271	4583E-01	1.89385	0005529
28.500	38.2037	.73283	42.4164	4521E-01	1.91755	0005917
28.600	42.5005	.81240	43.5217	4461E-01	1.94151	0005215
28.700	46.9086	.89354	44.6431	4403E-01	1.96572	0005524
28.800	51.4297	.97625	45.7807	4347E-01	1.99018	0005842
28.900	56.0653	1.06056	46.9345	4293E-01	2.01490	0007159
29.000	60.8171	1.14649	48.1047	4240E-01	2.03987	0007506
29.100	65.6868	1.23403	49.2913	4190E-01	2.06509	0007953
29.200	70.4759	1.32321	50.4945	4140E-01	2.09056	0008209
29.300	75.7862	1.41405	51.7143	4092E-01	2.11629	0008575
29.400	81.0193	1.50655	52.9509	4046E-01	2.14227	0008950

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 240.000 K

DEN	P	Z	DP/00	DD/DT	DP/DT	029/072
MOL/L	МРД	_	MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.100	.1939	.97155	1.8784	4547E-03	•00085	0000003
.179	.3375	94745	1.7798	8819F-03	.00157	0000014
	033.3	• / 1/ 12	201170		*00137	0000014
26.401	.3375	.00641	26.5036	5533E-01	1.46643	0302917
26.500	2.9956	.05665	27.3261	5434E-01	1.48485	0003053
25.600	5.7704	.10871	28.1733	5337E-01	1.50372	0003197
26.700	8.5307	.16199	29.0349	5245E-01	1.52281	0003348
26.800	11.5779	.21649	29.9110	5156E-01	1.54210	0003505
26.900	14.6134	.27224	30.8019	5070E-01	1.56162	0003559
27.000	17.7388	.32924	31.7075	4987E-01	1.58135	0003839
27.100	20.9554	.38751	32.6280	4908E-01	1.60130	0004016
27.200	24.2649	.44706	33.5634	4831E-01	1.62147	3004230
27.300	27.6686	.50790	34.5139	4757E-01	1.64186	7004391
27.400	31.1682	.57005	35.4795	4686E-01	1.66248	0004589
27.500	34.7650	.63352	36.4604	4617E-01	1.68332	0304794
27.600	38.4607	.69833	37.4566	4550E-01	1.70439	0005005
27.700	42.2568	.76449	38.4681	4486E-01	1.72568	0005225
27.500	46.1549	.83200	39.4952	4424E-01	1.74720	0005451
27.900	50.1563	.90090	40.5378	4364E-01	1.76895	0005584
28.000	54.2629	.97118	41.5961	4306E-01	1.79093	0005925
28.100	58.4761	1.04286	42.6701	4249E-01	1.81314	0005173
2 P . 2 0 0	62.7975	1.11595	43.7599	4195E-01	1.83558	0005428
28.300	57.2286	1.19048	44.8655	4142E-01	1.85825	0005591
28.400	71.7712	1.26544	45.9872	4091E-01	1.88116	3006961
28.500	76.4266	1.34386	47.1249	4041E-01	1.90430	0007238
28.600	81.1967	1.42274	48.2787	3993E-01	1.92767	0007523

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 260.000 K

DEN	P	7	DP/DD	DD/DT	DP/DT	029/012
MOL/L	МРД	_	MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.100	.2109	.97559	2.0536	4135E-03	.00085	0000002
• 200	•4106	.94975	1.9409	8998E-03	.00175	0000010
.300	•5991	.92374	1.8280	1480E-02	.00271	0000030
.349	.6875	.91095	1.7725	1807E-02	.00320	0000045
• • • • • • • • • • • • • • • • • • • •		*				
25.272	.6875	.01258	21.2991	5942E-01	1.26562	0002424
25.300	1.2967	.02371	21.5015	5908E-01	1.27022	0002452
25.400	3.4827	.06343	22.2211	5789E-01	1.28648	0002551
25.500	5.7414	.10415	22.9541	5676E-01	1.30293	0002655
25.600	8.0740	.14589	23.7007	5568E-01	1.31956	0002763
25.700	10.4820	.18867	24.4609	5463E-01	1.33638	0002375
25.800	12.9667	.23249	25.2350	5353E-01	1.35338	0002991
25.900	15.5294	.27736	26.0230	5267E-01	1.37058	0003112
26.000	18.1717	.32331	26.8250	5174E-01	1.38796	0003238
26.100	20.8949	•37033	27.6412	5085E-01	1.40554	0003368
26.200	23.7004	•41845	28.4716	4999E-01	1.42332	0303502
26.300	26.5897	.46768	29.3164	4916E-01	1.44129	0003642
26.400	29.5642	.51803	30.1756	4837E-01	1.45946	0003785
26.500	32.6253	•56951	31.0495	47605-01	1.47782	0003936
26.600	35.7746	.52213	31.9380	4685E-01	1.49639	0004090
26.700	39.0134	•67592	32.8412	4614E-01	1.51516	0004250
26.800	42.3433	.73087	33.7593	4544E-01	1.53414	0004414
26.900	45.7658	.78701	34.6924	4477E-01	1.55331	0004584
27.000	49.2823	.84434	35.6405	4413E-01	1.57270	0004759
27.100	52.8944	.90288	36.6037	4350E-01	1.59229	0004940
27.200	56.6035	• 96264	37.5821	4290E-01	1.61209	0005126
27.300	60.4113	1.02364	38.5759	4231E-01	1.63210	0005317
27.400	64.3192	1.08588	39.5850	4174E-01	1.65232	0005514
27.500	68.3288	1.14937	40.6095	4119E-01	1.67275	0005716
27.600	72.4416	1.21414	41.6496	4056E-01	1.69340	0005924
27.700	76.6593	1.28019	42.7053	4014E-01	1.71426	0005138
27.800	80.9832	1.34754	43.7766	3964E-01	1.73533	0005357

Table 11. Continued.

## HYDROGEN SULFIDE ISOTHERM AT 280.000 K

DEN	P	Z	OP/DD	DD/DT	DP/DT	02P/DT2
MOL/L	MPA		4PA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.100	.2279	•97872	2.2270	3799E-03	.00085	0000001
.200	.4454	.95654	2.1238	8145E-03	.00173	0000007
.300	.6527	.93452	2.0226	1315E-02	.00266	0000018
.400	.8499	.91272	1.9228	1894E-02	.00364	0000037
.500	1.0373	.89110	1.8237	2568E-02	.00468	0000055
.600	1.2147	.86960	1.7248	3359E-02	.00579	0000110
.624	1.2556	.86448	1.7011	3568E-02	.00607	0000113
				037000		***************************************
24.055	1.2556	.02242	16.4159	6573E-01	1.07897	0001892
24.100	1.9959	.03557	16.6804	6506E-01	1.08521	0001925
24.200	3.6938	.06556	17.2805	6361E-01	1.09929	0002003
24.300	5.4524	.09638	17.8928	6223E-01	1.11352	0002033
24.400	7.2728	.12803	18.5173	6091E-01	1.12790	0002165
24.500	9.1562	•16053	19.1543	5954E-01	1.14245	0002165
24.600	11.1041	.19389	19.8040	5843E-01	1.15715	0002244
24.700	13.1175	•22812	20.4663	5727E-01	1.17202	0002425
24.800	15.1977	•26323	21.1415	5615E-01	1.18705	0002425
24.900	17.3462	.29923	21.8298			
	19.5641			5507E-01	1.20225	0002512
25.000	21.8529	.33614	22.5312	5404E-01	1.21761	0002710
25.100		•37397	23.2458	5305E-01	1.23315	0002311
25.200	24.2138	.41273	23.9739	5209E-01	1.24885	0002915
25.300	26.6481	.45243	24.7155	5117E-01	1.26473	0003021
25.400	29.1573	.49308	25.4707	50285-01	1.28078	0003132
25.500	31.7427	.53470	26.2397	4943E-01	1.29701	0003245
25.600	34.4057	.57729	27.0226	4860E-01	1.31341	0003352
25.700	37.1477	.62088	27.8196	4781E-01	1.32999	0003482
25.800	39.9701	.66546	28.6306	4704E-01	1.34676	0003506
25.900	42.8743	•71105	29.4559	4630E-01	1.36370	0003734
26.000	45.8617	.75768	30.2955	4558E-01	1.38083	0003865
26.100	48.9339	.80533	31.1496	4488E-01	1.39814	0004000
26.200	52.0922	. 95404	32.0182	4421E-01	1.41564	0004138
25.300	55.3330	.90380	32.9015	4356E-01	1.43333	0004281
25.400	58.5729	. 95464	33.7995	4294E-01	1.45121	0004428
26.500	62.0984	1.00656	34.7124	4233E-01	1.46927	0004578
26.500	65.6159	1.05958	35.6402	4174E-01	1.48753	0004733
26.700	69.2270	1.11370	36.5831	4117E-01	1.50598	0004992
26.800	72.9330	1.16895	37.5410	4061E-01	1.52463	0005055
25.900	76.7357	1.22532	38.5142	4008E-01	1.54347	0005222
27.000	80.6364	1.28284	39.5026	3955E-01	1.56250	0005394
27.100	84.6367	1.34151	40.5064	3905E-01	1.58174	0005570

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 300.000 K

DEN	P	Z	0P/00	DO/OT	DP/DT	029/012
MOL/L	мрд		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.200	.4799	.95189	2.3036	7462E-03	.00172	0000004
.400	. 9221	.92424	2.1210	1689E-02	.00358	0000024
.600	1.3287	.88781	1.9454	2891E-02	.00562	0000066
.800	1.7005	.85218	1.7727	4439E-02	.00787	3030140
1.000	2.037P	.81696	1.5999	6469E-02	.01035	0000264
1.045	2.1088	.80907	1.5608	7011E-02	.01094	0000301
22.710	2.1038	.03723	11.9162	7573E-01	.90244	0001269
22.800	3.1962	.05620	12.3389	7401E-01	.91317	0001331
23.000	5.7606	.10041	13.3119	7042E-01	•93748	0001470
23.200	8.5238	.14730	14.3280	6715E-01	.96233	0001612
23.400	11.4947	.19694	15.3882	5419E-01	.98771	0001757
23.600	14.6821	.24941	16.4937	6146E-01	1.01364	0001907
23.800	18.0953	.30481	17.6458	5895E-01	1.04014	0002052
24.000	21.7436	.36321	18.8456	5663E-01	1.06721	0002224
24.200	25.6368	.42471	20.0943	5449E-01	1.09488	0002392
24.400	29.7847	.48938	21.3931	5250E-01	1.12316	0002568
24.600	34.1974	.55732	22.7430	5066E-01	1.15205	0002751
24.800	38.8854	.62860	24.1452	4894E-01	1.18157	0002944
25.000	43.8591	.70334	25.6009	4733E-01	1.21174	0003146
25.200	49.1293	.78150	27.1106	4583E-01	1.24256	0003358
25.400	54.7070	.85348	28.6759	4443E-01	1.27405	0003581
25.600	60.5034	.94907	30.2974	4311E-01	1.30621	0003815
25.800	66.8298	1.03847	31.9762	4188E-01	1.33907	0004050
25.000	73.3978	1.13175	33.7130	4071E-01	1.37262	0004318
26.200	80.3190	1.22902	35.5088	3962E-01	1.40689	0004589

Table 11. Continued.

## HYDROGEN SULFIDE ISOTHERM AT 320.000 K

DEN	P	Z	DP/DD	DD/DT	DP/DT	020/072
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
. 200	.5142	.96623	2.4811	6898E-03	.00171	0000003
.400	.9934	.93341	2.3132	1532E-02	.00354	0000015
.600	1.4400	.90205	2.1544	256QE-02	• 00552	0000044
.800	1.8555	.87172	2.0004	3822E-02	.00764	0000033
1.000	2.2403	.84203	1.8485	5379E-02	.00994	0000158
1.200	2.5949	.81274	1.6971	7318E-02	.01242	0000255
1.400	2.9192	.78370	1.5456	9765E-02	.01509	0000394
1.600	3.2131	.75478	1.3935	1290E-01	.01798	0000588
1.677	3.3178	.74370	1.3349	1435E-01	.01915	0000583
21.165	3.3178	.05892	7.8623	9308E-01	.73182	0000460
21.200	3.5884	.05362	7.9809	9213E-01	.73525	0000487
21.400	5.2554	.09230	8.6948	8690E-01	.75555	0000537
21.600	7.0686	.12300	9.4434	8220E-01	.77628	0000782
21.800	9.0352	.15577	10.2280	7797E-01	.79744	0000924
22.000	11.1623	.19070	11.0496	7412E-01	.81905	0001064
22.200	13.4576	.22784	11.9095	7063E-01	.84112	0001202
22.400	15.9287	.26727	12.8088	6743E-01	.86367	0001341
22.600	18.5838	.30906	13.7488	6449E-01	.88669	0001480
22.800	21.4310	.35328	14.7305	6179E-01	.91022	0001521
23.000	24.4789	•40002	15.7552	59305-01	.93425	0001765
23.200	27.7361	.44934	15.8242	5699E-01	.95880	0001912
23.400	31.2116	.50132	17.9386	5485E-01	.98388	0002062
23.600	34.9146	.55604	19.0995	5285E-01	1.00950	0002217
23.800	38.8546	.61359	20.3083	5100E-01	1.03569	0002377
24.000	43.0412	.67404	21.5661	4925E-01	1.06244	0002543
24.200	47.4843	.73748	22.8740	4764E-01	1.08976	0002714
24.400	52.1942	.80398	24.2331	4612E-01	1.11768	0002893
24.500	57.1811	.87364	25.6446	4470E-01	1.14620	0003079
24.800	62.4556	.94653	27.1096	4336E-01	1.17534	0003273
25.000	68.0286	1.02274	28.6291	4209E-01	1.20510	0003475
25.200	73.9110	1.10235	30.2041	4090E-01	1.23550	0003585
25.400	80.1140	1.18545	31.8356	3978E-01	1.26654	0003905

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 340.000 K

DEN	Р	Z	DP/DD	DD/DT	DP/DT	02P/012
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.400	1.0640	.94091	2.5014	1405E-02	.00352	0000012
• B 0 0°	2.0068	.88736	2.2166	3382E-02	•00750	0000052
1.200	2.8389	.83686	1.9448	6175E-02	.01201	0000166
1.600	3.5630	.78773	1.6759	1019E-01	.01708	0000345
2.000	4.1799	•73930	1.4092	1615E-01	.02275	0000532
2.400	4.6909	•69141	1.1469	2533E-01	.02906	0001093
2.652	4.9599	.66148	.9849	3391E-01	.03340	0001541
19.274	4.9599	.09103	4.3202	1299E+00	.55118	.0000785
19.600	6.4897	•11713	5.0897	1155E+00	•58804	.0000443
20.000	8.7303	.15441	6.1321	1015E+00	•62229	•0000082
20.400	11.4105	.19786	7.2885	9027E-01	.65796	0000237
20.300	14.5774	.24791	8.5669	8114E-01	.69516	0000528
21.200	18.2815	.30504	9.9758	7357E-01	•73395	0000803
21.600	22.5766	.36973	11.5237	6720E-01	.77442	0001070
22.000	27.5202	.44250	13.2198	6177E-01	.81665	0001335
22.400	33.1734	.52387	15.0733	5710E-01	.86072	0001602
22.800	39.6011	.61441	17.0938	5304E-01	•90671	0001878
23.200	46.8720	.71468	19.2908	4949E-01	.95471	0002165
23.600	55.0586	.82527	21.6740	4635E-01	1.00481	0002469
24.000	64.2373	.94681	24.2529	4359E-01	1.05709	0002791
24.400	74.4882	1.07990	27.0368	4112E-01	1.11164	0003137

Table 11. Continued.

## HYDROGEN SULFIDE ISOTHERM AT 360.000 K

OEN	P	•				
MOL/L	MPA	Z	OP/0D	00/07	DP/OT	270/950
		0	MPA-L/MDL	MDL/L/K	MPA/K	MPA/K/K
.400	1.1340	• 94718	2.6868	1301E-02	.00349	0000009
.800	2.1556	• 90021	2.4253	3048E-02	.00739	00000045
1.200	3.0761	.85641	2.1782	5385E-02	.01173	0000117
1.600	3.8986	.81405	1.9348	8538E-02	.01652	0000231
2.000	4.6242	.77244	1.6936	1284E-01	.02175	3303398
2.400	5.2541	.73139	1.4571	1881E-01	.02741	0000625
2.800	5.7910	•69097	1.2294	2723E-01	.03348	0000931
3.200	6.2393	.65140	1.0143	3936E-01	.03993	0001340
3.600	6.6046	.61292	.8152	5733E-01	.04674	0001903
4.000	6.8939	.57579	.6342	8502E-01	.05392	0002724
4.400	7.1145	.54020	•4718	1304E+00	.06153	0004058
4.435	7.1312	.53707	.4581	1359E+00	.06224	0004235
			• • • • •	***************************************		***************************************
16.557	7.1312	.14381	1.3963	2691E+00	.37570	.0003749
16.800	7.4861	.14887	1.6484	2364E+00	.38974	.0003132
17.200	8.2401	. 16005	2.1332	1943E+00	.41459	.0002342
17.600	9.2022	.17468	2.6894	1638E+00	.44051	.0001752
18.000	10.4019	.19306	3.3227	1407E+00	.46757	.0001280
18.400	11.8714	.21555	4.0391	1228E+00	.49583	.0000884
18.800	13.6451	.24248	4.8447	1084E+00	.52536	.0000539
19.200	15.7600	.27423	5.7461	9679E-01	.55619	.0000229
19.500	18.2557	•31117	5.7502	8717E-01	.58840	0000055
20.000	21.1748	.35371	7.8641	7910E-01	.62202	0000321
20.400	24.5626	.40226	9.0955	7225E-01	.55714	0000575
20.800	28.4579	.45725	10.4525	6638E-01	69380	0000313
21.200	32.9426	.51914	11.9436	6129E-01	.73207	0001057
21.600	38.0419	.58840	13.5775	+.5686E-01	•77203	0001312
	43.8249	•66552	15.3635	5297E-01	.81374	0001550
22.000		.75102	17.3108	4952E-01	.85729	00017816
22.400	50.3542			4646E-01	.90274	0002082
22.800	57.6962	.84542	19.4291			
23.200	65.9215	.94929	21.7280	4373E-01	.95018	0002352
23.600	75.1040	1.06319	24.2173	4128E-01	.99967	0002657

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 365.000 K

DEN	P	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.400	1.1515	.94859	2.7328	1277E-02	.00349	0000008
.800	2.1925	.90308	2.4766	2976E-02	.00737	0000042
1.200	3.1346	.86074	2.2350	5223E-02	.01167	0000108
1.600	3.9809	.81985	1.9970	8216E-02	.01641	3300212
2.000	4.7325	•77970	1.7611	1224E-01	.02156	0000350
2.400	5.3904	.74009	1.5297	1773E-01	.02712	0000550
2.800	5.9573	.70107	1.3066	2529E-01	.03304	0000819
3.200	6.4373	.66287	1.0958	3587E-01	.03930	0001151
3.600	6.8361	.62571	.9008	5093E-01	.04587	0001578
4.000	7.1603	.58985	.7237	7284E-01	.05272	0002139
4.400	7.4176	.55550	.5658	1057E+00	.05982	0002908
4.800	7.6155	.52279	.4270	1573E+00	.06719	0004051
5.200	7.7616	.49184	.3065	2444E+00	.07489	0006011
5.238	7.7730	.48900	.2959	2556E+00	.07565	0006277
15.542	7.7730	.16480	.7934	4044E+00	.32081	.0005785
15.600	7.8205	.16519	.8347	3880E+00	.32386	.0005503
16.000	8.2153	.16919	1.1485	3006E+00	• 34530	.0004057
16.400	8.7468	.17574	1.5186	2421E+00	.36769	.0003108
16.800	9.4384	.18512	1.9501	2006E+00	.39112	.0002415
17.200	10.3158	.19763	2.4484	1698E+00	•41563	•0001871
17.600	11.4068	•21356	3.0189	1462E+00	•44130	.0001423
18.000	12.7413	.23324	3.6671	1277E+00	.46815	.0001039
18.400	14.3516	·25 <b>7</b> 01	4.3991	1128E+00	.49623	.0300701
18.800	16.2725	.28521	5.2209	1007E+00	• 52 5 5 9	.0000395
19.200	18.5412	.31821	6.1391	9061E-01	•55628	.0000113
19.600	21.1976	.35637	7.1506	8216E-01	.58834	0000151
20.000	24.2845	.40010	8.2928	7499E-01	.52184	0000403
20.400	27.8476	.44981	9.5432	6883E-01	•65683	0000645
20.800	31.9359	•50593	10.9200	6350E-C1	.69337	0000885
21.200	36.6016	• 56890	12.4317	5884E-01	•73152	0001124
21.600	41.9004	.63920	14.0871	5476E-01	•77136	0001354
22.000	47.8916	.71731	15.8954	5114E-01	.81295	0001609
22.400	54.6383	.80375	17.8560	4793E-01	.85637	0001962
22.800	62.2073	.89904	20.0086	4507E-01	.90169	0002126
23.200	70.6594	1.00372	22.3328	4249E-01	.94898	0002403
23.600	80.0991	1.11837	24.8483	4018E-01	.99834	0002696

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 370.000 K

DEN	Р	Z	DP/DD	00/01	00.00	0304073
MUL/L	мрд	-	MPA-L/MOL	MOF/F/K	DP/DT MPA/K	D2P/DT2
.400	1.1689	.94994	2.7787	1255E-02	•00349	
.800	2.2293	90583	2.5275	2908E-02	.00735	00000008
1.200	3.1928	.86489	2.2912	5072E-02	.01162	00000100
1.600	4.0627	.82539	2.0585	7922E-02		
2.000	4.8398	.78662	1.8276	1170E-01	•01631	0000195
2.400	5.5253	.74836	1.6008	1170E-01	.02139 .02685	0000328
2.800	6.1215	.71067	1.3819	2363E-01		0000505
3.200	6.6325	•67373	1.1750	3299E-01	.03266 .03877	0000728
3.600	7.0636	•63780	•9832	4591E-01	•04514	0001005 0001344
4.000	7.4214	•50310	.8091	6396E-01	•04514	0001344
4.400	7.7133	•56984	•6537	8954E-01	.05854	0002273
4.800	7.9469	.53817	•5174	1265E+00	• 06548	0002273
5.200	8.1298	•50820	.3997	1815E+00	.07254	0003774
5.600	8.2690	•47999	•2995	2662E+00	.07972	0003774
6.000	8.3715	45354	.2153	4042E+00	.08702	0005795
6.400	8.4432	•42883	.1454	6502E+00	•09453	0010159
6.542	8.4622	•42049	•1236	7870E+00	.09728	0012232
0.542	6.4022	•42044	01230	/6/02+00	•09128	5012252
14.032	8.4622	.19604	•2702	9385E+00	.25362	.0011533
14.400	8.5860	.19382	.4070	6619E+00	.26940	.0007992
14.800	8.7844	.19294	.5917	4856E+00	.28734	.0005919
15.200	9.0650	.19386	.8188	3740E+00	.30621	.0304539
15.600	9.4457	.19692	1.0930	2983E+00	.32610	.0003582
16.000	9.9464	.20207	1.4193	2445E+00	.34704	.0002975
16.400	10.5888	.20988	1.8026	2047E+00	.36906	.7002407
16.800	11.3968	.22051	2.2480	1745E+00	.39220	.0001933
17.200	12.3962	.23427	2.7606	1509E+00	.41548	.0001524
17.600	13.6149	.25146	3.3458	1321E+CO	.44194	.0001154
18.000	15.0832	.27239	4.0093	1169E+00	.46861	.0003840
18.400	16.8336	.29739	4.7571	1044E+00	.49654	.0000544
18.900	18.9009	.32680	5.5952	9397E-01	.52576	.0000263
19.200	21.3227	.36100	6.5304	8519E-01	•55631	.0000000
19.600	24.1391	.40034	7.5695	7771E-01	•58825	0000239
20.000	27.3931	.44522	8.7199	7129E-01	.62162	3333478
20.400	31.1309	.49605	9.9894	6572E-01	.65649	0000713
20.800	35.4016	.55325	11.3859	6086E-01	.69291	0000945
21.200	40.2577	.61727	12.9182	5658E-01	.73095	0001177
21.600	45.7554	.68857	14.5951	5280E-01	.77067	0001413
22.000	51.9543	.76765	16.4258	4944E-01	.81214	0001655
22.400	58.9178	.85499	18.4197	4644E-01	.85543	0001905
22.800	66.7131	.95113	20.5864	4375E-01	.90061	0002155
23.200	75.4113	1.05660	22.9358	4132E-01	.94777	3002440
200200	1241224					

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 373.400 K

DEN	Р	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
HOL /L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.800	2.2543	.90763	2.5620	2864E-02	.00734	0000037
1.500	4.1181	.82901	2.0999	7735E-02	.01624	0000184
2.400	5.6163	.75376	1.6484	1619E-01	.02669	0000472
3.200	6.7637	.68081	1.2277	3131E-01	.03844	0000923
4.000	7.5964	.61170	.9654	5914E-01	.05118	0001569
4.800	8.1680	.54810	.5760	1121E+00	.06456	0002464
5.600	8.5375	.49106	.3593	2178E+00	.07826	0003729
6.400	8.7599	.44087	.2063	4460E+00	.09201	0005522
7.200	8.8813	.39731	.1048	1007E+01	.10561	0338787
8.000	8.9383	.35988	.0434	2742E+01	.11893	0015094
8.800	8.9587	.32791	.0118	1113E+02	.13187	3032227
9.600	8.9628	.30072	.0010	1464E+03	.14422	0130821
10.400	8.9629	.27759	•0000	3927E+04	.15494	.3798568
11.200	8.9647	.25780	.0054	3125E+02	.16951	.0058312
12.000	8.9780	.24098	.0349	5402E+01	•18872	.0322175
12.800	9.0335	.22732	.1147	1849E+01	•21216	.0011992
13.600	9.1832	.21749	•2760	8688E+00	.23977	.0007546
14.400	9.5059	.21263	.5530	4911E+00	. 27156	.0005117
15.200	10.1086	.21421	.9821	3132E+00	.30759	.0003582
16.000	11.1279	.22402	1.6011	2173E+00	.34796	•0002503
16.800	12.7313	.24409	2.4489	1604E+00	.39281	.0001582
17.500	15.1182	.27668	3.5668	1240E+00	.44231	.0001016
18.400	18.5221	.32424	4.9994	9935E-01	.49671	.0000449
19.200	23.2141	.38944	6.7955	8186E-01	.55630	0000057
20.000	29.5064	• 47520	9.0095	6898E-01	.62145	0000527
20.800	37.7569	.58469	11.7020	5919E-01	.69258	0000983
21.600	48.3749	.72137	14.9397	5155E-01	.77018	0001445
22.400	61.8252	.88901	18.7952	4548E-01	.85477	0001932
23.200	78.6323	1.09170	23.3448	4056E-01	.94694	0002464

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 375.000 K

DEN	Р	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.800	2.2650	.90846	2.5782	2843E-02	.00733	0000035
1.600	4.1440	.83068	2.1192	7651E-02	.01621	0000180
2.400	5.6590	.75624	1.6707	1593E-01	.02661	0000458
3.200	6.8251	.68405	1.2522	3058E-01	.03829	0000339
4.000	7.6781	.61564	.8915	5713E-01	.05094	0001492
4.800	8.2710	.55265	.5031	1064E+00	.06418	0002295
5.600	8.6623	.49611	.3866	2010E+00	.07770	0003347
6.400	8.9064	.44633	.2334	3908E+00	.09119	0004579
7.200	9.0493	•40310	.1313	7954E+00	.10442	0005324
8.000	9.1271	.36591	•0689	1701E+01	.11724	0007749
8.800	9.1675	.33412	.0364	3559E+01	.12967	0007398
9.500	9.1912	.30707	.0258	5520E+01	.14224	0003341
10.400	9.2122	.28409	.0279	5600E+01	.15598	.0001303
11.200	9.2379	.25454	•0392	4385E+01	•17181	.0005999
12.000	9.2818	.24808	.0768	2484E+01	.19075	.0009358
12.800	9.3742	.23489	.1652	1294E+01	.21365	.0007338
13.600	9.5678	.22563	.3350	7190E+00	.24082	.0005341
14.400	9.9410	.22141	• 6205	4388E+00	.27231	.0004398
15.200	10.6012	.22369	1.0583	2912E+00	.30 813	.0003240
15.000	11.5850	.23423	1.6861	2066E+00	.34835	.0002324
16.800	13.3600	.25505	2.5430	1546E+00	.39307	.0301579
17.600	15.8260	.28840	3.6706	1205E+00	.44247	.0000753
18.400	19.3169	.33671	5.1132	9716E-01	.49678	.0000407
19.200	24.1042	.40265	6.9201	8039E-01	•55629	0000035
20.000	30.5006	.48912	9.1456	6794E-01	.62137	0000549
20.800	38.8649	.59928	11.8505	5843E-01	.69242	0001000
21.500	49.6070	.73658	15.1016	5098E-01	.76995	0001459
22.400	63.1926	.90480	18.9717	4504E-01	.85446	0001944
23.200	80.1471	1.10798	23.5370	4022E-01	.94654	0002475

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 380.000 K

DEN	P	2	DP/DD	DD/DT	DP/DT	02P/DT2
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.8CO	2.3026	.91099	2.5286	2782E-02	.00731	0000034
1.600	4.2249	.83574	2.1793	7400E-02	.01613	0000156
2.400	5.7915	.76376	1.7395	1517E-01	.02639	0000417
3.200	7.0155	.69389	1.3278	2852E-01	.03787	0000794
4.000	7.9310	.62755	.9718	5170E-01	.05024	0001291
4.800	8.5892	.56636	•6857	9208E-01	.06314	0001891
5.600	9.0469	.51132	.4698	1623E+00	.07624	0002547
6.400	9.3573	.46275	• 3154	2830E+00	.08928	0003156
7.200	9.5650	.42047	.2115	4829E+00	.10211	0003515
8.000	9.7063	.38401	•1476	7776E+00	.11479	0003356
8.800	9.8099	.35283	.1163	1098E+01	.12765	0002521
9.600	9.8994	.32638	•1115	1267E+01	•14126	3001157
10.400	9.9930	.30412	.1243	1258E+01	.15630	.0000372
11.200	10.1016	.28546	•1506	1151E+01	.17336	.0001859
12.000	10.2423	.27015	.2083	9268E+00	.19308	.0003009
12.800	10.4495	.25838	•3209	6736E+00	.21614	.0003555
13.600	10.7779	.25083	.5168	4703E+00	.24305	.0003499
14.400	11.3074	.24853	.8293	3306E+00	.27414	.0003065
15.200	12.1455	.25290	1.2945	2391E+00	.30955	.0302432
16.000	13.4294	•26565	1.9502	1792E+00	.34939	.0001878
16.800	15.3272	.28876	2.8360	1389E+00	.39379	.0001305
17.600	18.0394	.32441	3.9935	1109E+00	.44290	•0000775
18.400	21.8012	•37501	5.4678	9089E-01	.49695	.0000287
19.200	26.8855	.44320	7.3083	7611E-01	• 55622	0000172
20.000	33.6067	.53183	9.5698	6490E-01	.62107	0000614
20.800	42.3258	.64405	12.3135	5619E-01	.69191	0301052
21.600	53.4549	.78327	15.6067	4929E-01	.76921	0001502
22.400	67.4624	• 95322	19.5222	4372E-01	85348	0001981
23.200	84.8767	1.15793	24.1365	3916E-01	.94530	0002507

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 390.000 K

DEN	P	Z	DP/DD	DD/DT	DP/DT	02P/0T2
MOL/L	MPA		MPA-L/MOL	MDL/L/K	MPA/K	MPA/K/K
.800	2.3756	.91576	2.7288	2668E-02	.00728	0000030
1.600	4.3853	.84525	2.2978	6951E-02	.01597	0000143
2.400	6.0534	.77784	1.8742	1388E-01	.02601	0000352
3.200	7.3906	.71224	1.4752	2519E-01	.03716	0000548
4.000	8.4275	.64974	1.1274	4355E-01	.04910	0001008
4.800	9.2121	.59186	.8456	7276E-01	.06153	0001390
5.600	9.7983	.53959	.6305	1176E+00	.07416	0001730
6.400	10.2368	.49327	.4752	1827E+00	.08683	0001942
7.200	10.5720	.45282	.3706	2686E+00	. 09954	0001943
8.000	10.8413	.41792	.3092	3638E+00	.11247	0001587
8.800	11.0769	.38818	.2859	4406E+00	.12596	0001199
9.600	11.3077	.36325	.2961	4744E+00	.14048	0000557
10.400	11.5573	.34271	.3308	4732E+00	.15652	.0000138
11.200	11.8419	.32607	•3855	4528E+00	.17456	.0000815
12.000	12.1844	.31313	.4789	4074E+00	.19508	.0001395
12.800	12.6246	.30416	.6341	3448E+00	.21861	.0001789
13.600	13.2226	.29983	.8782	2797E+00	. 24563	.0001945
14.400	14.0617	.30114	1.2424	2226E+00	.27652	.0001874
15.200	15.2518	.30944	1.7617	1769E+00	.31156	.0001633
15.000	16.9316	.32635	2.4733	1419E+00	.35095	.0001291
16.800	19.2709	.35375	3.4169	1156E+00	.39488	.0000730
17.600	22.4718	.39375	4.6348	9569E-01	.44353	.0300493
18.400	26.7718	.44870	6.1726	8054E-01	.49713	.3030383
19.200	32.4465	.52116	8.0806	6880E-01	•55597	0000323
20.000	39.8142	.61391	10.4143	5957E-01	.62040	3000730
20.800	49.2395	.73004	13.2356	5219E-01	•69081	0001145
21.600	61.1393	.87290	16.6125	4621E-01	.76767	0001580
22.400	75.9872	1.04615	20.6184	4130E-01	.85147	0002047

Table 11. Continued.

#### HYDROGEN SULFIDE ISOTHERM AT 400.000 K

DEN	Р	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.800	2.4483	.92018	2.8280	2565E-02	.00725	0000025
1.600	4.5444	.85400	2.4143	6561E-02	.01584	0000125
2.400	6.3119	.79077	2.0057	1281E-01	.02568	0003300
3.200	7.7591	.72906	1.6183	2260E-01	.03657	0000541
4.000	8.9138	.67005	1.2782	3771E-01	.04820	0000818
4.800	9.8210	.61520	1.0006	6026E-01	.06030	0301089
5.600	10.5320	•56549	.7873	9229E-01	•07266	0001302
6.400	11.0965	•52133	•6332	1345E+00	.08519	0001404
7.200	11.5589	.48271	.5311	1844E+00	.09793	0001356
8.000	11.9586	.44946	•4756	2336E+00	•11109	0001151
8.800	12.3313	.42134	.4631	2699E+00	.12499	0000813
9.600	12.7101	.39809	•4898	2859E+00	•14002	0000393
10.400	13.1231	.37941	•5465	2866E+00	.15662	.0000058
11.200	13.5910	.36487	.6288	2786E+00	•17519	.0003497
12.000	14.1411	.35433	.7559	2595E+00	.19619	.0000880
12.800	14.8184	.34809	•9507	2315E+00	• 22005	•0001159
13.600	15.6874	.34683	1.2398	1994E+00	.24722	•0001298
14.400	16.8352	.35153	1.6532	1682E+00	.27808	.0001289
15.200	18.3747	.36348	2.2249	1407E+00	• 31 29 3	•0301149
16.000	20.4469	.38425	2.9915	1177E+00	.35204	•0000912
16.800	23.2236	•41565	3.9927	9909E-01	.39563	.0000611
17.600	26.9091	.45972	5.2709	8422E-01	.44391	.0300275
18.400	31.7433	.51873	6.8723	7234E-01	.49713	0000082
19.200	38.0045	.59517	8.8478	6279E-01	.55559	0000451
20.000	46.0144	.69178	11.2536	5506E-01	.61962	0000831
20.800	56.1417	.81157	14.1524	48735-01	.68963	0301227
21.600	68.8080	.95783	17.6128	4349E-01	.76605	0001547
22.400	84.4916	1.13415	21.7086	3913E-01	.84939	0002133

Table 11. Continued.

# HYOROGEN SULFIDE ISOTHERM AT 420.000 K

OEN	D	Z	DP/00	DO/DT	OP/OT	029/012
MOL/L	MPA	-	MPA-L/MOL	MDL/L/K	MPA/K	MPA/K/K
.800	2.5929	.92812	3.0245	2383E-02	•00721	0000021
1.600	4.8589	.86952	2.6422	5912E-02	.01562	0000095
2.400	6.8201	.81376	2.2612	1113E-01	.02516	0000225
3.200	8.4807	.75892	1.8951	1881E-01	.03564	0000395
4.000	9.8633	.70612	1.5699	2983E-01	.04683	0030577
4.800	11.0079	.65672	1.3019	4494E-01	•05851	3303743
5.600	11.9627	.61172	1.0953	6442E-01	.07056	0000852
6.400	12.7763	.57166	.9482	8750E-01	.08296	0000890
7.200	13.4946	• 53671	.8567	11185+00	.09581	0000340
8.000	14.1611	.50690	.8181	1335E+00	.10930	0000708
8.800	14.8173	.48217	.8310	1489E+00	.12371	0000512
9.600	15.5037	.46245	.8925	15625+00	.13938	0000275
10.400	16.2560	.44760	.9935	1577E+00	.15664	0000023
11.200	17.1025	.43728	1.1301	1556E+00	.17587	.0030220
12.000	18.0788	.43142	1.3217	1494E+00	.19743	.0000433
12.800	19.2380	.43039	1.5914	1393E+00	.22172	.0000591
13.600	20.6527	.43486	1.9651	1268E+00	.24911	.0000575
14.400	22.4175	.44580	2.4719	1133E+00	.27997	.0000576
15.200	24.6520	.46443	3.1444	1001E+00	.31461	.0000592
15.000	27.5024	.49223	4.0183	8793E-01	.35335	.0000435
16.800	31.1454	.53088	5.1328	7723E-01	.39643	.0000219
17.600	35.7904	.58233	6.5306	6801E-01	.44412	0000041
18.400	41.6824	.64871	8.2585	6014E-01	.49670	0000334
19.200	49.1058	.73240	10.3684	5348E-01	.55447	7000551
20.000	58.3890	.83602	12.9180	4782E-01	.61779	0000992
20.900	69.9088	.96246	15.9709	4302E-01	.68703	0001358
21.600	84.0953	1.11489	19.5970	3892E-01	.76264	0001754

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 450.000 K

DEN	Р	Z	OP/DD	DD/DT	DP/DT	D2P/DT2
MOL/L	MPA		MPA-L/MOL	MDL/L/K	MPA/K	MPA/K/K
.800	2.8082	.93819	3.3148	2158E-02	.00715	0000015
1.600	5.3236	.88928	2.9747	5169E-02	.01538	0000069
2.400	7.5660	.84257	2.6306	9351E-02	.02460	0000157
3.200	9.5344	.79634	2.2940	1511E-01	.03467	0000267
4.000	11.2456	.75140	1.9913	2281E-01	.04542	0000379
4.800	12.7346	.70908	1.7408	3259E-01	.05673	0000475
5.600	14.0469	.67041	1.5502	4421E-01	.06854	0000536
6.400	15.2313	.63607	1.4211	5691E-01	.08087	0000553
7.200	16.3370	.60544	1.3533	6934E-01	.09383	0000523
8.000	17.4130	.58175	1.3470	7989F-01	.10762	0000450
8.800	18.5088	.56214	1.4029	8730E-01	.12247	0000344
9.600	19.6737	.54773	1.5191	9127E-01	.13865	0000219
10.400	20.9531	•53848	1.6869	9276E-01	.15647	0000088
11.200	22.3852	•53419	1.9029	9261E-01	.17622	.0000035
12.000	24.0160	.53490	2.1873	9063E-01	.19824	.0000141
12.800	25.9093	.54100	2.5634	8694E-01	.22285	.0000215
13.600	28.1487	•55319	3.0568	8192E-01	.25041	.0000246
14.400	30.8391	•57239	3.6959	7610E-01	.28124	.0000228
15.200	34.1094	.59977	4.5123	6996E-01	•31567	.0000157
16.000	38.1154	•63670	5.5411	6388E-01	.35399	.0000035
16.800	43.0420	.68475	6.8208	5813E-01	•39650	0000133
17.600	49.1070	.74573	8.3944	5283E-01	.44351	0000341
18.400	56.5641	.82163	10.3095	4804E-01	.49529	0000584
19.200	65.7073	.91467	12.6189	4376E-01	•55219	0000357
20.000	76.8752	1.02733	15.3818	3995E-01	.61454	0001159

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 500.000 K

DEN	Р	Z	DP/DD	DD/DT	DP/DT	020/012
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.800	3.1642	.95142	3.7908	1871E-02	.00709	0000010
1.600	6.0851	.91483	3.5117	4301E-02	.01510	0000043
2.400	E.7794	.87993	3.2220	7445E-02	.02399	0000095
3.200	11.2400	.84491	2.9317	1148É-01	.03364	0000158
4.000	13.4773	.81047	2.5582	1648E-01	.04398	0000221
4.800	15.5221	.77787	2.4531	2239E-01	.05494	0000273
5.600	17.4185	.74820	2.2986	2894E-01	.06652	0000307
6.400	19.2177	.72229	2.2107	3563E-01	.07878	0000320
7.200	20.9744	.70073	2.1932	4187E-01	.09184	0000311
8.000	22.7466	.68394	2.2498	4705E-01	.10586	0000283
8.800	24.5946	.67228	2.3833	5079E-01	.12105	3030242
9.600	26.5804	.66601	2.5935	5307E-01	.13764	0000193
10.400	28.7627	.66526	2.8725	5426E-01	.15587	0000144
11.200	31.1938	.66995	3.2179	5470E-01	.17601	0000101
12.000	33.9347	.68023	3.5509	5433E-01	.19834	0000070
12.800	37.0649	.69654	4.1954	5319E-01	.22314	0000059
13.600	40.6838	.71958	4.8770	5141E-01	.25073	0000072
14.400	44.9123	.75023	5.7242	4916E-01	.28140	0000114
15.200	49.8949	.78960	6.7679	4661E-01	• 31547	0000189
16.000	55.8026	.83893	8.0429	4392E-01	•35323	0000296
16.800	62.8354	.89968	9.5877	4120E-01	.39498	0000437
17.500	71.2263	.97347	11.4454	3853E-01	.44104	0000509
18.400	81.2444	1.06211	13.6644	3599E-01	.49173	0000812

Table 11. Continued.

### HYDROGEN SULFIDE ISOTHERM AT 550.000 K

DEN	P	Z	DP/OD	DD/DT	DP/DT	029/012
MOL/L	MPA		MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.400	1.7892	.97816	4.3876	7802E-03	.00342	0000001
.800	3.5178	.96156	4.2599	1655E-02	.00705	0000007
1.200	5.1991	.94743	4.1475	2625E-02	.01089	0000015
1.600	6.9357	.93425	4.0346	3701E-02	.01493	0000029
2.000	8.4261	.92130	3.9168	4895E-02	.01917	0000044
2.400	9.9685	.90828	3.7944	6220E-02	.02360	0000063
2.800	11.4614	.89512	3.6704	7687E-02	.02821	0000083
3.200	12.9051	.88188	3.5485	9301E-02	.03300	0000104
3.600	14.3010	.86869	3.4326	1106E-01	.03796	0000125
4.000	15.6524	.85570	3.3259	1295E-01	.04309	0000145
4.400	16.9634	.84307	3.2314	1497E-01	.04837	0000153
4.800	18.2394	.83094	3.1510	1708E-01	.05383	0000179
5.200	19.4864	.81946	3.0866	1926E-01	.05946	0000193
5.600	20.7109	.80875	3.0392	2147E-01	.06526	0000204
6.000	21.9201	.79890	3.0100	2367E-01	.07126	0000213
6.400	23.1215	.79002	2.9998	2582E-01	.07746	0000218
6.800	24.3226	.78217	3.0094	2787E-01	.08388	0000220
7.200	25.5318	.77544	3.0396	2978E-01	•09053	0000220
7.600	26.7572	.76989	3.0911	3153E-01	.09745	0000217
8.000	28.0075	.76557	3.1645	3307E-01	.10464	0000212
8.400	29.2918	.76255	3.2604	3439E-01	•11214	0000206
8.800	30.6189	•75087	3.3791	3550E-01	•11996	0000199
9.200	31.9981	.76057	3.5207	3639E-01	.12814	0000191
9.600	33.4385	.76169	3.6847	3710E-01	•13670	0000184
10.000	34.9487	.76424	3.8697	3764E-01	.14567	0000175
10.400	36.5368	.76824	4.0740	3806E-01	•15508	0000170
10.800	38.2106	•77368	4.2983	3838E-01	.16495	0000165
11.200	39.9786	•78057	4.5458	3857E-01	•17533	0000152
11.600	41.8507	.78894	4.8195	3864E-01	•18624	0000152
12.000	43.8381	.79886	5.1223	3860E-01	•19772	0000164
12.400	45.9529	.81039	5.4574	3844E-01	.20980	3003170
12.800	48.2087	.82360	5.8280	3818E-01	.22251	0000181
13.200	50.6205	.83860	6.2375	3782E-01	.23589	0000195
13.600	53.2044	.85548	6.6892	3737E-01	•24997	0000214
14.000	55.9780	.87436	7.1870	3684F-01	.26480	0000239
14.400	58.9605	.89537	7.7344	3625E-01	•28040	0000259
14.800	62.1727	.91863	8.3357	3561E-01	. 29681	0000305
15.200	65.6369	.94429	8.9950	3492E-01	.31408	0000347
15.600	69.3771	.97251	9.7167	3419E-01	.33223	0000395
16.000	73.4192	1.00344	10.5057	3344E-01	.35131	0000450
16.400	77.7912	1.03726	11.3667	3267E-01	.37136	0000511
16.800	82.5229	1.07415	12.3052	3189E-01	.39240	0000579

Table 11. Continued.

## HYDROGEN SULFIDE ISOTHERM AT 600.000 K

DEN	Р	Z	00.400	00.107	00.407	0004070
MOL/L	MPA	2	DP/DD MPA-L/MOL	DD/DT	DP/DT	029/012
.400	1.9602	.98233	4.8272	MOL/L/K	MPA/K	MPA/K/K
.800	3.8696	• 96959		7078E-03	.00342	0000001
1.200	5.7418		4.7246	1487E-02	.00702	0000005
1.600	7.5790	.95913	4.6370	2334E-C2	.01082	0000011
		.94952	4.5484	3256E-02	.01481	00000020
2.000	9.3797	.94010	4.4541	4262E-02	.01898	3000032
2.400	11.1416	.93057	4.3545	5359E-02	.02334	0000045
2.800	12.8630	•92086	4.2524	6553E-02	.02787	0000059
3.200	14.5437	.91104	4.1520	7844E-02	.03257	0000073
3.600	16.1853	.90122	4.0571	9228E-02	.03744	0000088
4.000	17.7906	.89154	3.9714	1070E-01	.04248	0000103
4.400	19.3640	.88218	3.8979	1223E-01	.04769	0000116
4.800	20.9109	.87326	3.8393	1382E-01	.05307	0000129
5.200	22.4377	.85494	3.7973	1544E-01	.05864	0000140
5.600	23.9512	.85734	3.7738	1706E-01	.05439	0000149
6.000	25.4593	.85056	3.7698	1866E-01	.07035	0000157
6.400	26.9699	.84472	3.7867	2021E-01	.07652	0000153
6.800	28.4916	.83989	3.8255	2168E-01	.08292	0000158
7.200	30.0333	.83615	3.8872	2304E-01	.08957	0000171
7.600	31.5045	.83358	3.9727	2429E-01	.09648	0000173
8.000	33.2148	.83225	4.0829	2539E-01	.10368	0000174
8.400	34.8742	.83222	4.2185	2636E-01	•11119	0000175
8.800	36.5931	.83354	4.3801	2717E-01	.11903	0000175
9.200	38.3818	.83628	4.5677	2785E-01	.12722	0000175
9.500	40.2507	.84046	4.7810	2840E-01	.13580	0000177
10.000	42.2099	.84511	5.0189	2885E-01	.14478	3333179
10.400	44.2688	.85325	5.2795	2921E-01	.15419	0000131
10.800	46.4366	.86189	5.5639	2949E-01	.16407	0000185
11.200	48.7235	.87203	5.8753	2969E-01	.17444	0000191
11.600	51.1409	.89374	5.2167	2981E-01	.18533	0000199
12.000	53.7013	89705	6.5914	2985E-01	.19677	0000210
12.400	56.4189	.91204	7.0025	2982E-01	.20880	2202223
12.800	59.3087	92880	7.4534	2971E-01	.22144	0003240
13.200	62.3873	.94740	7.9473	2954E-01	.23473	00003210
13.500	65.6728	•96796	8.4879	2930E-01	.24871	0303284
14.000	69.1844	99059	9.0789	2901E-01	.26340	0000312
		1.01539	9.7242	2868E-01	.27884	0003345
14.400	72.9431		10.4278	2830E-01	.29507	2030392
14.800	76.9715	1.04251	11.1939	2788E-01	•31213	0000424
15.200	81.2937	1.07208	11.1434		• 21 5 1 2	.0000424

Table 11. Continued.

#### HYOROGEN SULFIDE ISOTHERM AT 650.000 K

OEN	Þ	Z	0P/D0	00/0 <b>T</b>	OP/DT	02P/012
MOL/L	MPA	2	MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
•400	2.1309	.98574	5.2654	6480E-03	•00341	0000001
.800	4.2202	.97610	5.1859	+.1350E-02	•00700	0000001
1.200	6.2816	.96858	5.1215	2103E-02	.01077	0000009
1.600	8.3172	.96185	5.0557	2912E-02	.01472	0030015
2.000	10.3253	• 95526	4.9837	3782E-02	.01885	0000024
2.400	12.3034	.94856	4.9059	4718E-02	.02314	0000033
2.800	14.2496	.94166	4.8253	5722E-02	.02761	0000044
3.200	16.1638	. 93464	4.7460	6795E-02	•03225	0000055
3.600	18.0472	.92759	4.6722	7931E-02	.03706	0000066
4.000	19.9028	.92067	4.6079	9122E-02	.04203	0000077
4.400	21.7352	.91403	4.5562	1036E-01	.04718	0000038
4.800	23.5499	.90782	4.5201	1162E-01	•05251	0000098
5.200	25.3536	.90217	4.5017	1289E-01	.05803	0000107
5.500	27.1538	.89721	4.5029	1415E-01	.06374	0000107
6.000	28.9587	.89305	4.5253	1539E-01	.06966	0000123
6.400	30.7771	.88981	4.5703	1658E-01	•07579	0000130
6.800	32.6182	.88757	4.6392	1771E-01	.08217	0000136
7.200	34.4918	.88641	4.7332	1876E-01	.08879	3030141
7.600	36.4082	.88641	4.8534	1972E-01	.09569	0000146
8.000	38.3781	.88766	5.0009	2057E-01	.10287	0000151
8.400	40.4127	.89020	5.1765	2132E-01	.11037	0000155
8.800	42.5232	.89412	5.3810	2196E-01	.11819	0000150
9.200	44.7213	.89945	5.6145	2251E-01	.12637	0000165
9.600	47.0187	90625	5.8769	2296E-01	.13493	0000170
10.000	49.4265	.91456	6.1669	2333E-01	.14389	0000177
10.400	51.9557	.92438	6.4831	2364E-01	•15328	0000184
10.800	54.6166	.93573	5.8265	2390E-01	.16312	0000193
11.200	57.4210	. 94864	7.2006	2409E-01	.17345	0000204
11.600	60.3816	.96316	7.6094	2422E-01	.18428	0000217
12.000	63.5126	.97933	8.0533	2430E-01	.19566	0000231
12.400	66.8296	.99724	8.5385	2431E-01	.20761	0000249
12.800	70.3492	1.01695	9.0674	2428E-01	.22016	0000269
13.200	74.0898	1.03857	9.6435	2420E-01	.23334	0000291
13.600	78.0706	1.06219	10.2705	2407E-01	.24719	0300318
14.000	82.3135	1.08791	10.9521	2390E-01	.26174	0000347

Table 11. Continued.

# HYDROGEN SULFIDE ISOTHERM AT 700.000 K

DEN	р	Z	DP/DD	DD/DT	DP/DT	D2P/DT2
MOL/L	MPA	-	MPA-L/MOL	MOL/L/K	MPA/K	MPA/K/K
.400	2.3014	.98856	5.7024	5977E-03	.00341	0000001
.800	4.5699	.98148	5.6449	1238E-02	.00699	0000031
1.200	6.8192	.97638	5.6024	1916E-02	.01073	0000007
1.600	9.0515	.97200	5.5582	2636E-02	.01465	00000007
2.000	11.2649	.96775	5.5076	3403E-02	.01874	0000012
2.400	13.4567	.96337	5.4509	4219E-02	.02300	0000035
2.800	15.5252	.95881	5.3913	5086E-02	.02742	0000034
3.200	17.7699	.95412	5.3330	6002E-02	.03201	0200343
3.500	19.8923	.94940	5.2803	6962E-02	.03676	0000052
4.000	21.9955	.94480	5.2375	7960E-02	.04169	0000051
4.400	24.0841	.94047	5.2080	8984E-02	.04679	0300070
4.800	26.1541	.93655	5.1948	1002E-01	.05207	0000078
5.200	28.2425	.93318	5.2005	1107E-01	.05755	00000087
5.600	30.3272	.93049	5.2270	1209E-01	.06322	33333394
6.000	32.4271	.92859	5.2763	1310E-01	.06910	0000102
6.400	34.5515	.92758	5.3499	1406E-01	.07520	0000109
5.800	36.7105	.92757	5.4494	1496E-01	.08154	0000115
7.200	38.9147	.92864	5.5761	1581E-01	.08814	0000122
7.500	41.1752	.93087	5.7313	1658E-01	.09501	0000128
8.000	43.5037	.93433	5.9162	1727E-01	•10216	0000134
8.400	45.9122	.93911	6.1318	1788E-01	.10963	0000141
8.800	48.4133	.94525	6.3790	1841E-01	.11742	0000148
9.200	51.0197	.95283	6.6581	1886E-01	.12557	0000155
9.600	53.7441	.96189	6.9690	1924E-01	.13409	0000153
10.000	56.5990	.97247	7.3107	1956F-01	.14301	0000173
10.400	59.5965	.98459	7.5816	1983E-01	.15236	0000183
10.800	62.7484	.99826	8.0832	2006E-01	.16215	0000195
11.200	65.0676	1.01353	8.5187	2024E-01	.17241	00003238
11.600	69.5684	1.03043	8.9916	2037E-01	.18318	0000223
12.000	73.2663	1.04903	9.5052	2046E-01	.19448	00003240
12.400	77.1784	1.06940	10.0629	2050E-01	. 20634	0000259
12.800	81.3230	1.09161	10.6681	2051E-01	.21878	0000280

Table 12. The Joule-Thomson inversion locus for hydrogen sulfide.

T.K	MOL/L	P,MPA	T,K	MOL/L	P . M P A
280	24.055	1.256	560	16.942	88.292
290	23.402	1.642	570	16.731	89.438
300	22.712	2.125	580	16.521	90.489
310	22.488	8.325	590	16.314	91.454
320	22.264	14.227	600	16.109	92.335
330	22.040	19.836	610	15.904	93.140
340	21.816	25.164	620	15.703	93.872
350	21.592	30.218	630	15.504	94.535
360	21.368	35.009	540	15.207	95.135
370	21.144	39.544	650	15.112	95.675
380	20.920	43.83?	660	14.919	96.159
390	20.696	47.882	670	14.729	96.590
400	20.472	51.703	580	14.541	96.972
410		55.302	690	14.356	97.308
	20.247				
420	20.023	53.688	700	14.173 13.992	97.600
430	19.799	61.870	710		97.851
440	19.575	64.856	720	13.814	98.065
450	19.351	67.654	730	13.538	98.242
4.60	19.128	70.272	740	13.465	98.386
470	18.905	72.719	75C	13.294	98.499
480	16.683	75.002	760	13.125	98.582
490	18.452	77.129	770	12.959	98.638
500	18.241	79.109	780	12.795	98.668
510	18.021	80.948	79C	12.633	98.675
520	17.803	82.655	800	12.474	98.659
530	17.585	84.235	81C	12.318	98.622
540	17.369	85.698	820	12.163	98.567
550	17.155	87.048	830	12.011	98.493

	w O w O w O 4 0
20	52055
	0001 0000 1000 1000 1000 0000 0000
	001840614
00000000000000000000000000000000000000	844 935 935 935 830 830
	35434111
05N.6 149578-01 231836-01 395456-01 395456-01 509648-01 664846-01 664846-01 750966-01 750966-01 750966-01 750966-01 750966-01 750966-01 750966-01 75096-01	1627E+0 5524E+0 8856E+0 8757E+0 1454F+0 1361E+0 8417F+0
DEN.L 29.0136 29.0136 29.0136 28.753 27.0945 27.0945 27.0967 28.0967 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## ## ## ## ## ## ## ## ## ## ## ## ##	0416+0 5996+0 7196+0 3196+0 7306+0 7306+0
187.46 0 190.000 200.000 205.000 212.874 215.000 275.000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Table 13. Continued.

. 93828 93823 93823 93828 93828 93828 93828 93828 93828 93828 93828 93828 93828 93828 93828 93828 93828 93828 85233 82442 73903 .72631 .71610 .70755 79460 77962 76438 98028 97442 96879 96571 96351 34992 94597 94214 99193 95410 95851 68698 CP J/MOL/K 67.37 67.53 67.85 68.15 96.57 104.28 115.46 132.89 69.86 70.08 70.30 70.53 70.53 71.34 71.67 71.67 71.67 72.05 72.05 73.00 73.01 74.01 75.01 83.63 68.69 68.84 68.95 81.13 91.00 66.10 69.42 69.64 79.15 86.83 30.01 67.36 67.51 67.51 68.11 68.38 68.63 68.63 68.63 84.69 66°.66 69°.83 70°.16 70°.16 70°.59 70°.69 71°.12 71°.89 71°.98 71°.98 71°.98 71°.98 71°.98 71°.98 71°.98 71°.98 71°.98 71°.98 71°.98 71°.98 76.44 77.90 79.77 82.17 85.35 89.55 95.72 39.80 74.77 19.64 SATURATED LIQUID HYDPOGEN SULFIDE J/MUL/K 109.287 1110.122 111.880 113.601 115.286 120.140 123.220 124.716 126.184 127.626 38.320 142.026 48.026 54.292 55.710 57.269 117.871 118.554 29.041 30.432 31.800 33,145 34.468 35.771 37.054 40.805 45.636 46.830 50.445 51.686 52.962 51.583 J/MJL .8 155.0 488.4 822.6 1159.0 1497.9 2184.2 2882.6 3735.3 3735.3 4317.7 4317.9 5766.0 5766.0 5766.0 5766.0 5766.0 5766.0 5766.0 9354.3 8727.9 9105.3 10696.6 7083.2 9878.9 0280.5 2089.9 839.6 7613.6 9488.2 1593.4 2634.3 3248.7 3978.5 4966.2 7073. 6815.9 7174.7 7532.8 7890.4 8248.1 8606.5 11302.4 11759.7 12258.5 8957.3 9701.2 0079.3 0.6940 0874.8 9331.4 2818. ů. 11495.0 10988.2 0, VAP 1/40L 9602.8 9521.7 9345.9 9156.1 8981.4 8790.9 8390.2 8178.8 7959.2 1249.5 5990.1 4640.2 3214.2 2819.6 9129.5 8328.5 7367.5 PROPERTIES 7494.8 1964.8 0434.8 9821.6 6139.8 4319.6 8594.1 6732.3 6460.4 6179.7 14967.1 3953.6 3591.3 2404.5 5284.1 0 99.000. 2000 21000 21000 21000 21000 22000 22000 24000 24000 24000 24000 24000 24000 24000 24000 24000 24000 24000 305.000 270.000 275.000 280.000 290.000 315.000 335.000 85.000 25.000 30.000 150.000 55.000 160.000 45.000 345.00C

Table 14. Properties of hydrogen sulfide along isobars. .02500 MPA HYDROGEN SULFIDE ISOBAR AT P ..

-	DEN	7	0/d	1 d U				U	Ç	F / P	
			NDA/	H/7-	JUMOL		/ HOF /	710	770		SE
187.660	.29136E+02	0000	2.094756	41.3045	0.		109.287	43.89	67.37	.9229E+00	1364
	2907	000	•01925	0.97	73.9		09.67	D	4 . /	941E+0	3
8.77	.16029E-0	93	0013	54 R	8079.	9638.	13.31	5 . 2	3 • 7	941E+(	
0.00	.15924E-0	.99378	00013	559	8110.	9680.	13.53	5.2	3.7	942E+(	
00.0	.151146-0	946	0012	.644	8363.	0017.	15.26	5.2	3.1	950E+	
0000	.14384E-0	956	00012	.729	8616.	0354.	16.90	5.2	3 . 6	956E+(	
00.0	.13722E-0	959	1100	.814	8869.	0691.	18.47	5.2	3.7	962E+	
0000	•13119E-0	796	0010	868	9123.	1028.	19.97	5 . 3	3.1	9966E+(	
0.00	.12568E-0	48	0100	985	9377.	1366.	21.41	5 . 3	3 . 6	970E+(	
0.00	.12061E-0	972	0010	066	9631.	1704.	22.79	5.4	3 . 6	973E+(	
0000	.11594E-0	914	6000	.150	9887.	2043.	24.12	5.5	3 . 9	976E+(	
0000	•11162E-0	77	.0000°	.234	0143.	2383.	25.40	5.6	4.0	9978E+(	
0000	.10761E-0	979	6000	.31R	0400	2724.	26.64	5.7	4 • 1	980E+C	
0.00	.10389E-0	981	0008	405	06590	3065.	27.84	5.8	4 . 2	982E+0	
000	*10040E-0	983	0000	.485	0918.	3408°	29.00	5.9	£ 0 3	983E+C	
0000	.97144E-0	984	0000	.569	1178.	3752.	30,13	6.0	404	9985E+C	
0000	.94096E-0	9.85	0000	.652	1440.	4097.	31.22	6.2	\$ ° 5	986E+C	
000	.91234E-0	987	0000	.736	1703.	44430	32.29	6 • 3	9.6	987E+C	
0.00	* 88542F-C	986	0000	.820	1967.	4790.	33°32	6.4	6 · 8	988E+C	
0.00	. 86004E-0	9.48	0001	.903	2232.	5139.	34.34	9 • 9	6 • 4	989E+0	
00.0	.83608E-C	ው ያ	0007	987	2499.	5489.	35,32	6.7	5 ° 0	0 0 E + C	
00°0.	.81342E-C	066	90000	.070	2768.	5841.	36.29	6.8	5 . 2	991E+0	
0.0	.79196F-C	991	9000	.153	3037.	6194.	37.23	7.0	5 • 3	991E+0	
00.00	.77161E-C	91	90000	.237	3308°	6548.	38,15	7.1	5 . 5	92E+0	
00.00	.75227E-0	266	9000	.320	3581.	6904	30°68	7 . 3	5 ° 6	92E+0	
000	.73389F-(	266	00000	4040	3855.	7262.	39,93	7.4	5 ° 8	93E+0	
0000	.7163FE-(	993	9000	487	4131.	76210	40.80	7.6	6° 5	93E+0	
00.00	.69969E-	6.0	00000	.570	4408	7981.	41.64	7 • 8	5.1	04E+0	
0.00	.08376E-(	\$ C C	0005	•654	4687	83440	42.48	602	5 . 2	94E+0	
	. 000 EU &	\$ C	0000	787.	4908	8707.	43.29	8.1	\$ ° ¢	95E+0	
	**************************************	3 N	0000	028.	5250	9073	44.10	9 . 2	9°C	95E+0	
	. 04002E-0			* C C	77.344	00000	7 P = Q Z	•	<b>~</b> • c	9995E+0	
	- 30 10 20 °	0 0			4106	00000	00000	0 0		9990E+0	
00.00	.60160E-	96	005	153	6395	0551.	47.18	- 0		996F+0	306
0.00	. 57843E-(	966	000	.320	6978.	1300.	48.65	9.3	9 2	9996F+0	
0000	.55599F-(	966	9000	.487	7567.	2056.	50.07	9.6	6.2	997E+0	
00.00	.5370PE-	166	0004	.653	8164.	2819.	51.46	0.0	3 . 3	9997E+0	
30.00	.51854E-	.99975	000	.820	8768.	3589.	52,81	0.3	3.6	998E+0	
00.00	.50124F-(	166	0000	.986	9379.	4367.	54.13	0.7	9.0	998E+0	
0.0	. 48506F-	400	9000	.152	.1666	5151.	55.42	1.0	4 . (	998E+0	
0.00	- 46 3 B G E - (	998	0003	.319	0623.	5943.	56.67	1.4	7 . 6	998E+0	
4.50.200	.45565E	999	00	5.4858	31255.6	36742.3	257.907	31.81	40.13	8 E +	450
0.0	.447745-	398	000	.652	1895.	7548.	59.11	2.1	6,0	0+3666	456
700.000	. 4295CE-	9.0	000	.818	254	8362	60.29	2 . 5	9.0	999E+0	463

Table 14. Continued.

.05000 MPA

# @

ΔT

SULFIDE ISOBAR

HYDROGEN

1364 1354 1311 9984E+00 .4618E+00 .5379E+00 .9895E+00 9895E+00 .9910E+00 .9964E+00 E+00 9972E+00 9975E+00 9977E+00 9978E+00 9980E+00 9982E+00 9983E+00 9986E+00 9987E+00 9988E+00 9989E+00 9990E+00 9990E+00 9991E+00 9992E+00 9992E+00 9993E+00 9994E+00 9994E+00 9995E+00 9996E+00 9997E+00 9997E+00 9997E+00 9938E+00 9945E+00 9951E+00 9956E+00 9960E+00 9970E+00 9996E+00 9998E+00 9998E+00 9931 J/MOL/K 67.37 67.53 68.14 35.13 35.41 36.00 36.16 36.48 0.14 34.09 34.09 33.99 34.00 34.00 34.12 34.20 34.20 34.86 16.80 37.30 37.65 33.96 34.62 34.74 15.85 16.64 16.97 37.13 8.70 90.6 19.45 19.78 18.34 J/MOL/K 43.89 43.89 43.83 255.38 255.38 225.33 225.34 225.44 225.50 225.50 26.89 27.04 27.19 27.34 27.65 27.65 27.65 25.87 25.98 26.09 26.22 26.34 26.48 26.61 26.75 8.13 28.29 8 . 45 8 . 62 8 . 79 8 . 96 29.31 29.66 30.01 0.37 30.73 31.09 31.45 31.81 32.18 236.708 237.526 238.330 239.119 239.895 J/MDL/K 109.287 110.121 113.490 209.388 209.405 211.055 212.646 214.154 215.599 216.995 218.320 219.605 220.849 223.215 225.441 227.547 230.512 232.375 235.026 241.412 242.882 244.309 245.697 229.547 240.660 247.049 49.653 250.910 34.161 248.357 1.8 22028.2 23741.0 26541.3 26897.5 27255.3 27975.3 32051.8 156.5 JUH/ F 25130.6 27614.5 29803.2 9989.3 20329.6 20669.3 21008.7 21687.9 22710.6 23396.5 24433.4 24781.3 25481.2 25833.2 26186.5 28701.6 29067.2 9634.4 10173.7 10545.9 11295.4 33585.6 34363.2 5147.9 15939.9 17545.6 38359.3 23053.1 16739.1 21348.1 1564.8 9855.6 20651.2 20910.9 21171.8 21433.8 22227.2 22494.3 22762.8 23304.1 23577.0 23851.3 154.8 814.2 R342.6 19621.4 19877.7 20134.6 24404.6 J/MOL 26975.0 29995.0 8600.6 9365.8 21697.0 24964.3 25815.9 8765.6 9376.7 30620.5 32540.6 ш 20392.4 21961.4 23032.7 24127.2 25246.5 25530.4 26103.2 26392.1 31253,3 31893.3 27564. DP/DD MPA-L/MGL 41.3097 40.6155 37.7051 1.6227 1.6236 1.7107 1.7971 1.8830 2.1385 2.2232 2.3078 2.4764 2.5606 2.6447 2.7287 2.8126 2.9965 3.0641 3.1478 3.2315 3.3151 4.4840 5.4840 3.5659 3.9000 .3174 .6505 3.3988 3.4824 3.6495 3,7330 3.9835 4.0669 4.1503 4.3172 5.1507 2.0536 2.3921 3.8165 4.8174 4.9841 5.8171 MPA/K 2.094846 2.062562 1.930791 000194 .000256 000231 000168 000139 000129 0000089 0000076 000104 000143 DP/DT 000243 000202 000174 000152 000148 000132 000119 000117 000114 000100 000107 000100 960000 000003 000083 000078 000111 0000 00007 99257 00110 64966 99908 98866 9 6 3 4 3 99477 99530 99575 99680 10166 99771 99843 99873 92666 65666 65666 99831 00100 99027 99154 91466 99615 16266 99752 99818 99866 99981 99896 99895 20666 96666 99995 09666 9666 99666 99971 93975 .29136E+02 .29018E+02 .28513E+02 .89460E-02 .30428E-01 26342E-01 .22378E-01 .18272E-01 .17731E-01 .16740E-01 .15058E-01 .12283E-01 .11573E-01 .11143E-01 10745E-01 10374E-01 MOL/L .15854E-01 12807E-01 97032E-02 93996E-02 28918E-01 27568E-01 24196E-01 .23251E-01 20817E-01 20116E-01 19461E-01 .18848E-01 17221E-01 .15446E-01 1433RE-01 14003E-01 13684E-01 .13378E-01 .13087E-01 12540E-01 100276-01 T K 187.665 199.898 240.000 580.000 600.000 620.000 270.000 320.900 330.000 340.000 350.000 350.000 370.000 400,000 500.000 100.000 220.000 640.000 960.000 90.00 210,000 250.000 260.000 000.06 000.00 310,000 90.000 420.000 30.000 440.000 50.000 460.000 470.000 80.000 000.06 540.000 60.000 68.66

M/SEC 1364 1354 1311 1268				00000000000000000000000000000000000000
F/P .2283E+00 .2657E+00 .4871E+00 .8358E+00	15E+ 70E+ 70E+ 70E+ 70E+ 15E+ 16E+ 16E+ 16E+ 16E+ 16E+ 16E+ 16E+ 16	99942B+0	3967E+0 377E+0 377E+0 377E+0 377E+0 380E+0	99998 E E E E E E E E E E E E E E E E E
CP 57.37 67.53 67.53 68.14 68.69		* * * * * * * * * * * * * * * * * * *	0 $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$	337 347 347 347 347 347 347 347 347 347
1/ HDL/K 43.89 43.89 43.62 43.62		0 $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$	$\frac{1}{2}$	28.00 29.01 29.03 30.01 30.03 31.09 31.09 32.18
5 J/MNL/K 109.289 110.118 113.597 116.936	05.48 009.15 112.36 114.90 114.90 118.63 118	119.52 21.63 22.63 22.65 23.66 25.55	26.47 27.37 28.26 29.13 29.13 30.81 31.63 32.43	234.771 235.524 235.623 236.423 239.813 242.484 245.029 246.259 247.453
J/HOL 3.7 157.7 157.7 823.8 1498.2	0372 00619 11307 11406 11066 11066 11066 11066 11066 1106 106	44063. 4411. 5111. 5462. 5815.	6881. 7240. 7240. 7360. 7361. 8324. 8588.	30162.3 30535.1 31285.2 32042.2 32706.1 334355.1 34355.1 35732.6 36732.6 38732.6
J/MDL .2 154.2 870.3 1494.6	88638 88638 990623 9956 9956 9956 9956	1419. 1683. 1948. 2215. 2482. 2751.	33563. 33641. 44118. 4675. 4675. 55228.	26095.8 26384.9 27558.4 27558.4 28155.5 29759.8 29371.1 29389.6 30615.4 31288.4
0P/0D 41.3264 40.5294 37.5896 34.8014	00000000000000000000000000000000000000	.627 .712 .796 .881 .966 .050	2003 2003 2003 2003 2003 2003 2003 2003	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
DP/DT MPA/K 2.095031 2.062893 1.929806 1.804344	0044 0034 0034 0034 0034 0034	0031 0031 0029 0029 0024 0027	0025 0023 0023 0023 0022 0022	.000203 .000203 .000195 .000181 .000184 .000159
00203 00221 00201 00207 00206	979797 9817 9859 9875 9988 9991 9991 9991 9992	00000000000000000000000000000000000000	14999. 99694. 99733 99759. 99769. 99769.	
DEN MOL/L • 291376+02 • 290196+02 • 28996+02 • 279946+02	584236 558425 558425 551560 647398 647398 647398 647398 647398 647398 647398 647398 647398 647398 647398 647398 647398 647398 647398 64739	38319E-0 37139E-0 35030E-0 34987E-0 34002E-0 33072E-0	4396E-C 6099E-C 6099E-C 766E-C 145E-C 438E-C	25.9966-1 25.996-1 25.996-1 25.996-1 20.3366-1 20.3366-1 20.3366-1 20.3366-1 20.3366-1 20.3366-1 20.3366-1 20.3366-1 20.3366-1
187.676 190.000 200.000 710.900	800000000000000000000000000000000000000			

Table 14. Continued.

.15000 MPA

HYDRIGEN SULFIDE ISTRAR AT P ..

M/SEC 1364 1354 1311 1268 1224	0.4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	9
F/P •1545E+00 •1797E+00 •3294E+00 •5651E+00 •9174E+00	アアろうゅつろう ゆうろつてこめ こでよみ でつろる ほのこ みらて のえん のほうまこう 日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日	994E+0
CP J/MDL/K 67.37 67.52 68.14 69.18		0 ° 9
CV 43.89 43.89 43.89 43.62 43.62 43.62	255 81 25	2 • 5
S J/MGL/K 109.288 110.115 113.594 116.933 120.140	203.346 204.754 206.238 207.6538 209.016.320 2110.320 2115.794 215.109 215.109 215.109 215.200 216.330 226.94 227.94 227.95 229	45.37
J/MUL 5°4 158°8 158°8 1499°3 2184°4	20600.1 21256.4 21256.4 21513.6 21950.0 22352.2 22352.2 22352.2 22352.2 22456.1 22552.2 25559.2 25559.3 25559.3 25559.3 25559.3 25559.3 25559.3 2555.	8347。
E J/MOL .3 153.6 819.6 1403.9 2178.9	198144.3 199574.3 199373.8 199374.8 20095.2 20355.9 20417.1 202503.0 22203.0 2	2531.
DP/DD 41.3305 40.6425 37.7032 34.8152 31.9763	11.200 11.200 12.200 13.300 14.300 15.300 16.300	.810
00/07 PA/K 2.095207 2.063207 1.930122 1.804683 1.685931	0000719 0000685 0000685 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671 0000671	0021
2 .00330 .00327 .00307 .003098	00000000000000000000000000000000000000	991
DEN *291386+02 *290206+02 *285116+02 *279966+02 *274736+02 *274736+02	\$39946-01 768216-01 775826-01 6738466-01 673826-01 673826-01 6738466-01 587966-01 587966-01 587966-01 587966-01 587966-01 477566-01 477566-01 477566-01 477566-01 47756-01 47756-01 47756-01 376946-01 3776-01 3776-01 37776-01 37776-01 37776-01 37776-01 37776-01 37776-01 37776-01 37776-01	94E-0
187.586 190.000 200.000 210.000 220.000	2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	00.00

M/SEC 1364 1354 1311 1268 1224	0 0 1- 1- 0 0 0	O = = N N M M 3	2	376 380 387 391 402 410	0.000004000000
F/P •11616+00 •13496+00 •24736+00 •68876+00	9684E+(96973E+(972E+(973E+(973E+(973E+(972	9859E+C 9872E+C 9883E+C 9892E+C 9901E+C	9922E+0 9923E+0 9933E+0 9943E+0 9957E+0	.995/E+00 .996/E+00 .996/E+00 .996/E+00 .996/E+00 .997/E+00	982E+0 986E+0 988E+0 989E+0 992E+0
CP 67.37 67.52 67.52 68.14 68.69 69.18	W W W W & & & & & & & & & & & & & & & &		v v v v v v v v v v v v v v v v v v v	36.65 36.77 37.08 37.72 37.74 38.08	9.4
CV 43.89 43.89 43.62 43.62 43.62			0	28.31 28.47 28.64 28.64 29.92 29.92	00.3 10.0 11.4 22.1
S J/MJL/K 107.239 113.591 115.929 120.136	01.79 02.21 03.71 05.15 06.52 07.84	111.51 12.66 13.77 114.85 115.90 116.92	118.84 119.83 20.75 21.67 22.56 23.43 25.12	225,442 227,541 228,320 229,085 231,314 232,745	35.49 36.81 38.09 39.35 40.59 41.79
J/HOL 7.3 159.9 826.0 1500.4 2185.4 2692.8	0771. 0867. 1221. 1573. 1923. 2272. 2621.	3318. 3667. 4017. 4368. 4719. 5072.	51.74 51.35 64.92 68.50 72.10 75.71 79.34	296946 29768.6 29768.7 30140.3 30513.6 31265.1 32023.3	3560. 4339. 5125. 5918. 6718. 7526.
153.0 819.0 1493.2 2178.1	8947. 9019. 9285. 9548. 9811. 0073. 0336.	0862. 1126. 11390. 1656. 1922. 2459.	20000 3273 3547 3822 4099 4558	25527.5 25527.5 25503.4 25503.4 25503.4 255370.8 27555.8	8748. 99560. 9979. 0605. 1238. 1879. 2527.
0P/0D 41.3410 40.4561 37.7170 34.8295 31.9910	752 779 874 967 059 150 239	505 505 676 755 855 938		3.7004 3.8746 3.8746 4.04591 4.2086 4.4649	. 901 . 969 . 136 . 304 . 477 . 439
DP/OT MPA/K 2.095387 2.063529 1.930446 1.805011 1.686264	0094 0093 0084 0086 0076 0073	00068 00063 00063 00063 00058	000000000000000000000000000000000000000	.000439 .000429 .000420 .000420 .000420 .000420	00033 0033 0033 0033 00030
2 .00440 .00436 .00409 .00398	31034000	9848 9961 9984 9984 9990 9900	99999999999999999999999999999999999999	60000000000000000000000000000000000000	00000000000000000000000000000000000000
DFN MDL/L •29138E+02 •2902PE+02 •2797E+02 •27475E+02	966F+0 823E+0 327E+0 708E-0 965E-0 357E-0	81417E-0 7H682E-0 76131F-0 73745E-0 71508E-0 67427E-0	653795E-0 662125E-0 662125E-0 59037E-0 556246E-0	709E 399E 310E 272E 401E 567E	41553E-0 40168E-0 3355666E-0 355618E-0 35518E-0 35518E-0
187.696 190.000 210.000 220.000 220.000	00000000000000000000000000000000000000	0000000			000000

.30000 MPA

HYDPOGEN SULFIDE ISOBAR AT P ...

M/SEC 1364 1355 1312 1268 11225 11181	マンシン のいしょうしょう ちょうしょう にっぽっぱい こうこう こうこう こうこう とうちゃか ちょう かかか かん しょう	9
F/P •7766E-01 •9015E-01 •1652E+00 •2834E+00 •4601E+00 •7125E+00	.9570E+00 .9635E+00 .9675E+00 .9737E+00 .9737E+00 .9737E+00 .98895E+00 .98895E+00 .98896E+00 .9899E+00 .9998E+00 .9998E+00 .9952E+00 .9952E+00 .9952E+00 .9952E+00 .9952E+00 .9952E+00 .9952E+00 .9952E+00 .9952E+00 .9952E+00 .9952E+00	987E+0
CP 67.36 67.36 67.52 68.13 69.68 69.68		6.0
J/MOL/K 43.89 43.89 43.69 43.62 42.78 42.78	20000000000000000000000000000000000000	2.5
J/MOL/K 109.290 110.106 113.585 116.923 120.129	199.615 201.551 202.957 206.830 206.83	39.59
J/MUL 10.9 162.2 162.2 828.3 1502.5 2187.5 284.1 3378.5	21016.0 211125.5 21126.0 211487.8 222202.3 222202.3 22556.7 225100.2 23516.0 225346.0 225346.0 225346.0 225346.0 225346.0 225346.0 225346.0 22756.0 22756.0 22756.0 22756.0 23510.0 3356.0 3356.0 3356.0 3356.0 3356.0 3356.0 3356.0 3356.0 3356.0 3356.0 3350.0 3350.0 3350.0	8328.
J/MOL 151.9 151.9 817.7 1491.8 2176.6 2873.0	199140.0 199222.0 199493.1 197611.8 200293.1 200295.1 200826.9 213593.1 22359.3 222434.5 22359.3 22359.7 22599.7 2259.7 2	2517.
DP/DD 41.3618 40.6832 37.7448 34.8580 32.0203 29.2313	11.00 11.00 11.00 11.00 10.00	.800
DP/DT HPA/K 2.095747 2.064174 1.931094 1.805666 1.685929 1.574025	0013399 001330 001130 0	0043
2 .00660 .00654 .00633 .00597 .00582	10000000000000000000000000000000000000	83
DEN *29140E+02 *29024E+02 *285154E+02 *28006E+02 *27478E+02 *25945E+02 *25945E+02	004000000000000000000000000000000000000	1633E-0
187,716 190,000 200,000 210,000 220,000 230,000		00.

HYDROGEN SULFIDE ISOBAR AT P = .40000 MPA

SEC 3365 3355 2269 1137	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-Ω
F/P 5845E-01 1242E+00 1242E+00 2130E+00 3457E+00 13457E+00 17960E+00 17960E+00	467E+00 559E+00 559E+00 545E+00 735E+00 735E+00 735E+00 735E+00 735E+00 735E+00 736	182E+00
0 CP 0 CP	4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	. 86.0
J/MOL/K 43.89 43.89 43.62 43.62 42.78 42.78 42.14	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 - 5
5 109.292 110.100 113.579 116.916 120.122 123.207 126.179	198.071 198.904 200.349 201.723 203.036 205.507 205.607 206.678 206.995 212.995 212.995 212.995 212.995 212.995 212.995 212.995 212.995 212.995 212.995 212.995 212.995 212.995 212.995 222.490 222.490 222.490 222.490 223.490 223.490 223.490 223.490 223.590 223.684 223.684 223.693 223.684 223.695 223.695 223.695 223.695 223.695	37.18
J/MOL 14.6 164.5 154.5 1504.7 2189.6 2886.1 3593.9	21189 2137648 2217648 22217648 2221868 2235623 235623 246216 26762	8315.
J/MOL 150.8 150.8 1490.5 2175.1 2871.3 3897.6	194788.0 194980.1 20251.0 20251.0 200520.0 210580.0 210580.0 221058.0 22106.0 2210	2508.
DP/DD 41.3827 40.7102 37.7725 34.8865 32.0496 29.2615 26.5230	11.	. 793
DP/DT	.001855 .001793 .001616 .001616 .001844 .001360 .001185 .00118	0057
2 000879 000843 000818 00796 00776		. 39772
DEN #0L/L .291416+02 .290266+02 .285176+02 .280036+02 .280036+02 .264046+02 .264046+02 .264046+02	-20930E+00 -19453E+00 -17874E+00 -17874E+00 -17874E+00 -15975E+00 -15975E+00 -15975E+00 -15975E+00 -15975E+00 -15976E+00 -15976E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13615E+00 -13616	- 3 %
187.737 190.000 200.000 210.000 220.000 240.000	244.463 250.000 260.000 270.000 280.000 320.000 320.000 350.000 350.000 350.000 360.000 360.000 360.000 440.000 440.000 440.000 440.000 440.000 440.000 440.000 440.000 440.000 440.000 440.000 440.000 440.000 440.000 440.000	00.00

Table 14. Continued.

HYDROGEN SULFIDE ISOBAR AT P

M/SEC 1365 1355 1355 1269 1226 1182 1138	00000000000000000000000000000000000000	9
F/P • 6693E-01 • 5432E-01 • 9955E-01 • 1708E+00 • 2771E+00 • 4292E+00 • 6380E+00 • 9143E+00	9474E+00 9943E+00 9950E+00 9953E+00 99632E+00 99632E+00 99743E+00 99743E+00 9978E+00 9978E+00 9978E+00 9979E+00 99860E+00 99860E+00 99860E+00 9997E+00 9997E+00 9998E+00 9998E+00 9998E+00 9998E+00 9998E+00 9998E+00 9998E+00	976E+0
CP 67.36 67.36 67.51 68.66 69.15 69.61 70.06		0
J/MOL/K 4433.894 4433.894 4423.894 442.184 411.964 11.964	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2
S 109.293 110.094 113.572 116.909 120.115 123.199 126.171 129.040	196.869 199.263 199.263 201.010 202.203 203.520 204.010 206.028 206.028 206.028 212.035 212.035 212.035 212.035 212.035 212.036 213.373 225.031 225.031 225.051 225.051 225.051	35.31
J/MUL 18.2 18.2 156.8 832.8 1506.9 2191.7 2888.1 3595.8 4313.1	21320 225050 225050 227613 2277613 2277613 2277613 2277613 22776 20776 207776 207776 20776 20776 20776 20776 20776 20776 20776 20776 20776 20776 207776 207776 20776 20776 20776 20776 20776 20776 20776 20776 207	8302.
L J/MOL 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	199384.3 196590.7 202020.7 210294.6 211023.1 221110.1 222556.0 224621.6 224621.6 224621.6 224621.6 224621.6 224621.6 224621.6 224621.6 224621.6 226035.3 226035.3 226035.3 226035.3 226035.3 226035.3 226035.3 226035.3 226035.3 226035.3	2499
DP/DD 41.4035 40.7373 37.8003 34.9150 32.0789 29.2917 26.5542 23.8683 23.7050	11.00.00.00.00.00.00.00.00.00.00.00.00.0	.786
0P/DT MPA/K 2.096468 2.065466 1.935390 1.806975 1.668260 1.575384 1.467564 1.364071	.0002317 .00020185 .00020185 .001947 .0011947 .0011947 .0011945 .0011947 .0011947 .0011947 .0011947 .0011947 .0011947 .0011947 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885 .00101885	0072
01099 01099 01054 01023 000995 00995 00991	0 L 4 O L O M L O N 4 D B O I N 4 D D D C D C N K M 4 D D D D 4	0
DEN *29143E+02 *29029E+02 *28520E+02 *28006E+02 *27484E+02 *25952E+02 *25952E+02 *25952E+02 *25952E+02 *25952E+02	25818E+00 224668E+00 22588E+00 21694E+00 20876E+00 19430E+00 118186E+00 117626E+00 11766E+	55E-0
T 190.000 200.000 210.000 220.000 230.000 240.000 250.615	000000000000000000000000000000000000000	0

.60000 MPA

HYDRUGEN SULFIDE ISOBAR AT P =

,	2 4	9 6	, ה	1270	22	18	13	00	90			283																																	
F / P	7 11 11 11 11	0 - 3 / 2 / 6	0-3166F	.1426E+00	2314E+0	3583E+0	5327E+0	7633E+0	9287E+0	87E+(	9324E+(	9397E	5 BE+C	11E+(	26E+(	96E+0	31.E+0	52E+0	90E+0	15E+0	37E+0	57E+0	75E+0	9791E+0	9806E+0	19E+0	32E+0	9843E+0	3E+0	9863E+0	72E+0	30 E +0	38E+0	95E+0	1E+0	13E+0	3E+0	32E+0	0 E + 0	7E+0	9953E+0	8E+0	3E+0	7E+0	11E+0
2	7,7	0 0 6	, E	68.66	9.1	9.6	0.0	0.5	0.8	6	8 . 8	37.96	7.5	6.9	9 • 9	9 . 9	6.3	6.2	6.2	6.2	6.2	6.2	6.3	9.9	5.4	5 . 5	9.9	6.7	6.9	7.0	7.1	7.2	7 . 4	7.5	7 . 7	9.0	8 9	9.6	9.9	9.3	9.6	6.6	0.3	9.0	0.1
C	/ HUL /	ם פית	י י י		3.2	2.7	2.1	1.3	0.8	7 . 4	7.2	26.94	6.7	9 • 9	9.9	9 • 9	9.9	6.7	6.8	6.9	7.0	7.1	7.2	7.3	7.5	1.6	7.7	7.9	8.0	8.2	8 . 3	8 . 5	8.7	8 . 8	0.6	9.3	0.7	0.0	4.0	0.7	1.1	1.4	1.8	2.2	2.5
2	71057	20.01	13.56	116.903	20.10	23.19	26.15	29.03	30.68	95.88	96.49	197.946	99,31	00.61	01.86	03.06	04.22	05.34	06.42	07.47	08.49	09.48	10.45	11.40	12,32	13.22	14.10	14.97	15,81	16.64	17.46	18.25	19.05	19.82	27.58	55.06	23.50	24.90	26.27	27.59	28.89	30.15	31,39	35.40	33.78
•	E =	4 0	3 4	500	193	90	597	314	141	1425.	1585.	21969.5	2346.	2717。	3085.	3451.	3815.	417B.	4541.	4903.	5266.	5528.	5991.	6355。	6719.	7085.	7451.	7818.	8187.	8556。	8927.	9299	9673.	0048	0424.	1181.	1944.	2714.	3400.	4273.	5062.	5R59.	6662.	7472.	8290·
	Ξ,	. 4 4	7 7	1487.7	172.	67.	574.	291.	718.	9469	9589.	19875.7	0157.	0435.	0711.	0986.	1260.	1534.	1808.	2082.	23 6.	2631.	2907.	3184.	3462.	3741.	4021.	4305.	4585.	4869.	5154.	5441.	5729.	6019.	6311.	5898.	7492.	9095.	8700.	9314.	9638.	0563.	1198.	1840.	2489.
0 / 40	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	764	7.828	0	2.108	9.321	6.585	3.900	2.342	.779	.827	1.9406	.04R	.153	.254	.353	.450	.546	.641	.734	.827	.919	.010	.100	.190	.280	•369	.457	.546	.634	.721	909	.896	. 983	.070	.243	.415	.587	.759	.930	.100	.271	.441	.610	.780
DP / DT	00400	0.0400	.02203	762	.68892	.57506	.46826	.35479	.30552	0278	0271	.002549	0241	0229	0219	00210	0202	00194	00187	00181	00175	00110	00165	00160	00155	0151	00147	00144	00140	00137	00134	00130	00128	00125	00122	0117	00113	00108	010	0101	009R	00994	0001	0080	0 H 6
7	-	120	S <	.01227	0	40	C.	print	0110	9 2	236	932	405	464	518	564	603	638	699	696	720	742	761	778	194	. 98088	921	39.33	944	3.54	853	872	. 48801	99	904	906	+1F	925	933	947	346	286	5	361	6.
DEN	70144640	200316+0	8523F+0	28009E+0	27487E+0	6956E+0	6411E+0	5850E+0	25509E+0	30676E+0	051E+0	28656E	27412E+0	26291E+0	25272E+0	1336E+0	23481F+0	22687E+0	0+30561	21264E+0	)622E+0	20020E+0	19455E+0	18922E+C	18419E+C	17944E+C	17493E+0	17065E+0	15560E+0	15273E+0	ф 	15552E+0	152168+0	14895F+C	14587E+0	14009E+C	3476E+0	12983F+0	525F+0	12099F+C	11701E+0	113298+0	9416+0	6538+0	.103446+60
<b>⊢</b> ≥	44 40	00.00	00.00	0.0	20.00	30.00	40.00	50.00	55.89	5.89	00.00	270.900	00.00	00.00	00.00	00.0	00.00	30.00	00.00	20.00	90.09	20.00	30.00	90.00	00.00	00.01	20.00	30.00	40.00	50.00	00	70.07	70°0%		00.00	20.00	0.0	50.00	A0.00	00.00	20.05	40.05	0.00	0.0	C.

Table 14. Continued.

.70000 MPA

HYDROGEN SULFIDE ISOBAR AT P .

M/SEC 1356 1356 1313 1270 1227 1183 1094	ストール・アントールール・アントールールールールールールールールールールールールールールールールールールール	2400
F/P • 3376E-01 • 3141E-01 • 125E+00 • 1987E+00 • 3078E+00 • 4574E+00 • 4574E+00 • 4574E+00	99207E+00 99426E+00 99426E+00 9959EE+00 9959EE+00 9959EE+00 9959EE+00 9959EE+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00 99736E+00	56E+0 56E+0 51E+0 56E+0
CP J/MOL/K 67.35 67.50 68.11 68.65 69.14 69.59 70.03		0001
J/MOL/K 433.089 433.089 433.089 423.089 423.08 423.08 423.08 423.08 423.08 423.08 423.08	27.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.	22.0
S J/MOL/K 109.296 110.085 1116.895 1120.101 123.184 124.155 129.023 131.984	195.040 197.0466 197.0466 201.0469 201.0661 202.0830 203.0830 203.0830 203.0830 203.0830 210.0861 211.0830 211.083	0.09 0.09 1.30 2.49
J/MOL 25.6 171.4 837.3 1511.3 2195.9 2892.2 3599.5 4316.5 5040.9	21511.3 222770.3 222770.3 222770.3 233023.4 24129.6 24129.6 24129.6 24225.1 25525.1 25525.0 25	7459. 8277.
E J/MOL 1.6 147.3 147.3 812.7 1486.3 2170.5 2865.2 3573.0 4289.5 5013.2	199540.3 201006.7 201006.7 201006.7 200390.0 20048.5 21501.7 221501.7 221501.7 22150.0 22150.0 22137.5 25137.5 25137.5 25137.5 25137.5 25137.5 25137.5 25137.5 25006.1 25006.1 25006.1 25006.1	1188. 1830. 2480.
0P/00 41.4452 40.7914 37.8557 34.9719 32.1375 29.3520 26.6164 23.9327 21.3033	11.00.00.00.00.00.00.00.00.00.00.00.00.0	.434 .604 .774
DP/DT MPA/K 2.097188 2.066750 1.933684 1.689589 1.576742 1.468962 1.365519 1.265719	0003063 0002886 0002886 0002893 0002893 0002893 0002893 0002893 0002893 0001832 0001698 0001693 0001693 0001693 0001693 0001698 0001693 000169	0107
201538 01526 01476 01431 01358 01358 01358		950 950 950
0EN -29145E+02 -29034E+62 -2952FE+02 -2812E+02 -27490E+02 -25415E+02 -25415E+02 -255239E+02		2620E+0 2820E+0 2436E+0 2075F+0
187.798 197.000 200.000 220.000 240.000 250.000 250.000 250.000	2 2 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000

.80000 HPA

HYDROGEN SULFIDE ISOBAR AT P .

M/SEC 1366 1357 1314 1271 1184 1199 1096	00000000000000000000000000000000000000	N M 4 4 M 10
F/P .2964E-01 .3418E-01 .6262E-01 .1745E+00 .1743E+00 .2698E+00 .4010E+00 .5746E+00 .9131E+00	9131E 994094 994096 994096 994096 997400 997400 997400 997396 997396 997396 997396 997396 997396 997396	28E+0 336E+0 336E+0 63E+0 749E+0 75E+0
J/MOL/K 67.35 67.35 67.49 68.64 69.13 70.02 70.02 71.02		7.000
J/ADL/K 43.000 43.000 43.003 43.003 42.000 42.14 41.30	22	11.1
5 1/401/K 109.297 110.076 1116.890 120.094 123.177 126.147 129.015 131.789	1944.30 1955.100 1955.100 1976.898 1997.898 2016.605 2016.605 2007.915 2007	25.16 26.45 27.73 28.96 30.18
J/MOL 29.2 173.7 1839.5 1513.5 2198.0 2894.2 3601.4 4318.3 5042.4 5388.1	21592.4 221795.8 222191.8 223335.6 23335.6 23335.6 224079.2 24079.2 25517.9 25550.8 25	5031. 5829. 6634. 7446.
J/MOL 1.00 1.00 1.00 1.00 1.00 2.10 2.10 2.10	199599 200533.9 200533.9 2005033.9 201899.6 211899.6 214668.4 2225803.3 2225803.3 225890.0 24263.8 25408.1 255089.3 255089.3 255089.3 255089.3 255089.3 255089.3 255089.3 255089.3 255089.3	9290. 9913. 0542. 1178. 1821. 2471.
0P/00 41.4661 40.8184 37.8834 35.0003 32.1667 29.3821 26.6475 23.9648 21.3365	11. 12. 12. 13. 14. 15. 16. 16. 16. 16. 16. 16. 16. 16	. 412 . 084 . 255 . 427 . 598
DP/DT PPA/K 2.097547 2.067343 1.936331 1.690252 1.577421 1.469660 1.366243 1.266475	.003748 .0003883 .0003883 .0002772 .0002772 .0002772 .0002772 .0002772 .0002772 .0002772 .0002772 .0002772 .0002737 .000277 .0002737 .00027777 .0002737 .0002737 .0002737 .0002737 .0002737 .0002737 .00027777 .0002777 .00027777 .000277777 .00027777777777	00133 00131 00127 00123 00119
2 .01758 .01776 .01686 .01691 .01552 .01518 .01488	**************************************	255320
DEN -291476+02 -290366+02 -285286+02 -280146+02 -280146+02 -26936+02 -26936+02 -25976+02 -259776+02 -259776+02 -259776+02	7477 7577	151535 + 0 15529 F + 0 15129 E + 0 14551 F + 0 14222 F + 0 13808 F + 0
T K 187.818 190.000 200.000 250.0000 250.000 250.000 250.000 250.000 250.000 250.000 250.000 250.000 250.000 250.000 250.000 2	254.742 270.000 280.000 310.000 310.000 330.000 340.000 340.000 340.000 340.000 340.000 340.000 340.000 340.000 340.000 340.000 340.000 340.000 340.000 340.000 340.000	

Table 14. Continued.

M / SEC 1357 1357 1357 11002 1002 1002 1002 1002 1002 1003 1003	0040004400
-2388E-01 -2746E-01 -2746E-01 -1400E-01 -32167E+00 -32167E+00 -4614E+00 -6395E+00 -9519E+00 -973E+00 -952E+00 -952E+00 -952E+00 -952E+00 -952E+00 -952E+00 -952E+00 -953E+00 -953E+00 -953E+00 -953E+00 -962E+00 -962E+00 -962E+00 -963E+00 -	9852E+0 9869E+0 9884E+0 9897E+0 9919E+0 9936E+0 9936E+0
J/MOL/A 6770 6770 6770 6770 6770 6770 6770 677	000000000000000000000000000000000000000
1/ADL/ADL/ADDL/ADDL/ADDL/ADDL/ADDL/ADDL/	2
1/MOL/K 1009.300 1113.541 1115.876 1123.064 1123.166.876 1123.166 1123.166 1134.266 1134.266 1134.266 1134.266 1136.889 1137.266 1138.266 1139.066 1139.066 1139.066 1139.066 1139.066 1139.066 1139.066 1139.066 1139.066	17.71 19.15 20.57 21.94 22.57 25.84 27.08 29.29
1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1098. 1866. 2640. 3421. 5001. 5900. 6606.
00000 MPA 3/MOL 1482.2 1482.2 28651.1 1482.2 28651.1 1999.0 1999.0 1999.0 1999.0 1999.0 1999.0 1999.0 1999.0 1999.0 1999.0 20828.3 21115.3 21115.3 2225.2 2225.2 2225.3	6840. 7438. 8041. 8651. 9267. 9890. 1157. 1157.
AT P = 1 DA-L/HOL 41.5077 40.8724 37.9388 35.0572 29.4424 20.4252 20.4264 20.4264 20.4264 20.4264 20.4264 20.4264 20.4264 20.4264 20.4264 10.4372 11.8438 10.4372 12.90891 20.4170	
DE ISOBAR  DP/DT  NPA/K M  2.008266  1.0935524  1.057376  1.057371  1.057371  1.057371  1.057371  1.057371  1.057371  1.057371  1.057371  1.057371  1.057371  1.057371  1.057371	00198 001190 001183 00176 00176 00159 00159
N SULFI 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9846 9863 9878 99878 9913 9937 9937
2911000 BE STORT BE S	23490E+0 22581F+0 21741E+0 20964E+0 20242E+0 119950E+0 118351E+0 17798F+0
1187-1189-1189-1189-1189-1189-1189-1189-	200 400 600 600 600 600 600 600 6

HYDROGEN SULFIDE ISOBAR AT P . 1.20000 MPA

	, rr	1367	33	31	12	77	9	14	60	05	00	96	_	_	Θ	0	O.	0	~	<b>—</b>	$\sim$	$\sim$	ന	3	343	40	LO.	10	9	2	~	P~ I	~	00	20	0	0	0	and I	N.	C/J	3	-0	32	iO	-0
F / P		.2004E-01	2298E-0	4210E-0	/21/E-0	171E+0	18136+0	2694E+0	3860E+0	5348E+0	7185E+0	8866E+0	66E+0	91E+0	036+0	9099E+0	9182E+0	54E+0	9318E+0	9375E+0	25E+0	9470E+0	9510E+0	46E+0	9579E	0 9 E + 0	9636E+0	51E+0	9684E+0	05E+0	24E+0	41E+0	58E+0	73E+0	87E+0	0 + 3 O C	23E+0	436+0	51E+0	76E+0	90E+0	0+32C	136+0	23E+0	31E+0	3 9 E + 0
2	01/		500	о . О .	9 0		6.0	6.6	4.0	6.0	1.6	2.3	4 • 3	3.9	1.9	9.0	9.7	9.0	8 . 6	8 .2	7.9	7.7	7.6	7.5	37.50	7.4	1.4	7.5	7.5	9.2	7.6	7.7	7 . 8	6.2	0 . 8	8.1	8 ° 4	9.8	8.9	9.2	6.6	6.6	0.2	0.5	0.8	1 . ?
2	חוו/		30,9	о О (	3.0	3.6	7 . 7	2 . 1	1.3	0.4	9.3	8 • 3	0.6	8.9	8.2	7.8	7.6	7.5	7.4	7.3	7.3	7.4	7.4	7.5	27.64	7.7	7.8	7.9	0.8	9.2	9	8.5	9.6	8 . 8	က်	9.1	6.4	6.7	0.1	0.4	0.8	1.1	1.5	1.8	2.2	2.5
2	/ HUL/	109,303	10.05	13.52	10.80	20.05	63014	26.11	28.99	31,75	34.44	36.76	92.02	92.28	93.78	95.18	96.50	97.75	96.94	60°00	01:10	02.26	03.29	04.30	205.275	06.22	07.15	08.05	08.93	09.80	10.64	11.47	12.28	13.08	13.87	14.64	15.14	17.59	10.00	20.38	21.71	23.02	24.29	25.53	26.75	27.94
2	⊋ E (	43.	63.	9000	5220	ė c	. 20 h	609	325.	048.	776.	389.	1774.	1845.	2274.	2687.	3088.	3482.	3871.	4255.	4636.	5014.	5391.	5767.	26143.1	6518.	6892。	7267.	7643.	8018	8395	8772.	9150.	9529	.6066	0290	1056.	1827.	2604。	3387.	4175.	4970.	5771.	6579.	7393.	8215.
-	0 1 7	2.	1410	80%	1479	2012	./ 682	3563	4278.	5001.	5728.	6340.	9763.	9816.	0135.	0443.	0743.	1037.	1328.	1616.	1903.	2188.	2473.	2758.	23042.4	3327.	3612.	3898°	4184.	4471.	4760.	5049	5340.	5631.	5924.	6219.	6811.	7410.	8015.	8626.	9244.	9868.	.6640	1137.	1781.	2433.
140		5	26.0	7.99	5.11	2.28	000	6.77	4.09	1.46	8.90	6.19	.709	,733	.872	.002	,124	.240	352	.450	. 566	699.	.771	.870	2.9692	•066	.162	.257	.351	444	,537	.629	.721	.812	. 903	.993	.173	.351	.528	.704	.879	.054	.226	.401	. 574	.747
10 / 00 10 / 00	4	96850	966900	. 93691	. H1154	062690	• 28013	.47244	.36913	.26949	.17285	.09362	7750	9990	00527	2463	99400	00445	00421	00403	00386	00372	00358	00346	.003354	00325	00315	00306	00297	00200	00282	00275	00268	00252	00256	00250	00240	20230	00221	0213	00205	00148	0192	0185	190	0174
Z		.02635	197	262	642	23.4	235	227	223	21	216	21	858	8714	691	8995	0.1	0110	9566	9332	061	0441	9486	526	9562	969	9623	549	573	595	715	734	750	765	N N	466	817	80 60 60	355	A71	9.85	197	90 B	117	926	-
٥ :	HOL.	29152E+0	29046F+0	8538E+0	28026E+0	27506E+0	26976E+0	6434E+0	5875E+0	5295E+0	24690E+0	4158E+0	59689E+0	150E+0	56112E+0	53479E+0	155E+0	49076E+0	47196E+0	45484E+0	43912E+0	42463E+0	411196+0	39869E+0	38701E	37606E+0	3657RE+0	9 1 0 E + 0	34696E+0	33831E+C	33011E+0	32232E+0	31492E+(	3787F+C	301156+0	29472E+0	28270F+0	71676+0	261496+0	2520BE+0	4334F+C	3520F+(	27608+0	10406 01	13926+0	0755640
<b>}−</b> ;		87.90	90.00	00.00	10.00	20.00	30.00	40.00	50.00	00.09	70.00	.38	8.38	00.0	00.00	00.00	00.0	00.00	00.01	00.00	00.00	0000	00.00	30°0	390.000	00.00	10.00	20.02	30.00	40.0	50.00	60.00	70.00	0.0	0.06	00.00	20.90	0.00	60.00	90°U	00.00	20.00	40.00	. 2	40.00	-

Table 14. Continued.

HYDROGFN SULFIDE ISDBAR AT P = 1.40000 MPA

11111111111111111111111111111111111111	2 2 10 20
F/P 1730E-01 1979E-01 1506E-01 1560E+00 1	898E+0 910E+0 920E+0 929E+0
	000
1/2	22.0
1100.040 1113.516 1120.040 1120.040 1120.053 1120.053 1120.053 1120.053 1120.053 1120.053 1134.053 1194.053 1197.051 1197.051 1197.053	25 · 98 25 · 44 25 · 44 26 · 63
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5743. 6552. 7368. 8190.
11300000000000000000000000000000000000	3478. 1116. 1762. 2414.
PAALLANDE 401.579400 302.000 302.000 203.0000 203.0000	.213 .390 .554 .737
00000000000000000000000000000000000000	0224 0217 0210 0204
またいこうこうこう ちんもりしょうきょうみんそうちょうかん アファファラッカー ちょり ししり ロース・ア・トー しゅうしょう しょうしょう しょうしゅう	7000
10000000000000000000000000000000000000	6290E+0 5756E+0 4973E+0 4238E+0
40000000000000000000000000000000000000	0000

1317 1274 1231 1188 099

293 300 307 313 319

330 336 341 346 356 360 365

351

369 374 378 382 386 390

398

421 428 435 145

191

.1370E+00 .2036E+00 2916E+00 .4041E+00 .7082E+00 1739E-01 .3184E-01 .5457E-01 8852E-01 .5428E+00 8644E+00 8664E+00 8796E+00 .8909E+00 .9007£+00 1525E-01 8644E+00 9093E+00 9169E+00 .9236E+00 .9296E+00 .9350E+00 .9398E+00 .9442E+00 .9482E+00 .9518E+00 .9551E+00 9581E+00 .9608E+00 .9634E+00 .9678E+00 .9717E+00 .9792E+00 9657E+00 .9698E+00 9734E+00 .9765E+00 9815E+00 9908E+00 9836E+00 .9854E+00 9870E+00 9884E+00 9897E+00 9918E+00 J/MOL/K 67.32 67.46 8.06 8.59 69.06 71.4972.36 40.56 19.88 0.34 0.85 65.50 2.76 41.49 66.81 38.33 01.81 18:49 18.19 18.25 38.40 47.37 18.70 18.22 18.15 38.11 18.11 18.14 38.32 18.50 96.81 19.20 0.38 040.70 41.02 16.69 18.71 39.48 14.77 10.04 43.63 43.28 42.79 43.89 43.90 43.83 38.17 28.20 27.79 2.15 0.43 6.37 30.06 29.08 8.55 27.85 27.75 27.92 8.11 8.22 8.34 8 . 47 8.60 8.74 8.88 9.03 9.18 64.6 9.82 0.15 30.49 0.84 31.54 31.89 32.25 32.61 MOL/K 28.01 27.75 31,19 110,028 190.348 09.308 /MOL/K 115,837 23,118 94.829 97.290 98.439 20.039 26.084 947 31.715 37.015 139.459 92.062 93.492 96.090 99.543 201,636 02,633 203.602 04.545 207.237 208.093 08.932 209.754 210.560 211,351 8 213.642 216,528 217.908 219.252 221.838 223,085 224,305 34.401 00.607 205.464 205,351 215,107 220.561 225.499 212,12 28.9 58.5 27525.9 1531.0 21877.3 857.5 7170.6 5054.8 5782.0 877.3 3550.7 24052.8 6763.5 981804 4910.5 5715.0 37342.9 JUHUL 192.2 2910.3 1616.6 4332.2 6512.0 22383.7 22819.9 24449.0 25614.9 5999.0 6381.7 27144.8 8288.2 8669.8 9052.0 9434.8 0202 0 6.47601 11751.4 2532.8 13319.6 16525.7 18166.5 23240.7 4840.7 5229,1 1411201 1.50000 MP 37395.9 4270.4 4991.6 5717.3 9857.4 3.6 137.1 801.5 473.9 25860.6 29823.8 7102.5 21478.2 6.77645 0454.8 2156.8 851.0 3556.1 6445.5 0233.4 20557.7 20871.3 21177.4 21775.3 2069.6 2362.0 25653.2 22943.5 23233.4 3523.2 23813.1 4103.4 24394.2 24685.7 25271.1 25565.3 26157.1 26753.8 27355.8 7963.6 8577.4 9197.4 31096.4 JUHUI 5.3797 2.7822 2.8862 2.2214 3 . 9478 4.8508 5.0279 5.72 AG 1.6539 2.3410 2.9883 3.0889 3.1880 3.2850 3,3830 3.4790 3.7622 3,8553 4.1314 4,3133 16650 4.6728 5.2042 41.6326 35.2275 26.8956 21.6020 9.0406 1.6471 1.8209 1.9635 2.6762 3,5741 3.6685 41.0344 38.1047 32.4003 29.6227 24.2212 16.5392 14.3406 2.5677 MPA-LIMDL 2,0961 2.4561 . ATA HYDRUGEN SULFINE ISJBAR MPA/K 007951 004780 004458 004316 004185 004062 003646 003557 003392 003243 003108 002767 002670 002419 002345 006298 005398 004612 003948 003941 003741 003472 002985 002580 002496 1.939495 L.814153 .495550 .582833 .475224 1.372007 .272498 ..176023 1.081982 .998541 007218 006711 005953 005557 005170 004965 002971 2.100417 2,072531 .91142 .91072 .91876 .92578 .03268 89055 93741 95727 61096 97320 06066 97149 94662 95056 95284 96528 97145 97900 99133 39337 91866 68666 84054 95407 96751 95956 97631 98516 9PA74 02924 .02855 03511 03496 .03770 00160 ,03032 ,02973 .02P84 02837 85209 87765 79210E+00 379056+00 30429F +00 54022E+00 5236FE+00 50821E+00 49378E+00 .48023E+00 46750E+00 44413E+C0 43339E+00 42319E+00 41349E+00 404276+00 39547E+00 36401E+00 35017F+00 33739E+00 .32556F+00 31455E+00 29470E+00 .28571E+00 27777F +00 70729F+00 67527F+00 54691F+00 .62147E+00 59843E+00 57740E+00 45549E+00 DEN .26449E+02 ,23469E+02 74406E+00 55807E+00 29056E+02 27518E+02 26990E+02 .25891E+02 25314E+02 .24711E+02 .24076E+02 29158E+02 .28549E+02 28037E+02 40.000 390.000 410.000 420,000 30,000 50.000 60.000 70,000 90.000 000.00 40.000 60.000 PO.090 000.00 20.000 50.000 90.000 000.00 310,000 320.000 30.000 40.000 150.000 60.000 370.000 80.000 000.00 40.000 80.000 20.000 90.000 300.000 50°000 270.000 2 RO . 000 288.997 90.000 200,000 210.000 20.000 30.000 240.000 250.000 88.997 87.981

Continued 14 able

1365E-01 .1552E-01 .2842E-01 .4871E-01 7900E-01

F/p

318 1275 1232 1189 1145 1100 11055

.1223E+00 .1816E+00 2602E+00 .4842E+00 6318E+00 .8022E+00 8545E+00

096

E+00

.3605

2772282290

8644E+00 8884E+00

8773 89828 9067 92116 9271 93256

8545E+00

J/MOL/K 67.32 67.45 71.43 73.53 49.50 2.92 19.28 8.50 8.38 38.41 18.45 8.58 9.58 68.57 40°69 0.31 70.81 44.62 41.71 40.82 8.77 19.81 8.43 18.39 8.51 4.07 98.6 40.15 94.0 40.77 41.41 68.05 74.69 69.88 40.16 39.66 38.66 38.85 39.32 41.08 J/MOL/K 43.89 43.90 43.63 43.28 42.79 42.15 40.44 9.37 8.18 36.86 30.53 59.09 8.62 28.31 28.11 27.99 7.93 27.91 27.92 27.96 8.02 0.10 8.19 8.52 8.65 8.78 8.92 29.07 29.21 29.84 30.17 30.85 31.20 32.26 43.83 41.36 30.51 31.91 120.025 139.550 89.636 28.930 96.095 97.269 202.506 203.458 207.033 211.089 214.079 215.888 /MOL/K 09.311 10.016 16.824 26.069 31.697 34.380 36,993 92.175 93.563 94.864 98.392 99.473 00.517 01.527 204.385 05,288 206.171 207.877 208.704 209.514 210,308 212,609 215.504 218,235 219.547 220.825 222.076 223.298 224.493 113.491 J/MOL 65.8 196.8 862.0 2219.2 2914.3 3620.4 4335.7 6514.0 7245.8 21908.1 25146.1 25537.3 293R7.8 31713.6 5058.0 22675.5 23112.6 23947.8 24352.6 4751.5 26312.9 27851.0 29003.0 0934.5 32497.5 4080.0 16499.3 5784.7 23535.4 25698.5 27467.2 28234.7 28618.7 10159,4 33286.5 34881.0 38142.7 25926.1 27083.1 9773.2 35687.1 37317.8 1.80000 MPA 4.1 134.8 799.0 1471.2 2153.8 2847.6 3552.3 366.2 6439.2 7168.9 7431.2 26724.6 32377.2 986.9 5711.9 19887.4 20117.0 22007.9 22304.6 23477.9 24941.9 25531.9 20782.3 21097.5 21405.6 21708.6 22599.4 22892.9 23185.6 23770.1 24062.3 24355.0 25236.4 5828.4 26126.0 27937.7 R552.9 30435.5 31076.1 JUM16 20457.1 24648.1 29174.1 29801.6 0P/00 MPA-L/MOL 41.6742 41.0883 38.1600 29.6827 26.9575 24.2851 16.6106 1.6140 2,1544 3.5474 4.4775 4.8375 35.2842 32.4586 1.8742 2.5167 3.6432 3.7382 3.9262 5.015R 5.7206 21.5681 9.1092 13.3132 2.0215 2.4007 2,6291 2.7385 2.8454 2.9501 3.0531 3.1544 3.2544 3.3531 3.4507 3.8325 4.2955 4.65Pl 5.1931 5.3597 5.5455 4.111 80 ٩ AT DP/DT MPA/K HYDROGEN SULFIDE ISOBAR 2.101132 1.476510 .991124 .273996 006218 004034 1.940783 1.815454 1.584181 1.177502 1.083568 960600 008549 978700 007342 006900 006536 005939 005692 005270 005088 004920 004765 004622 004488 004354 004137 003936 003844 003572 003517 003376 00 1246 003126 003016 002913 002918 002729 002546 .696871 004247 005471 97570 82780 90856 63236 36384 .03921 92987 03949 .03791 03676 03575 03487 03410 03344 03288 03243 03210 03188 .03184 84213 86069 87586 89854 89931 91651 92365 94032 94475 94874 95234 95562 95861 96134 96614 94856 97021 97370 97930 94158 98357 98533 98498 99827 98950 99051 .27524E+02 .24088E+02 .23414E+02 .23159E+02 DEN MOL/L 29061E+02 .28554F+02 .29043E+02 .25455E+02 50186E+00 47789E+00 45683E+00 45630E+00 42757E+00 41047E+00 34276E+00 32174E+C0 .31220E+00 .29161E+02 25900E+02 .25323E+02 24722E+02 85692E+00 81139E+00 77242E+00 73832E+00 70803E+00 68079E+00 55607E+00 63347E+00 61258E+00 59344E+00 .57557E+00 .55890E+00 54330E+00 52866E+00 51487E+00 48955E+00 44527E+00 39476E+00 38026E+00 36684E+00 35438E+00 33191F+00 89079E+00 188.022 30.000 80.000 200.009 210.000 000.049 000.00 20.000 240.000 250.000 60.000 270,000 280.000 290.000 293.588 300.000 310.000 320,000 30.000 340.000 350,000 60,000 370.000 80.000 90.900 400.000 410.000 420.000 30.000 640.000 50.000 460.000 470.000 4 AO . 000 90.000 500.000 20.000 540.000 560.000 580.000 000.009 620.000 660,000

305 311 323 329 340

E+00 E+00

E+00

9374E+00 9419E+00 9460E+00 9497E+00 9531E+00 9590E+00 9616E+00 9640E+00 9663E+00 9683E+00 9702E+00 9737E+00 9767E+00 9793E+00 9816E+00 9836E+00 9854E+00

E+00

9143E+00

345 350 359 359 364

E+00

.9561

369 373 377 382

386

398

406 413 421 428 435

448 442

9870E+00 9897E+00 9908E+00

988E+00

010

277 279 287 287 295 302 309

316 322 328 333 339 353

344

368

372 377 381 385

398

420 428 435

443

Table 14. Continued.

2.20000 MP.

ш О-

AT

HYDROGEN SULFIDE ISOBAR

N/SEC 1370 1362 1320 1277 1234 1191 963 852 102 141 .8365E+00 .8503E+00 E+00 8960E+00 .9043E+00 .9116E+00 9183E+00 .9297E+03 .9346E+00 .9391E+00 .9432E+00 .9469E+00 .9504E+00 9536E+00 .9565E+00 .9592E+00 9617E+00 .9640E+00 9777E+00 E-01 .1008E+00 .2971E+00 5206E+00 6610E+00 .8183E+00 8641E+00 .8762E+00 .8867E+00 .9242E+00 9682E+00 9718E+00 9750E+00 9802E+00 9823E+00 9843E+00 9889E+00 .1281E-01 2145E+00 .3991E+00 8365E+00 9860E+00 .9875E+00 .4018E-01 .6515E-01 .1497E .23451 J/MOL/K 67.31 67.43 68.02 39.72 19.25 69.43 69.69 70.25 1.32 72.14 73.33 75.14 53.19 6.39 44.38 42.96 41.91 41.13 0.53 19.10 18.99 18.92 8.88 18.86 18.87 18.90 8.94 66.81 91.61 19.33 19.55 0.02 0.32 40.61 40.91 41.21 41.52 68.55 10.69 9.37 8.18 6.86 5.45 5.19 31.45 9.58 9.05 8.47 8.33 8.25 8.21 8.28 8.35 8.43 8.53 8.64 8.75 8.88 9.14 9.29 9.58 9.89 0.55 0.89 31.23 31.58 31.93 32.28 8.21 J/MOL/K 204.329 109.316 109.992 113.466 116.798 119.997 26.038 188.384 189.755 191.272 192.657 199.597 208.514 212.314 36.948 210,833 215.140 /MOL/K 23.074 31,660 34,340 39.499 42.013 93.970 95.199 96.368 97.487 202.514 203 . 433 206.893 216.493 219,095 220.350 98.551 01.571 206.057 207.711 221,575 21940.6 80.5 206.0 871.1 1544.1 2227.6 2922.4 3628.0 4342.7 5064.3 248.1 23293.0 24153.4 26567.5 27349.6 27739.1 28128.1 32427.7 9294.2 5790.0 5518.0 2839.7 24976.6 5379.5 5778.3 16959.2 8516.8 8905.4 9683.4 10073.0 9. 95801 1639.0 34019.3 14822.9 15632.2 6447.4 17268.6 JOH/ F J/MGL 130.3 1465.0 21465.7 21467.7 28460.9 42546.9 4257.9 9924.0 22789.5 23088.2 23385.9 27886.0 7154.3 7886.4 8015.7 20927.8 21252.8 21569.5 24275.7 15763.7 6426.8 21880.0 25464.8 6666.3 7273.6 0590.8 2186.1 2489.0 3682.8 23979.3 24869.2 5063.6 9127.6 9757.4 0393.4 31035.7 31684.6 32340.1 25166.7 36.2703 35.3975 32.5751 14.3221 1.5447 2.9826 3.6919 5.5290 DP/DD MPA-L/MOL .3513 41.7573 41.1960 29,8026 1.8649 4.8125 24.4127 2,0159 2,1560 2.2861 2.4138 2.5345 2.7643 3.2948 3,3958 3.4956 3.5942 3.8846 4.0744 4.2617 0.44.10 .6305 4.9932 5.1728 27.0811 21.8001 9.2461 3.0884 3.1924 6.7531 2,6511 11.5401 1.943356 1.818052 1.699508 .903346 010557 007232 006401 004005 DP/DT MPA/K 1.586873 005439 00500 645400 004169 2.102551 2.076374 1.479377 1.376305 1.276983 1.180750 1.086924 .994756 011506 00000 008446 007980 007580 006649 005968 005778 005602 005287 005144 004984 004765 004546 003716 003588 003468 003357 003253 04632 04491 04358 04259 04016 94268 95952 04823 04155 03883 80375 82469 84523 89815 90705 91485 92173 95035 95445 97815 2 04084 03919 88792 98126 93333 95368 95673 97229 98265 98764 98886 03892 86201 87632 93825 96866 97542 99617 98451 .28555E+02 .28054E+02 .27537E+02 .27010E+02 E+00 29165E+02 69146E+00 58844E+00 46639E+00 3939RE+00 .29070E+02 .26471E+02 25916E+02 .25342F+02 24743F+02 24112E+02 23442E+02 22718F+02 93017E+00 85143E+00 81834E+00 78842E+00 76112E+00 73606F+00 71293E+00 67146E+00 65276E+00 6352E+00 61871E+00 ,60315E+00 57450E+00 56128E+00 54870E+00 52530E+00 50396E+00 48440E+00 44975E+00 43431E+00 41994E+00 40653E+00 38222E+00 22584E+02 ,10909E+01 10350E+01 97827E+00 888371 220.000 230.000 240.000 88.103 240.000 000.00 F × 90.000 200.000 210.000 250.000 260.000 270.000 280.000 90.000 000.00 110.000 20.000 30.000 40.000 50.000 60.000 70.000 80.000 90.000 000.00 10.000 20.000 30.000 40.000 50.000 000.09 470.000 .80.00 90.00 000.00 520.000 000.09 80.000 520.000 240.000 560.000 589.000 01.76

U	7261	1363	32	27	23	19	14	10	0 5	0	96	proj.	-0	N	-	_	್ಹ	$\circ$	0	~	~	N	m	(7)	3	3	10	2	2	2	~	P	<b>m</b> 4	70 (	n 1	Th. 1	<b>~</b> .	_	A I	0.1	-		- 40	455	-0
F / P	10075-0	.1135E-01	2077E-0	3558E-0	5768E-0	8923E-0	1325E+0	1898E+0	2629E+0	3531E+0	4606E+0	5848E+0	7239E+0	243E+0	243E+0	300E+0	8460E+C	598E+0	8718E+0	8824E+0	8918E+0	002E+0	9077E+0	9145E+0	9207E+0	9262E+0	9313E+0	359E+0	9401E+0	0440E+0	476E+0	9509E+0	540E+0	9568E+0	9599E+0	9641E+0	9682E+0	7 1 BE + 0	749E+0	176E+0	301E+0	322E+0	842E+0	.9859E+00	375E+0
	67.3		8.0	8.5	6.8	4.6	1.6	0.2	9.0	1.2	2.0	3.1	6.4	5 • B	6.1	4 • 3	9.7	6.8	4.8	3.4	2.3	1.5	6.0	0.4	0.1	9.6	9.6	4.6	9,3	9.2	9.2	9.5	9.5	2 • 6	7 . 6		٠ د د د د	1 0 6	6.6	0.1	4.0	0.7	1.0	41.31	1.6
ā	43.0	43.90	3.8	3.6	3.2	2 . 7	2.1	1.3	0.4	9.3	8.1	6.8	5.4	4 . 3	2 ° 1	1.6	4.0	9.7	9.2	8.8	8.6	8.5	8 . 4	8.4	8.4	8.4	8.4	8.5	8.6	8.7	8 . 8	8 0	0 0	2.6	, d	0.0	5.0	0.2	0 . 5	6.0	1.2	9.1	1.9	32.30	2 • 6
Š	00.32	109.974	13.44	15.77	19.97	23.05	26.01	28.87	31,63	34,31	36.91	39.46	41.96	43.85	87.55	88.04	99.69	91.17	95.54	93.81	95 ° 02	96.17	97.27	98.33	96.35	00.34	01.29	02.22	03.13	04.01	04.88	05.72	95.54	07.30	61.00	00000	11.018	12.02	14.01	15,37	16.69	17.98	19.54	220.473	21.67
1	010	212.9	77.	550.	234.	928.	633.	348.	.690	794.	521.	249.	83.	518.	1945.	2098.	2617.	3098.	3556.	3997.	4426.	4846.	5258.	5665.	6068.	6468.	6865.	7261.	7655.	8048	8440	9832	* * 7 7 6	0100	0000	9 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1783.	23/6.	3172.	3973.	4780.	5591.	64000	37232.4	8061.
	5 5	27.	90.	461.	143.	835.	539°	251.	970.	693.	417.	143.	73.	406	9935.	0040	0433.	0440	1131.	1459.	1780.	2094.	2403°	2709.	3013.	3315.	3616.	3916.	4215.	4514.	4814.	5114.	74140	5/15	00100	00000	. 7 . 7	1846	9467	9092	9724.	0361.	1005.	31655.8	2312.
- 1	41.819	76	8.353	5.482	2,662	9.895	7.173	4.50 P	1.898	9.348	6.859	4.433	2.069	0.399	.490	.549	.738	906.	.059	.201	.335	.462	.585	.703	.818	.930	•039	.146	.252	.355	. 457	• 5 5 B	0000	0 6 7 7	F 70 0		167.	674.	.611	. 795	. 977	.158	• 338	5.5178	.695
⊢ ×	103629	829	.94528	.81999	.70148	.58988	.48144	.37944	.27921	.18310	.08942	.99746	90632	84046	1342	1298	01171	1017	1003	2460	0880	0846	0808	0774	0743	0715	0690	0667	0646	0627	0509	2660	0000	1000 0847		10000	1 2 4 4 5	0 2 5 0	8650	0440	0424	6050	0396	.003433	0371
7	47	5	526	.05102	965	483	0473	463	456	644	445	441	440	441	36.8	7952	208	412	589	720	941	.89451	9035	115	9185	924 R	9305	9355	J.	9443	0896	6166	LJ H	9770	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	7 0	0216	151	9743	1066	928	AS &	. 99534	8
٥ -	9170F+0	2907RE+0	28573F+0	28063E+0	27546E+0	7020F+0	25482E+0	25928E+0	5355E+0	4758E+0	4130E+0	3462E+0	2743E+0	22181E+0	439E+0	12197E+0	1144AE+0	1831E+0	10307E+0	9850RE+0	04469E+0	1849E+0	87571E+0	84580E+C	91832E+0	79294F+0	76937E+0	74741E+0	72687E+0	70759E+0	1944E+0	6/232E+0	67913640	62622640	00100	57456E40	2 4 7 C C C C C C C C C C C C C C C C C C	77603540	53132F +0	512206+0	0 - 3 8 5 5 6 5	47401E+0	5255E+0	44830E	34846+0
F ¥	38.16	000	00.00	10.00	20.00	30.00	40.00	50°00	00.09	70.00	80.00	00.06	00.00	07.21	7.21	0000	00.0	00.00	0000	00.00	00.00	00	00.08	00.00	00.00	00.01	00.00	30.00	60°09	00.00	00.00								20.00	00.00	20.00	60.00	AC.00	580.000	00.00

Table 14. Continued.

HYORDGEN SULFIDE ISOBAR AT P . 3.00000 MPA

T	400
# # # # # # # # # # # # # # # # # # #	833E+0 852E+0
1, 000 000 000 000 000 000 000 000 000 0	1.4
1	0 0 0
11109900111199900149900199990019990019990019990019990019990019990019999001999001999001999001999001999001999001999900199900199900199900199900199900199900199990019990019990019990019990019990019990019999001999001999001999001999001999001999001999900199900199900199900199900199900199900199990019990019990019990019990019990019990019999001999001999001999001999001999001999001999900199900199900199900199900199900199900199990019990019990019990019990019990019990019999001999001999001999001999001999001999001999900199900199900199900199900199900199900199990019990019990019990019990019990019990019999001999001999001999001999001999001999001999999900199999001999990019999900199999999	17.55 18.89 20.09
10990 109900 109900 10990 10990 10990 10990 10990 10990 10990 10990 10990 10990 109900 109900 109900 10990 109900 109900 109900 109900 109900 10	6346. 7173. 8005.
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0955. 1608. 2266.
A P – C P P P P P P P P P P P P P P P P P	.501 .681
00000000000000000000000000000000000000	0443
7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9.24 9.43 9.60
0EN 29177E+02 28586E+02 27561E+02 27561E+02 27561E+02 27561E+02 27577E+02 27586E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+02 27587E+03 27587E+00	5648E+0 3906E+0 2274E+0
	0000

1240 1197 1154 1110

990 973 874 820

E+00

.7557E+00 .7897E+00 8285E-02 1515E-01 .1381E+00 2568E+00 3349E+00 4251E+00 .2593E-01 5263E+00 6369E+00 ,8512E+00 ,8735E+00 .4202E-01 6498E-01 9647E-01 .7897E+00 8054E+00 8228E+00 .8380E+00 8630E+00 .8829E+00 8915E+00 8992E+00 .9062E+00 ,9126E+00 .9184E+00 .9237E+00 .9286E+00 .9332E+00 .9373E+00 9448E+00 .9568E+00 .9696E+00 9659E+00 9729E+00 9809E+00 9759E+00 9785E+00 9830E+00 .1912 .9412 .9512 9196 63.69 86.0 68.46 71.69 64.69 40.07 70.46 74.26 82.32 9.88 3.90 50.18 5.85 41.59 68.90 99.69 6.72 17.66 3.48 2.69 2.07 0.67 40.35 40.13 41.63 80.84 44.50 40.14 40.31 94.0 0.65 40.87 41.36 06.0% 8 40.25 40.18 40.48 43.90 43.63 42.15 36.19 32.47 43.84 9400 35.46 31,38 29.59 29.33 29.15 29.04 28.98 28.96 28.97 29.00 29.13 30.54 9.97 30.08 32.01 32.36 32.71 39.38 Θ 2.71 29.06 24.62 29.54 29.80 80.68 31,34 31.67 31.01 3.98 09,334 09,915 13,385 116.713 19,908 22.980 25.937 28.788 31,543 34.211 36.805 39.337 41.826 44.298 46.793 47.407 185.187 91.201 93.685 94.828 95.918 96.964 98.945 99.889 200.805 101.697 02.565 203.415 104.244 05.055 069.90 208.145 500 . 603 11.025 213,737 215,039 216.307 217.546 92.481 97,971 219,757 212.401 1572.7 7256.5 26548.0 26961.9 27372.3 J/MOL 128.1 31402.5 236.0 9.006 2948.8 1652.9 4365.8 5084.9 5807.6 8722.0 21870.4 22343.5 22909.7 23428.8 23917.2 25275.4 6285.8 37951.0 6531.7 9484.7 9685.1 24384.2 24835.7 26129.8 8185.8 8590.0 8992.9 9.6650 25706.1 33826.2 35461.1 37115.7 27780.1 7.9676 34641.4 9395.1 33015.1 3.50000 MPA 1448.1 2128.3 2819.4 4231.0 7107.8 J/MOL 8.2 115.8 778.0 3520.9 5666.5 6387.0 9319.6 19900.8 21765.3 24320.3 24936.6 27718.8 8563.3 9518.1 20250.8 20670.0 21054.8 21417.6 2102.2 22431.2 22754.2 23387.8 23700.3 24011.0 24628.7 25244.1 25859.5 27095.8 9346.0 8978.0 31560.8 25551.7 30906. 23072. 25476. 9615. 0257. 32221. . 8876 2.3573 2.8762 3,2238 4.1627 4.3588 .7009 .9310 14.8016 1.2985 .4432 .1176 . 3026 42.0268 41.5453 38.6280 35.7645 32.9522 30.1906 27.4810 24.8254 22.2267 7.2125 2,4558 0.1722 7.9422 .4871 .2116 .6271 2.7538 .1107 3.5501 3.6553 3,7591 3.9630 .5519 4.7426 5.4861 5.6684 9.5881 7.3841 .0561 . ۵ AT HYDROGEN SULFIDE ISOBAR .015174 MPA/K 2.084670 1.951689 1.708039 1.286610 1.006380 .825883 020538 012423 011225 010298 000000 695600 009224 008926 008396 008159 007938 007535 007177 005567 005842 DP / DT 2.107181 1.826461 1.595577 1.488312 1.385543 1.190A77 1.097697 .916121 .734133 710386 019507 016586 013174 ,011782 010735 008651 006887 906394 006063 005638 005449 005273 73228 91226 93932 94337 95922 95820 05939 06765 06169 83509 86515 93005 93490 95363 97193 97501 98030 93250 99446 07613 07360 07136 06614 05484 .06374 .06284 06215 06148 06157 06208 06230 75268 85130 87713 98759 89680 90497 92471 977R2 07657 993946+00 77974E+00 63077E+00 61085E+09 E+01 91066F+00 88895E+00 8488F +00 81258E+00 74962E+00 72192E+00 69635F+00 57256E+00 DEN 26518E+02 25401E+02 24189E+02 23531E+02 22053E+C2 21189E+02 933636+00 65063E+00 29184E+02 29102E+02 28598E+02 28091E+02 27576E+02 27053E+02 25969E+02 24809E+02 22825E+02 20950E+02 .14743E+01 .14002E+01 13364E+01 857E+01 ,11449E+01 .11075E+01 ,10412E+01 10116F+01 •17770E+01 .15725E+01 .15627E+01 .12804E+01 12306E+01 .10731 11 50.000 A0.000 50.000 80.000 000000 20.000 40.990 000.000 ,20,000 540.909 88.368 40.000 50.000 60.000 370.000 80.000 90.000 000.00 410.000 20,000 30.000 40.000 50.000 50.900 470,000 80.000 90.000 000006 000.00 210.000 20.000 230,000 40.000 50,000 60.000 270,000 280.900 90.000 000.000 110.000 20,000 30.000

309

301

273 282 292

761

336 342 348 353 358 363 368 373 378

385 395

E+00 E+00

387

404 419 427

E+00

844 1 5 5

461

Table 14. Continued.

HYDROGEN SULFIDE ISOBAR AT P . 4.00000 MPA

m L 0 L 0 L L L L L L L L L L L L L L L	
F / 1328E - 0 13	.844886 .844886 .85686 .86766 .87736 .86766 .86766 .901366 .901396 .919366 .92936 .929
10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	04000000000000000000000000000000000000
Palle in to take the transmitter of the transmitter	20000000000000000000000000000000000000
7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1990.000 1990.0
1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	236363 24610.1 25610.1 25610.1 25610.1 25610.1 27646.6 28600.1 28600.1 28600.1 381313.0 381313.0 38526.0 38526.0 38626.0
1/M 1100. 11	20151516 20151616 20151616 20151616 20151616 20151616 20151616 20151616 20151616 20151616 20151616 301616 3
00000000000000000000000000000000000000	20000000000000000000000000000000000000
00000000000000000000000000000000000000	0110185 0114020 0114020 0114020 0112111 011012111 01010101 0004282 0004282 0004282 0004282 0004282 0004282 0004282
881 881 881 881 881 700 700 700 700 700 700 700 700 700 70	33444700 377mm 2240000000000000000000000000000000000
MOLVE MOLVE MOLVE 9114EE+0 9114EE+0 9115EE+0 7592E+	115526 1143546 1143546 1135546 11156346 1116634 11106466 11107556 11107556 11107556 11107556 11107556 11107556 11107556 11107556 11107556 11107556 11107556
2000 2000 2000 2000 2000 2000 2000 200	7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

1245

1159 1116 1072 1027

981

E+00

933 884 831 774 709 673

269 276 289 289 308 316 331 337 337

349 355

366 371 376 386 385 394 403

419 426 434 441

.1515E+00 .2651E+00 \$4166E+00 6005E-02 6585E-02 .1094E+00 2033E+00 5982E+00 8268E+00 .1203E-01 .2059E-01 .3334E-01 .5153E-01 .7646E-01 5041E+00 6987E+00 .7614E+00 .7614E+00 .7738E+00 7940E+00 8115E+00 8403E+00 .8524E+00 8534E+00 8821E+00 .8902E+00 .8976E+00 9044E+00 9163E+00 8732E+00 9106E+00 9215E+00 9264E+00 9310E+00 9390E+00 9460E+00 9521E+00 9575E+00 9622E+00 9663E+00 9700E+00 9733E+00 9763E+00 9789E+00 .3365 67.32 67.90 8.85 0.26 9.36 68.39 60.19 9.54 0.73 71.36 2.27 3.64 5.80 2.95 5.79 7.35 5.90 4.79 43.23 45.69 69.69 61.84 1.94 40.28 3.92 42.25 41.90 41.41 96.09 06.04 40.92 41.13 41.30 41.49 42.20 41.62 41.11 41.95 41.24 11,00 38.19 43.90 43.29 33.98 43.90 12.80 45.16 39.38 36.88 12.48 36.55 41.37 40.45 15.47 31.72 9.45 29.97 31.42 43.64 30.94 10.41 40°01 9.79 9.51 44.6 9.42 9.46 9.58 99.6 29.75 0.23 0.50 31.75 32.08 32.42 32.76 31.04 30.79 31.10 30.41 128.706 186.228 860 199.211 210.137 /HOL/K 09.348 09.856 113,324 15.643 19.840 22,908 34,114 36.697 39.215 41.687 44,134 46.592 669°06 91,953 93.132 94.252 95,320 96.345 98.286 49.121 150.325 89,351 97.332 00.983 01,835 202.666 205.820 207.307 212,802 214.082 204.275 208.744 215.331 216,551 25. 23867.4 28345.8 923.0 164.7 2276.5 2969.2 5821.5 7986.2 9467.5 0693.5 21686.7 22077.5 23330.0 25774.5 26217.8 26653.4 27082.9 27507.5 31224.5 33683.0 259.1 3672.2 4383.7 6542.7 7263.7 8716.4 40265.4 2744.4 24855.3 25321.2 27928.2 29585.8 30406.2 32042.6 34507.3 36167.2 37003.8 37845.2 5101.1 29174.1 35335.1 32861.7 4.50000 MPA 5357.1 7073.0 21393.7 104.6 765.8 434.7 10.6 2113.5 803.0 3502.7 4210.6 5640.5 7789.7 10044.3 0.0879 20562.3 24120.0 24438.6 24755.6 25700.9 26329.6 27590.8 29864.3 30155.4 30808.6 31467.3 4924.2 8513.2 9256.3 10466.2 0069.2 20995.5 2128.4 23475.4 23799.2 25071.4 25386.4 8225.6 9507.4 JUMDE 22476.1 22815.2 26959.1 23147. 32131. 20.0253 17.5623 15.1660 2.4237 42.2336 41.8130 38.9021 36.0456 19690 .8894 3.6655 5.459R 2.7060 3.3276 3.5550 3.8812 .0816 33.2409 30.4876 27.7868 25.1408 22,5525 12,8375 8.3746 6.2205 1.0879 1.2506 1.5157 1.7370 1.9316 2,1080 2.2710 2.8384 3.0898 3.2102 3.4424 4.2961 1.4971 .2717 .6443 MPA-LIMUL 0.5755 5.1614 2.9661 4.0911 • ۵. ΔT HYDROGEN SULFIDE ISOBAR 1.602225 1.495130 1.392582 MPA/K 012466 010889 C10568 007943 007365 2.091023 1.015143 .925498 .653297 604739 028970 026465 023083 020773 019045 017680 015627 014924 014125 013509 012960 012018 011509 011235 009992 009486 009038 003636 009273 007642 0C7109 005873 2.110714 1.958067 1.832895 1.293934 1.105852 . R36590 746515 016564 1.714561 1.198564 80408 89750 68463 09166 09688 08063 07972 00610 07936 09080 71041 74986 77993 82407 96048 85547 96808 87913 89890 90539 91240 91873 92447 12666 63446 94289 95001 95611 98136 95593 16696 97341 97569 97923 38166 09830 07877 07882 08161 09780 09454 08911 08492 09324 08181 .12895E+01 110396+01 97055E+CO 93386E+00 90002E+00 84876E+00 83477E+00 81280F+00 .78762F+00 .15207E+01 10108E+01 28624E+02 27607E+02 27086E+02 2655E+02 25009E+02 25445E+02 24860E+02 24246E+02 2359RE+02 22904E+02 22149E+02 21311E+02 20348E+02 .19799E+02 20522E+01 .19276E+01 .18192E+01 .17283E+01 .16502E+01 .15817E+01 14658E+01 .14160E+01 .13704E+01 13284E+01 .12197E+01 .11ABOE+01 ,11583E+01 10550E+01 29197E+02 29126E+02 23601E+01 22407E+01 28119E+02 AR0.000 29.900 640.000 650.000 700.000 40.000 600.00 80.090 000.000 50.000 480.000 90.000 000.00 20.000 00.000 300.000 310,000 320,000 330.000 340.000 350,000 360.000 370.000 180.000 000000 10.000 420.000 430.000 440.000 450.000 470.000 220.000 230.000 240.000 250.000 260.000 270,000 80.000 90.000 334.953 200.000 210,000

Table 14. Continued.

5.00000 MPA

B d

AT

HYDROGEN SULFIDE ISOBAR

M/SEC 1373 1373 1373 1289 1269 12667 1110 1000 984 989 781 717 441 .7327E+00 .7488E+00 .3030E-01 .6947E-01 E+00 E+00 E+00 .8875E+00 E+00 8950E+00 .9018E+00 .9081E+00 9139E+00 9332E+00 .1376E+00 .1846E+00 2408E+00 .3782E+00 .4577E+00 .6345E+00 .7488E+00 7719E+00 .7916E+00 8088E+00 8240E+00 8375E+00 8605E+00 8704E+00 .8794E+00 9193E+00 9409E+00 9476E+00 9535E+00 9586E+00 9632E+00 9673E+00 9709E+00 9741E+00 5500E-02 5991E-02 .1094E-01 .1872E-01 3055 .5432 8496 .9243 67.22 67.30 67.87 68.36 68.78 70.16 70.60 71.20 72.05 73.35 5.37 69.8 84.53 93.29 71.82 61.81 56.07 49.73 47.82 46.37 45.26 44.38 43.68 43.12 42.03 41.80 41.62 41.38 41.28 41.52 41.89 69.14 69.48 69.81 42.31 41.24 41.69 41.26 443.01 443.064 463.064 472.060 472.16 30.85 39.39 38.19 36.88 35.47 31.04 29.86 29.82 34.56 32.82 31.76 9.96 29.70 9.64 29.62 29.63 29.78 29.86 30.07 30.55 30.30 30.57 31.79 32.45 43.90 29.71 32.12 J/MDL/K S J/MOL/K 113.293 116.617 119.807 122.872 125.822 31.410 151.672 86.272 09.355 09.826 36.643 39,156 41,618 44.054 48.996 93.043 97.188 99.932 201,638 203.266 206.325 46.495 907°58 89.324 90.648 91.881 94.146 95.201 96.213 98,131 99.044 667.00 04.825 207.773 209.174 210.533 213,139 214,393 215.617 183.0 2287.2 5828.6 6548.4 7267.5 11129.4 22330.1 24120.9 31136.1 JOW/f 6.6546 10309.8 49.466 1605.8 3681.8 4392.7 5109.2 7987.5 0248.8 22992.9 4630.6 5117.8 5588.5 4.9409 4.4649 26934.6 27368.5 4.1977 8222.2 8643.9 9063.0 9430.0 2786.0 3612.5 44.41.4 5273.5 37793.7 8714.1 6109.2 6949.2 2106.2 2794.9 3493.7 4200.6 4912.9 5627.7 7055.9 19689.7 21186.4 21587.2 21965.8 23022.8 24663.5 10104.6 J/MOL 11.8 99.1 759.8 428.0 7769.6 8488.9 92259 0004.0 10870.1 0910.7 0752.0 2328.7 2680.1 23690.1 4017.4 24341.6 5302.8 5620.9 6255.9 6990.7 27526.9 8165.7 8807.7 9453.9 1421.2 2087.6 DP/DD MPA-L/HOL 42.3368 20.1929 .9758 1.2958 1.9724 2.1504 3.8401 25.2978 1.5560 4.6715 41.9466 39.0389 36.1858 33.3849 30.6356 27.9392 22.7146 5.3469 3.0266 8.5871 6.4523 4.2514 2,3153 2.6167 2.7566 2.8909 3.0206 3.1462 3.3875 3.5039 3.6180 F.0645 5.2572 0.7747 4.3411 3.2684 5.6364 2.4701 4.2651 4.4702 4.8694 5.4477 2.094191 752525 MPA/K 2.112473 1.297569 .930410 DP/DT 1.835100 1.717909 1.605534 1.396080 1.202375 1.109887 .019470 561959 557496 033806 028400 024975 022573 020749 019297 018102 017093 016226 015470 .014205 013668 013180 ,012735 012326 011949 010686 010166 009702 009285 706800 008553 007956 007687 .498521 841831 014801 011274 008247 .10914 .10500 74960 09241 08848 09172 65944 71057 80192 91710 92829 94555 97137 97475 97774 7 99896 06460 09082 08950 08775 08737 74843 87698 88685 89565 99355 91056 95230 95811 08740 96180 77807 83864 85317 86584 93764 96314 96752 .29138E+02 28132E+02 .27103E+02 .26573E+02 .26029E+02 .24275E+02 .90448E+C0 DEN 25468E+02 .22196E+02 20427E+02 E+01 95732E+00 93475E+00 29204E+02 24 8 8 5 E + 0 2 22942E+02 21370E+02 .19284E+02 19229E+02 25788E+01 24180E+01 .20889E+01 .17927E+01 15537E+01 .15947E+01 .14920E+01 14050E+01 13297E+01 .12956E+01 .12334E+01 11778E+01 11275E+01 10822E+01 10406E+01 10025E+01 22313E+01 .19734F+01 18764E+01 .17191E+01 .15411E+01 .14469E+01 .13661 88.573 90.000 000.00 210,900 220.000 230.000 250.000 80.000 000.00 30.000 Ar.000 40°000 000009 270.000 90.000 310.000 20.000 40.000 350.000 160.900 370.000 80.300 90.00 000.00 .10.000 420.000 30.000 000.05 .50.000 60.000 70.000 90.000 000.00 20.000 40.000 000.099 80.000 600.000 20.000 640.000 660.000 680.000 000.00

1291 1249 1207

1164

078 033 942 942 893 842 787

725 651 601 286 297 307

316 324 332 338

345

351 357 363 368 373

383 393 402 418 426 434 441 448

1380 1375 1333

5088E-02 5506E-02 .1005E-01 .2782E-01 .1262E+00 .1694E+00 .2208E+00 .2802E+00 3468E+00 .4197E+00 .5820E+00 .6722E+00 .1719E-01 .4981E+00 .7370E+00 7717E+00 7909E+00 8078E+00 8227E+00 8360E+00 8480E+00 .8687E+00 .8776E+00 8858E+00 8933E+00 .4298E-01 .6375E-01 .9119E-01 .7370E+00 7493E+00 8589E+00 .9001E+00 9065E+00 9123E+00 9178E+00 .9275E+00 9359E+00 9432E+00 9496E+00 9552E+00 9602E+00 9646E+00 9685E+00 9720E+00 67.21 67.28 67.84 8.33 8.74 69.10 69.42 70.48 71.04 78.05 69.73 88.65 70.24 61.36 56.05 48.15 70.07 71.85 73.06 24.96 06.47 10.01 3.04 2.68 2.15 41.64 83.42 93.95 2.52 44.75 2.39 41.83 41:89 105.22 45.62 44.05 43.49 41.56 41.56 41.63 41.74 42.07 HOL/K 42.16 41.38 29.44 43.90 43.91 3.29 2.80 0.45 6.39 8.20 36.88 5.47 13.99 32.4831.04 8.97 6.82 4.17 32.69 31.74 31.10 0.65 30.33 96.6 9.87 9.82 9.80 9.85 29.98 30.16 30.63 31.20 43.84 43.64 9.91 32.82 31.83 2.15 16.01 12.4 115.585 202.339 25.784 /MOL/K 09.362 839 767.60 113.263 34.018 39.096 46.400 87,989 93.045 98.060 210.989 22.837 31,365 36.590 41.551 43.975 48.875 51.502 84.636 86.428 89.396 90.692 91,903 95.170 96,167 97.129 98,962 269000 205.426 206.885 94.131 208.295 214.768 209.661 99. 1616.8 9452.9 21397.8 201.4 4401.7 5117.4 282.3 945.7 691.6 5835.8 6554.2 23851.8 28525.8 31879.6 JUH/ F 2989.7 7271.5 8712.2 22612.9 23266.7 24393.6 24905.5 5395.8 25869.9 8097.3 31047.7 7989.1 11097.7 11642.3 26331.4 26783.1 27227.0 27664.7 9373.8 30213.3 2710.8 33542.6 34376.2 35212.4 36052.0 37743.0 8951.1 36895.3 5.50000 MPA 13.1 93.6 753.7 1421.4 2098.9 5615.0 6327.9 7039.1 19878.0 23912.9 4190.6 26181.9 2786.9 8465.0 91.96.2 9965.1 11347.4 20959.8 21392.7 2540.0 22894.0 23578.8 24570.4 8105.8 29400.6 3484.7 7749.7 0476.9 21794.3 22174.7 23239.6 24895.3 25218.5 25540.4 5822.2 27463.0 8751.4 30712.1 11375.3 JUMIL 0814.1 0054.0 12043.8 36.3257 3.0805 3.5596 42.4399 .8595 8134 99/00 10.7833 24.0912 25.4545 22.8762 20.3600 7,9092 5.5268 3,2145 0.9724 8.7973 6.6804 4.5986 .3563 1.6096 .8280 2.0232 2,2019 2.3679 2.5239 2.6720 2.9493 3,3313 3.4518 4.0192 4.2339 4.4433 4.54R3 4.8496 5.0477 5.2430 5.4360 39.1754 3.4464 5.6268 MPA-LIMOL . HYDROGEN SULFIDE ISOBAR AT P MPA/K 2.114228 1.839298 1.721048 1.608833 039161 014816 .301188 .113896 020789 017548 016029 013815 013376 011916 011320 010316 009888 10/0U .964419 .501900 1,399564 .206165 .023761 .935073 .847002 75 A424 667578 571073 512773 030015 026530 024187 022304 019533 018467 016742 015391 014293 012594 010791 865600 00AA14 008512 90254 94114 .11996 .11944 .11544 .11191 10605 65400 85218 93243 97308 09836 82110 89577 91619 92210 95949 04960 74986 80159 83776 87590 83460 35492 95042 97634 10366 10158 09595 96560 09647 77760 13266 71363 77832 95521 18660 .09721 10031 .22356E+01 .10300E+01 996366+00 . 45504E+CO .13643E+01 .124536+01 .11944E+01 .110546+01 .10562E+01 D F Z 29211E+02 29150E+02 28650E+02 28146E+02 27637E+02 27119E+02 26590E+02 25048E+02 25489E+02 24909E+02 24303E+02 23663E+02 22980E+02 22242E+02 21428E+02 20503E+02 .19396E+02 18650E+02 28464E+01 23842E+01 2014CE+01 .18482E+01 17789E+01 .17164E+01 .15596E+01 .16075E+01 .15594E+01 .15149E+01 14735E+01 .14348E+01 13016E+01 30222E+01 25748E+01 .19258F+01 .11479E+0 230.000 480.000 000.00 20.000 40.000 60.000 90.000 000.009 520.000 000.059 000.099 580.000 700.000 340.000 360.000 170.000 80.000 000.06 000.00 410.000 20.000 30.000 440.090 450.000 450.000 470.000 90.000 000006 0000093 280.000 000.06 000.000 310.000 320.000 30,000 345.506 350.000 000.00 240.000 250.000 270.000 **⊢** ¥ 210.000

Table 14. Continued.

6.00000 MPA

u d

AT

HYDROGEN SULFIDE ISOBAR

793 355 361 367 372 377 382 392 401 946 898 847 321 329 336 343 349 1252 1210 11167 11124 1081 992 258 277 291 377 302 441 2591E+00 3207E+00 38816+00 .4607E+00 6218E+00 .7131E+00 7729E+00 8079E+00 ,8225E+00 8356E+00 8474E+00 8581E+00 8678E+00 8923E+00 8991E+00 .9055E+00 9114E+00 9219E+00 9310E+00 9389E+00 945BE+00 .9314E-02 .1167E+00 .1566E+00 2042E+00 .5382E+00 7258E+00 7258E+00 7514E+00 7915E+00 8767E+00 8848E+00 9572E+00 9520E+00 9700E+00 1592E-01 .2576E-01 .3978E-01 5899E-01 8437E-01 9518E+00 9662E+00 9734E+00 68,29 68.70 69.05 70.37 2.78 74.57 82.39 2.29 42.03 41.85 42.25 55.82 52.52 50.14 43.37 67.19 67.26 69.36 69.66 86.69 70.89 77.45 91.82 68.41 60.65 48.36 46.98 45.91 45.05 44.37 43.00 42.71 41.90 41.88 41.96 J/MOL/K 67.82 71.64 43.81 45.09 116.1 35.48 33.99 32.49 31.05 33.78 31.70 30.10 3.64 2.16 41.38 40.45 9.39 6.89 9.85 9.33 9.33 35.88 30.24 30.03 30.00 32.19 32.51 32.85 3.91 43.91 3.84 0.33 30.44 30.11 59.99 29.98 30.04 30.26 30.46 30.97 31.25 31.55 31.87 30.70 113.232 212.755 213.988 09.359 09.768 19.739 25.746 28.584 31,322 33.970 36.538 39.038 41.484 43.898 146.307 48.759 51,341 54.278 82.906 84.958 86.670 88.179 89.547 90.813 91,999 93.120 94.188 95.209 96.192 97.140 98.058 98.948 99.813 201.480 203.070 204.596 205.055 207.485 208.859 210.194 22.801 211.491 8710.7 27529.9 219.7 293.9 1627.9 2308.6 3701.3 21207.3 JUMOL 957.1 60666 4410.B 5125.7 5843.0 5560.1 7275.6 7990.8 0219.1 11068.6 2086.3 2116.3 22919.5 23561.4 4682.8 25195.5 25687.6 26164.0 26528.2 27082.9 8406.5 29938.3 29266.8 0959.3 11798.4 32635.8 4311.5 15152.0 37692.9 22171.1 24142.1 0116.4 13473.1 5995.3 6842.1 J/MOL 14.3 88.1 747.7 6313.5 2778.8 9167.2 24143.1 414.8 0761.0 11754.8 11784.0 22761.0 8046.0 30003.7 2091.6 4180.6 4990.5 5602.4 7730.2 8441.5 9441.5 20155.7 20708.3 21182.5 21612.1 22013.1 22394.2 23117.0 23464.8 23806.4 24805.8 25133.4 5459.2 25107.5 26753.5 27399.1 28695.1 29347.5 10664.2 31329.6 32000.2 18.0816 15.7058 1.8890 2.5843 42.5429 36.4655 33.6719 8.2429 1.6740 3.7558 4.6249 4.8296 5.0308 42,2133 30.9307 20.5265 3.4013 11,1685 9.0054 6.9050 2.7316 3.0129 3.2737 .6175 25.6107 4.8495 .1324 2.0828 2.2612 2,4275 2,7333 2,8759 3.1453 3.3985 3.5202 3.9825 4.4160 5.2290 MPA-L/MOL 23.0374 2.7864 1.4284 4.2022 5.4244 1.117878 .579819 MPA/K 2,115978 DP/DT 2.100509 1.967585 1.842488 1.724279 1.612123 1.505269 1.403035 1.304790 .209934 .939690 .852105 .764219 .472945 045160 036285 023719 022163 019752 018790 017944 017193 016519 015357 014849 012500 011366 010885 010448 010049 009583 009346 028075 025633 020862 015911 013177 011901 469851 031374 013951 .13024 .12588 .10628 93676 94485 11073 10719 0497 67334 86470 90223 2 11563 .10450 80273 .12203 11862 .11300 10890 10593 .10502 10445 11392 11412 60635 71876 75293 85225 89431 90939 91589 92723 95178 95776 96299 94749 97148 78021 82174 83807 87571 88552 97811 DEN 23018E+02 1/10w .29217E+02 29162E+02 .28663E+02 28160E+02 .27651E+02 .27135E+02 26608E+02 26068E+02 .25511E+02 24934E+02 24330E+02 23695E+02 22287E+02 21484E+02 20576E+02 .19501E+02 .18098E+02 .18054E+02 .29770E+01 .27135E+01 2522E+01 23716E+01 21419E+01 .20502E+01 .18967E+01 .17716E+01 .17168E+01 .16195E+01 .14266E+01 .13072E+01 .12558E+01 .12087E+01 .10540E+01 22474E+01 19692E+01 ,18312E+01 .15758E+01 14967E+01 13638E+01 .11654E+01 .11255E+01 .10894E+01 33978E+01 .15663E+01 ⊢ × 88.876 90.000 000.00 210.000 20.000 30.000 240.000 250,000 000.09 270.000 80.000 90.000 300.000 310,000 20,000 30.000 40.000 50.000 70.000 80.000 90.000 410.000 20.000 000000000 50.000 000.099 470.000 80.000 90.000 90.000 20,000 000.05 560.000 900°08 000.00 420.000 540.000 540.000 680.000 000.00 000.00 30.000

	11170 11127 11084 10040 995 995 995 995 799 740 740 580	2553 2565 2565 2565 2565 2565 2565 2565	0.0.0.0
F/ 4459E-0 4761E-0 8688E-0 1484E-0 2401E-0	.5497E-01 .1087E+00 .1459E+00 .1459E+00 .2986E+00 .2986E+00 .2986E+00 .5013E+00 .5013E+00	.7152E+00 .7307E+00 .7547E+00 .7753E+00 .8233E+00 .8233E+00 .847E+00 .847E+00 .847E+00 .847E+00 .8919E+00 .9916E+00 .9916E+00 .9916E+00 .9916E+00	9543E+0 9594E+0 9640E+0 9680E+0 9717E+0
C C C C C C C C C C C C C C C C C C C	69.30 69.89 70.25 71.45 74.98 76.98 81.45 89.93	11000 11000 100000 100000 100000 100	30000
01/7 01/7 03/8 03/8 03/8 03/8	42.000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	41.085 38.09 38.09 31.04 31.09 30.35 30.35 30.37 31.03	20000
/ HGL / 09.37 09.73 13.20 16.52 19.70	125.709 128.544 131.279 133.923 135.485 138.980 143.825 146.625 148.645 151.188	1779.155 180.968 183.429 185.343 186.977 189.761 190.996 197.255 197.208 197.208 197.208 197.208 197.208 202.294 203.304	09.45 09.45 10.76 12.02 13.26
1/M 238 305 968 968 919	3711.1 4419.9 5134.0 5850.3 7279.9 7992.8 8709.5 10205.8 11042.0	20978°0 21629°2 22526°5 23244°4 23873°2 24448°0 24498°4 254918°7 254918°7 27392°7 27392°7 27392°7 27392°7 27392°7 31511°3 31511°3	5091. 5091. 5039. 7643.
J/MO 15. 82. 741. 408.	3467.0 4170.8 4879.4 5589.8 6299.2 7006.0 7710.9 9138.4 9138.4 11671.5	19275.1 19759.3 20422.8 20952.7 21842.7 22623.2 22623.2 229597.7 24315.1 25977.4 25977.4 25977.4 25977.4 25977.6 26684.5	9294. 9294. 9253. 0616. 1284.
0P/ 2.54 2.34 9.44 9.44 1.07	28.3941 25.7665 23.1980 20.5924 18.2533 15.8840 13.5869 11.3689 7.1265 5.0947 2.0963	11.001060000000000000000000000000000000	.013 .013 .214 .417
0P/D HPA/ 11772 10365 97074 84567 72750	1.508626 1.406492 1.308376 1.0213683 1.02241 0944261 095915 681126 5881126	.051984 .044590 .037056 .0329342 .026927 .026927 .026927 .019077 .019295 .016951 .016951 .016951 .016951 .016951 .016951	01189 01141 01096 01056 01019
1415 1415 1363 1321 1284 1251			507 503 503 737
0E MUL/ 291745+0 286755+0 281746+0 276665+0	.26626E+02 .26087E+02 .25933E+02 .24958E+02 .24358E+02 .23055E+02 .23055E+02 .21539E+02 .21539E+02 .21539E+02 .216648E+02 .18662E+02	6 71 9 4 7 9 5 70 11 4 70 7 4 70 9 9 7 11 11 11 11 11 11 11 11 11 11 11 11 1	31246 25506 22126 18076 14316
88.97 90.00 00.00 10.00 30.00	240.000 250.000 270.000 280.000 310.000 320.000 330.000 350.000	354,724 350,000 370,000 390,000 410,000 420,000 420,000 450,000 450,000 470,000 470,000 470,000 470,000 470,000 470,000	20.00 50.00 80.00

Table 14. Continued.

HYDROGEN SULFIDE ISOBAR AT P . 7.00000 MPA

U	ייר מינו	1381	33	29	25	2 1	17	13	08	04	66	in	0	3	0	4	8	6	~	247	251	275	290	305	313	325	330	338	345	355	358	304	370	380	390	400	604	417	456	434	441	449	456	463	
F / P	0-36167	.4469F-02	8152E-0	1392E-0	2252E-0	3476E-0	5152E-0	7366F-0	10196+0	1367E+0	1781E+0	2260E+0	2797E+0	3385E+0	4018E+0	4696E+0	427E+0	229E+0	050E+0	050E+0	092E+0	361E+0	589E+0	7784E+0	956E+0	8110E+0	8248E+0	372E+0	8485E+0	8587E+0	681E+0	8768E+0	88475+0	. 8920E+00	9109F+0	9214E+0	9304E+0	3846+0	453E+0	515E+0	269E+0	618E+0	661E+0	703E+0	
C	67.		707	8.2	9.8	8 . 9	9.5	9.5	9°6	0.1	0.5	1.2	2.2	3 . 8	6.3	0.5	8.2	05.0	5 . 1	85.7	3.0	3.5	4.2	4.6	8.8	6.4	2.1	0.1	8.5	7.2	6.2	5.5	D .	44.36	3.0	2.8	2.5	2.4	2.4	5.4	2.5	5.6	2.7	2 • 9	
	42.0		3.8	3.6	3 • 3	2 . 8	2.1	1.3	0.4	9.6	8.2	6 ° 8	5.4	4.0	2.4	1.0	9.6	9.2	9.0	3.6	2.3	6.7	4 . 4	3.0	2.2	1.5	1:1	0.8	9.0	4.0	0.3	60	000	30.36	400	9.0	0.8	1.0	1.3	1.6	1.9	2.5	5.5	2 • 9	
- CM	00.28	109.709	13.17	16.48	19.67	22.73	25.67	28.50	31.23	33.87	36.43	38.92	41.35	43.74	46.12	48.53	51,04	53.80	56.88	78.02	78.53	81.77	83.98	85°77	87.33	88.73	90°05	91.22	95.36	93.43	94.46	95.45	96.40	196 213	99.92	01.54	03.09	04.59	06.02	07.42	08.75	10.01	11.35	12.59	
2	. rc	317.1	79.	650.	30.	020	720.	429.	142.	857.	572.	284.	995.	708.	435.	0193.	1017.	1975.	109.	0698.	0884.	2067.	2893.	3583.	4166.	4767.	5302。	5813.	6306.	6785.	7252.	7711.	6163.	0.0000 0.0000 0.0000	9921	0781.	1635.	2486.	3334.	4185.	5032.	5883°	6737.	7594.	
2	2	77.2	35.	401.	77.	762.	458.	160.	858.	577.	285.	989.	691.	395.	111.	9855.	0662.	1595.	691.	9069.	9208.	0087.	0697.	1207.	1662.	20R2.	2480.	2850.	3228.	3586.	3937	42820	46230	25206.7	5957	6615.	7270.	7926.	8582.	9241.	0603	0569.	1239.	1913.	
	42.749	0	9.583	6.744	3.957	1.224	8.545	5.921	3.358	0.857	8.424	5.061	3.771	1.556	.415	.345	.334	.356	. 532	491	559	.012	,333	.597	.827	.034	.223	•399	. 565	.721	.871	.015	.153	3.6176	667	906	.137	360	.577	.789	.996	. 200	.401	.599	
DP/DT	11066	6 8 0	.97389	.84884	.73071	.61867	.51197	.40993	.31194	.21741	.12576	.03643	.94878	86212	77551	68765	59629	49652	38662	5991	5724	04411	03770	03351	03045	02808	02617	02458	02323	02207	02105	02014	66610	012007	01478	01579	1494	01419	01352	01292	01239	1190	1145	1104	
2	502	.15183	467	422	385	347	316	289	267	24B	233	222	215	213	218	231	257	305	400	459	597	434	948	32B	62B	7874	0 R 2	259	413	548	568 	774	200	00000	167	279	374	455	528	5 A 5	<b>538</b>	683	124	760	
DEN	9221640		28688E+0	28187E+0	27681E+0	27167E+0	25643E+0	26107E+0	25554E+0	249R2E+0	24385E+0	23758F+0	3092F+0	22375E+0	21593E+0	07176+0	1969RE+0	18425E+0	15755E+0	42967E+0	1770E+0	35363E+0	1883E+0	29457F+0	27591E+0	6076E+0	24802F+0	23705E+0	2742E+0	21885E+0	211146+0	20415E+0	197755+0	.19105E+UI	17661F+0	16801E+0	16037F+0	15351E+0	14731E+0	14166E+0	136496+0	111726+0	2732E+0	12323E+0	
<b>⊢</b> ×	80.08	190.000	00.00	10.00	20.00	30.00	40.00	50°00	90.09	70.00	80.00	00.06	00.00	10.00	20.00	30.00	40.00	50.00	58.93	58.93	50.00	70.00	90.00	90.09	00.00	10.00	20.00	30.00	40.00	50.00	50.00	70.00		300,000	20.00	40.00	60.00	90°0	00.00	20.00	40.00	20.00	90°00	00.00	

m 80 8 4 0 5 4	11217 11175 11033 10047 1003 957 911 754 689 689	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200
F/ 001E-0 217E-0 689E-0 313E-0	.3276E-01 .4854E-01 .6939E-01 .9596E-01 .1287E+00 .2128E+00 .2633E+00 .3187E+00 .3187E+00 .5633E+00 .3187E+00 .3187E+00 .3187E+00 .3187E+00 .3187E+00 .3187E+00	. 6951E+00 . 7423E+00 . 7635E+00 . 7635E+00 . 8135E+00 . 8135E+00 . 8268E+00 . 8499E+00 . 8499E+00 . 8499E+00 . 8499E+00 . 8496E+00 . 8499E+00 . 8499E+00 . 8499E+00 . 8499E+00 . 8499E+00 . 8499E+00 . 8499E+00 . 8499E+00	642E+0
7.7.1	68.91 69.19 69.44 69.44 70.03 70.03 72.01 72.01 73.47 75.82 101.27 101.27	1226 1226	2.9
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	447 447 447 447 447 447 447 447		2.0
/#UL/ 09.39 09.68 13.14 16.45	122.696 125.634 128.464 131.193 1336.383 1346.383 146.033 146.033 146.033 159.994 159.994	176.758 186.536 186.538 187.727 189.079 190.329 191.650 197.668 197.676 197.676 197.676 197.676 197.676 197.676 197.676 197.676	10.71
1/AU 2746. 9928. 9991.	3030.9 3730.7 4438.3 5150.8 5855.1 5286.8 7297.4 87097.6 10182.1 10994.7 11958.7	20350.6 22496.6 23268.1 233268.1 225033.8 25534.7 255230.7 25530.7 27578.5 275	7545.
1/MO 18. 71. 729. 070.	2755.0 3449.4 4151.2 5855.1 6573.6 7673.6 7673.8 10615.7	1960999 2040871 2040987 2146995 21340999 2234099 2234099 22340899 2241899 225545 22554 225545 22555 225545 22554 22555 22555 22555 22555 22555 22555 22555 22555 22	1194. 1870.
DP/D -L/MD 2.851 2.611 9.719 6.883	31.3710 28.6956 25.0768 23.5179 21.0225 18.5947 11.0251 11.76609 7.5609 7.5609 5.5701 3.6255 1.6579	1	.389
0P/D MPA/ 12120 10994 97704 85201	1.621933 1.515306 1.413367 1.221122 1.129673 1.040589 953271 9640589 694046 694103 507129 390254		01235
1630 1626 1571 1571 1480		040000000000000000000000000000000000000	. 97501
0 P P P P P P P P P P P P P P P P P P P	2718 2666 2612 2612 2557 2550 2641 2378 2378 2378 2378 2378 2378 2378 2378	.48678E+01 .35922E+01 .32751E+01 .32751E+01 .27107E+01 .27107E+01 .27107E+01 .27107E+01 .27107E+01 .27107E+01 .27107E+01 .271092E+01 .27106E+01 .27106E+01 .27106E+01 .27106E+01 .27106E+01 .27106E+01 .27106E+01 .27106E+01	13 4 5 9 5 4 0 13 4 5 9 5 + 0 13 2 1 7 5 + 0
9.18	230.000 250.000 250.000 270.000 270.000 320.000 320.000 320.000 350.000 350.000	N0000000000000000000000000000000000000	000

Table 14. Continued.

8.00000 MPA

# G.

ΔT

HYDROGEN SULFIDE ISOBAR

961 915 867 817 761 697 618 232 249 274 291 1385 1343 1302 1219 1177 1135 1093 050 9001 408 417 425 433 441 261 E+00 .1586E+00 2013E+00 2490E+00 .3014E+00 .4181E+00 .4834E+00 .5552E+00 .6353E+00 .6854E+00 .6973E+00 .7254E+00 .7485E+00 .7686E+00 .7864E+00 8023E+00 .8165E+00 .8294E+00 8411E+00 .8518E+00 .8616E+00 .8706E+00 8789E+00 8866E+00 9003E+00 9120E+00 9223E+00 9312E+00 9391E+00 .1217E+00 9460E+00 9576E+00 9624E+00 966BE+00 3996E-02 .7284E-02 .1243E-01 2010E-01 3100E-01 .9078E-01 .4594E-01 6565E-01 3577 133.67 69.65 96.8 175.50 186.42 .01.28 67.92 61.38 53.93 49.87 8.49 8.55 8.86 0.89 73.13 78.83 1.63 3.32 0.31 44.31 3.71 3.08 2.95 45.93 67.13 67.72 68.17 69.13 69.37 69.92 71.76 85.33 98.12 57.03 47.39 46.50 45.19 42.91 43.00 67 .18 3.65 40.46 39.40 36.90 34.01 31.05 30.60 36.10 48.81 42.55 37.10 33.45 32.55 31.93 31.48 30.93 30.67 30.66 30.79 31.46 J/HOL/K 43.91 38.21 29.24 30.77 30.58 30.58 31.21 32.33 32.64 41.39 35.49 34.81 31.16 30.61 43.91 43.85 30.98 116.426 119.606 122.661 125.597 S J/MOL/K 109.397 31,150 33.783 38.809 143.600 45.953 83.289 88.148 89.452 90.665 93.916 98.528 200.188 201.770 09.651 28.424 36.332 41.225 48.322 50.764 153.397 156.555 159.905 80°990 85.725 91,805 92.885 94°604 95.855 96.773 203.286 204.744 206.152 207.514 208.836 210,121 293.0 6584.5 22036.1 27442.8 3041.3 3740.6 5872.5 7999.9 9425.9 20724.9 34055.0 35772.4 1002.5 1672.2 2351.6 4447.5 5159.2 8707.7 0171.5 0973.7 11886.8 3043.2 14269.8 23649.0 24293.0 24883.8 25437.8 25965.0 29722.6 30602.4 31472.5 33196.6 JUMOL 26472.2 26963.7 28373.4 28828.2 32336.4 34913.2 36633.4 37497.1 12574.9 2062.9 2747.1 3440.7 4141.5 1,8463.8 1,9094.2 20071.5 J/MOL 19.4 6257.2 8351.5 9057.2 9787.8 22175.1 22585.9 22977.9 3723.5 5805.2 66.4 723.9 846.7 5552.9 7654.5 0571.3 1459.0 21738.0 4435.5 388.7 6957.6 21262.4 23356.0 5126.8 27142.1 27805.4 8470.6 9136.1 8 4783.1 30474.7 31828.1 9803. 31149. 34.242R .6062 4.9609 37.0219 28.8459 21.1868 6.4136 3.8858 4845 .9431 2.2023 2.8778 42.9537 42.7443 39,8549 26.2314 1.9390 9.8183 5.8013 1.9847 .2747 .5493 2.0047 3.1708 3.8273 4.7466 MPA-L/MOL 23.6771 8.7644 4.1377 7.7741 .7891 2,3861 2,5587 2.7221 3.0271 3.3096 3.5751 4.0688 4.3015 4.5271 5.3770 5.5797 DP/DT MPA/K 1.518629 2.122932 407234 2,113074 1.980184 .855178 .625184 .319037 .224812 .133556 .044717 .957714 871895 786457 ,700296 611657 517125 081568 067336 051390 043707 03.8730 035118 028218 026640 025279 .0240A9 022098 021252 019786 017493 016573 015039 012783 .737121 300224 032327 030081 023037 018551 014391 013805 015761 013271 .17338 .15755 .15239 .14720 .14237 .15381 46922 84719 87114 98125 89035 91909 85986 95019 71758 77557 81651 83288 2 14239 .14061 13929 .13R46 .13819 13858 13985 15645 62180 67708 74950 79768 90605 93936 94733 95421 95541 66696 97402 .14587E+01 OFR 29209E+02 28214E+02 27710E+02 26678E+02 .25597E+02 23819E+02 21697E+02 .19878E+02 .18701E+02 .15115E+02 .29713E+02 .27199E+02 .26145E+02 .25030E+02 24439E+02 22461E+02 .17083F+02 26782E+01 25673E+01 184746+01 .16928E+01 29244E+02 .23163E+02 .20849E+02 .49060E+01 .40721F+01 36437E+01 31311E+01 29534F+01 28052E+01 24590E+01 23808E+01 23010F+01 22282E+01 21613E+01 20422E+01 19387E+01 .17660E+01 ,16264F+01 .15657E+01 .15101E+01 55921E+01 33521E+01 340.000 89.283 90.000 220.000 90.000 000.00 000.09 20.000 240.000 000009 80.000 800.000 640.000 560.090 690.000 000.00 210,000 30,000 250.000 000°09 270,000 80.000 310.000 20.000 30.000 000.061 000.00 410.000 420.000 30.000 440.000 .50.000 470.000 480.000 90,000 520.000 000.007 240.000 60.000 366.587 90.000 000.00

S	1387	34	30	26	22	9 .	13	0.0	S S	0	9	2	~	2	9	0	N	N	0	8	-	A)	(E)	5	-	$\sim$	$\sim$	m	3	EC.	in.	•	<b>~</b>	~	8	0	0	-	S)	3	441	-3"	5	-0
F /	3626E	6928E-0	1182E-0	910E-0	2946E-0	43646-0	6236E-0	8622E-0	156E+0	1506E+0	1911E+0	2364E+0	2861E+0	3396E+0	970E+0	4590E+0	5273E+0	6038E+0	6845E+0	6759E+0	759E+0	080E+0	333E+0	550E+0	7741E+0	7910E+0	062E+0	8199E+0	8324E+0	8437E+0	8541E+0	8636E+0	8724E+0	8906E+0	8950E+0	9075E+0	9183E+0	9277E+0	9350E+0	9433E+0	9498E	9555E+0	9607E+0	652E+0
0 1	67.16	7.6	8.1	8.5	<b>20</b> (20	) (	٠ ا ا	ر د د	90 0	0.1	0.7	1.5	2.8	4.8	8.2	0. 4	5.4	23.9	37.9	9.3	72.4	8 3	90.6	4.0	5.4	6.6	6.1	3.4	1.3	4.5	8.4	7.4	6.5	5.8	4 • B	4.1	3.7	3.4	3.2	3.1	43.14	3.1	3.2	3 . 4
	43.91	3.8	3.6	3.9	200	107	1.03	4.0	4.6	8 . 2	5.9	5 . 4	4.0	2.5	1.0	9.6	9.5	0.5	4.5	6.1	3 . 8	9.9	5.00	4 . 1	3.0	2.3	1.8	1.4	1,1	6.0	0.8	0.7	0.7	0.7	0.7	0.8	1.0	1.2	1.5	1.7	32.07	2.3	2.6	2 . 9
MOL	09.65	13.08	16.39	9.57	20.22	27.76	26.92	31.10	33.73	36.28	38.75	41.16	43.55	45.86	48.21	50.63	53.21	56.22	61.41	61.89	73.20	79.21	81.95	84.00	85.72	87.22	88.59	89.84	91.02	92.13	93.19	04.19	95.15	96.10	97.87	99.55	01.15	02.68	04.15	05.56	206.938	08.25	09.55	10.81
Ξ:	351.9	013.	683.	62.	051.	150.	400	167.	000	590.	298.	005.	707	422.	0161.	0954.	1848.	2954 .	4907.	036.	9223。	1478.	2531.	3340	4034 .	4659	5238.	5786.	6306°	6814.	7304.	7783.	8253	8715.	9621.	0511.	1390.	2261.	3127.	3991.	34853.9	5717.	6581.	7448.
Y (	61.0	18.	382.	9	, 197	456.	131.	635	240	243.	941.	636.	329.	031.	755.	0528.	1397.	2463.	4307.	425.	7944.	96590	0440	1038.	1549.	2011.	2440.	2846.	3236.	3612.	3979.	4339.	4692.	5041.	5728.	6405.	7077.	7746.	8414.	9083.	29754.1	0427.	1104.	1785.
0 P / D	42.8765	066.6	7.160	4.384	1 • 0 0 5	4 2 2 5	0 6 6 6 7	3.835	1.350	8 9 9 3 3	6.588	4.319	2.128	0.017	.984	.028	.138	.289	.314	245	114	726	.102	.402	.660	.890	.099	.293	.474	.644	.806	.961	.110	.253	.527	.786	.033	.271	.501	.724	4.9424	.155	.364	.569
MPA MPA	520	.98331	.85933	.74031	24620.	#612C*	220240	07776	949270	.13741	.048RI	96211	87669	79180	0641	61898	52660	42208	25908	24931	9891	5108	05010	4363	3915	3578	3311	03093	02911	2754	02619	02500	02394	02299	2135	01998	01891	1780	01691	1612	0	1477	1419	1366
M	.19414	779	724	1676	1533	1242	702T	1534	1161	1492	4 7 8	458	465	695	81	505	551	639	1951	.19833	155	755	6448	2	7289	582	826	034	213	369	507	529	738	837	00 2	145	263	342	1447	520	583	633	9687	.97305
TOW Q	2 9	8726E+0	9228E+0	27725E+0	2//2/2004	263645540	254104540	256185+0	25053E+0	24466E+0	23850E+0	2319BE+0	2502F+0	1747E+0	0912E+0	9962E+0	8826E+0	7318E+0	14161E+0	13921E+0	.66420E+01	5736E+0	40651E+0	I	34211E+0	32102E+0	30376E+0	8919E+0	27660E+0	6553E+0	2556RE+0	24680E+0	23874E+0	23137E+0	21830F+0	07006+0	19708E+0	8827E+0	8035F+0	73196+0	6667E+0	0+36909	.155186 + 01	50
9	190.000	00.00	00.01	20.	30.00		0000	00.00	00.00	00.00	00.06	00.00	10.00	20.00	30.00	40°00	50.00	60.00	70.00	70.26	70.26	80.00	90.00	0.00	10.00	20.00	30.00	40.00	50.00	00.09	00.04	RO.00	90.06	00.00	20.00	40.00	20.00	80.00	00.00	20.00	0.0	00.09	a0.09	00.00

Continued. HYDROGEN SULFIDE ISOBAR AT P . Table 14.

8.96291 MPA

TH 0- 00 4- 0 40 M 4	0 4 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	とて 13 3 4 ら 7	40 M M M M M M M M M M M M M M M M M M M	86412464646464646464646464646464464464464464
F/ 3523E-0 3642E-0 6634E-0 1132E-0 2819E-0	2655E-0 2655E-0 105E+0 440E+0 827E+0 260E+0	3247E+0 3795E+0 4389E+0 5043E+0 5777E+0 6559E+0	7427E+0 7627E+0 7806E+0 8112E+0 8243E+0 8472E+0 8472E+0	9750E+00 9033E+00 9146E+00 9245E+00 9332E+00 9477E+00 9537E+00
7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	, 0 0 0 0 0 1 V	* C O O C C C C C C C C C C C C C C C C	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
00 L C C C C C C C C C C C C C C C C C C	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 1 1 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0		93000 93000 9311 9321
/MOL/ 09.54 09.59 13.05 16.36 19.54	2000 2000 3100 3300 3300 3300 4100 430 430 430 430 430 430 430	45.74 48.12 50.51 53.05 55.95 60.23	882 93 884 78 86 37 86 37 89 10 99 10 99 10 99 10 99 10 99 10 99 10	195.499 197.499 200.611 202.151 203.629 205.659 206.430 207.764 209.060
J/MG 328. 362. 024. 372.	465 1175 1175 1005 1005	7418. 0153. 0937. 1816. 2883. 4500.	303030 34441 44441 55047 56154 7173	29608.9 29608.9 30427.2 31313.6 331911.2 33931.9 35666.2 35666.2
1/M 0 21. 56. 712. 712. 732.	1123 1123 123 123 123 131 131 131	9007.9007.00490.11343.2371.3905.9162.0140.	00011. 11854. 11852. 2300. 2721. 3122. 3508. 4248.	24961.2 256561.2 256561.2 27690.4 28362.3 29034.5 29708.1 31063.3
0P/0 -L/MU 3.150 2.998 0.115 7.288 4.516	3 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6.178 6.178 6.235 6.235 7.357 7.39 6.739	2003 2003 2003 2003 2003 2003 2003 2003	5.000000000000000000000000000000000000
DP/D MPA/ 12625 11909 98621 86124 74325 63142	. 423333 . 423333 . 14095 . 05258 . 96615	71198 71198 62557 53498 43449 29991 07343	04877 04926 03927 03350 03350 02975 02822	.0226453 .0226453 .021339 .020062 .018958 .017993 .015064
944 946 975 917 721 721	1046 11546 11576 11576 11576 11576	582 582 582 582 582 582 582 582 582 582	776673 776873 776873 881009 88572 88552	722602320072
DE HOL/ 9257E+0 9231E+0 8737E+0 8737E+0 7738E+0	26182E+0 25083E+0 25083E+0 2387E+0 23837E+0 23230E+0	20970E+0 20970E+0 20038E+0 18934E+0 17509E+0 15069E+0	40386E+0 37104E+0 34623E+0 32633E+0 30977E+0 29562E+0 29328E+0 27237E+0	24571E+ 21929E+ 20861E+ 19914E+ 19067E+ 17605E+ 16968E+ 16968E+
89.47 90.00 00.00 10.00 20.00 30.00	70000000000000000000000000000000000000	70.00 70.00 70.00 80.00 90.00	100.00 200.00 330.00 40.00 50.00 70.00 90.00	00000000000

MPA
۵
I
0
$\tilde{}$
$\simeq$
5000
0
5
0
0
•
_
٥
4
$\alpha$
4
SUBAR
7
=
ய
0
IDE
ů.
SULF
$\Rightarrow$
5
z
-
3
OGE
<u>_</u>
ď
0
HYDR
I

,	5	m	m	m	<u>m</u>	~	2		-	-	0	0																														644		
F / P		386E-(	477E-(	330E-(	079E-	743E-(	687E-	3979E-(	5683E-(	7855E-(	1053E+C	1372E+C	739E+C	2152E+C	2604E+C	3091E+C	514E+0	4180E+0	4805E+0	506E+0	6259E+0	6709E+0	321E+0	275E+0	7493E+0	7685E+0	7856E+0	)10E+0	8149E+0	276E+0	392E+0	98E+0	94E+0	86E+0	346E+0	8985E+0	9104E+0	09E+0	100E+0	9381E+0	9452E+0	.9516E+00	172E+0	23E+0
	ב	7.0	7.1	7.6	8 .0	8.4	8.7	6.	9.1	6.3	9 ° 6	6.6	0.3	1.0	2.1	30,9	6.8	1.8	6.0	11.1	87.4	56.2	7.8	91.5	5.9	7.1	1.4	7.4	4.5	2.4	7.0	9.3	8.2	7.3	5.0	5.1	4.5	0 . 4	3.8	3.6	3 . 5	43.59	3.6	3 . 7
	70	3.9	3.9	3.8	3.6	3 . 3	2 . 8	2.1	1.3	4.0	9.6	8.2	6.9	5.5	4.0	2.5	1.0	9 . 8	9.2	4.0	3.0	5.7	8.4	5.7	4.2	3.2	2.5	2.0	1.6	1.4	1.2	1.0	1.0	6.0	6.0	1.0	1.2	1,3	1.6	1.8	2.1	4	2 . 7	3 ° 0
	/ MOL/	09.41	09.56	13.02	16.33	19.50	22.55	25.48	28.30	31.02	33.64	36.18	38.64	41.04	43.38	45.70	48.02	50.38	52.87	55.67	59.45	73.88	78.92	81.62	83.57	85.38	86.89	88.26	89.52	69.06	91.80	92.85	93.86	94.82	96.65	98.37	00.00	01.55	03.04	04.48	05.86	20	08.51	09.77
		48.	75.	036.	705.	384.	072.	770.	475.	184.	895.	603	308.	008.	708.	415.	0144.	0919.	1782.	2812.	4249.	9630.	1568.	2634.	3463.	4174.	4815.	5409°	5968.	6503.	7018.	7518.	9008	8484.	9417.	0328.	1224.	2109.	2988.	3863.	4735.	35607.0	6479.	7352.
	2	30	0	.90	369.	041.	723.	414.	112.	814.	516.	216.	910.	600.	287.	980°	692.	0447.	1283.	2275.	3642.	8256.	9728.	0520.	1132.	1658.	2131.	2570.	2986.	3383.	3767.	4141.	4507.	4867.	5571.	6263.	6946	7625.	8301.	8977.	9654.	30333.6	1015.	1700.
0 P /	- L / H	3.26	3.14	0.25	7.43	4.66	1.95	29	6909	4.15	1.67	9.26	6.93	4.67	2.50	0.40	• 39	647	.62	. 85	.13	.24	e 7 3	. 0 s	9.3	.65	. 8 8	.10	.30	.48	• 66	. 82	96.	• 13	. 42	.70	960	.20	440	.67	96.	5.1233	. 3	.54
	WPA/K	.12910	.12243	.98356	.86462	.74666	.63488	853	.42596	.32956	.23577	.14506	.05692	.97080	88614	80226	71831	63302	54429	44766	32859	09754	5725	05543	1857	04361	3987	3590	3447	3243	3068	2916	2783	2664	2452	2295	2154	02033	1927	01833	1750	5	1608	1546
2		.20594	^	-	10		-			A 1	. ^		Poss	-0	O.I.	-32	-0	$\circ$	- GP	- PO.I	സ	O.	.56737	-	.58361	-	P==	.77583	$\rightarrow$	.81566	@	0	5	0	5		9	CX.	5		7567	950	946	7.1
E E	MOL /	264E+0	244E+0	29751E+0	28255E+0	754E+0	246E+0	26730E+0	26202E+0	25660E+0	25100E+0	518E+C	909E+C	267E+0	22583E+0	845E+C	21034E+C	20122E+(	19054E+(	17708E+0	15649E+(	59136E+(	51637E+(	44940E+(	40756E+	37747E+	394E+(	1471E+	31850E+	1452E+(	1226E+	136E+	7155E+	5266E+	+ 705E+	33716+	7210E+	11858+	3270E+	+3945E+	369PE+	15E	7397E+	5808E+
<b>-</b>		9.58	00°0	00.0	00.0	00.0	00.0	0000	0.00	0.00	0.00	0.00	0.00	0.00	0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.0	0.0	0.0	0.01	0.0	0.00	0.0	10.01	30.0	000	0000	20.0	0.04	50.0	90.04	0.00	0.0	60.0	0	30.0	000

Table 14. Continued.

HYORDGEN SULFIDE ISOBAR AT P = 10.00000 MPA

3/	0	3.9	39	33	31	27	22	18	14	10	-0	02	414	3	8	3	8	N	5	9	0	(1)	5	8	0	0	N	2	m	4	5	9	9	~	8	0	0	-	2	3	4	4	457	9
F / P	- 0	735-0	34E-0	6076E-0	35E-0	72E-0	77E-0	16E-0	5449E-0	296-0	1009E+0	146+0	1667E+0	52E+0	2495E+0	2962E+0	63E+0	06E+0	04390	80E+0	6007E+0	6495E+0	6859E+0	35E+0	7368E+0	7572E+0	7753E+0	16E+0	63E+0	96E+0	18E+0	8429E+0	32E+0	27E+0	95E+0	40E+0	55E+0	75E+0	71E+0	55E+0	30E+0	36E	0	608E+0
2	יים רי	0 . 1	1.,	7.6	8.0	8 . 4	9.6	8.9	9.1	9.2	9.5	9.7	5 °	0.8	1.9	3.5	6.2	0.8	9.1	06.5	63.5	6.7	65 05	04.5	82.8	1.5	4.5	9.8	6.4	3.9	1.9	0.4	9.1	8.1	9.9	5.6	6.4	4.4	4.1	3.9	3.8	3.7	8	6
	/ JDL /	ا ا ا	3 . 4	3 ° 8	3.6	3 ° 3	2.8	2.1	1.04	0.4	9.6	8.2	6.9	5.5	4 ° 0	2°2	1.0	9 ° 8	9.5	0.4	2.8	4.0	0.1	6.7	4.8	3.7	2.9	2.3	1.9	1.6	1.4	1.2	1.1	1.1	1.0	1,1	1.2	1.4	1.6	1.9	2.1		2.7	3.0
2	/ John /	24.00	04.53	15,99	15.30	19.47	22,52	25.45	28.26	30.98	33.60	36,13	38,58	40.97	43.31	45.62	47.92	50°26	52.71	55.43	58.93	67.88	77.07	80,33	82.61	84.45	86.05	87.48	88.78	89°99	91:13	92.21	93 ° 53	94.22	96°07	97.81	94.66	01.03	02.53	03.97	05.36	7	08.02	09.29
2		٥٥٥	3000	048	716.	394.	082.	780.	484.	193.	903。	610.	313.	011.	709.	412.	0136.	0903	1753.	2753.	4086.	7413.	0937.	2221.	3145.	3911.	4589.	5210.	5790.	6341.	6870.	7381.	7879.	8365。	9312.	0235.	1140.	2033.	2918.	3798.	4676.	35552.0	6428	7305.
2	Ι,	5 L	470	100	363°	034°	716.	406.	103.	804.	505	203.	895.	582.	267.	955°	662.	0408°	1231.	2194.	3463.	6457.	9253°	0215.	.6680	1465.	1966.	2424.	2855.	3264.	3658°	40400	4412.	4778.	54920	6191.	6880.	7564.	8245.	8924.	9605.	30286.7	0971.	1658.
0740		30505	30616	0.394	7.574	4 ° 80 9	2.098	6,443	6.845	4.309	1.83 A	9.436	108	4.858	2.689	0.603	.603	°690	.861	.116	.452	.125	557	.945	.263	. 537	.782	.005	.211	,404	,585	.75₽	.922	.079	.377	.657	.922	.176	.419	.655	.883	0	.324	.537
T0/00	Z * 0 C C F	166210	PCC21.	• 99268	.86775	.74983	.63809	.53181	.43032	.33303	.23938	.14885	6003	.97509	89079	80739	72409	63977	55260	5899	34904	5741	07954	06312	5412	4 RO 8	04364	4018	3738	03506	3308	3138	2989	2857	2633	5440	2295	2163	2048	1947	1857	11	1794	1538
2	, , ,	0017	103	0 6 0	026	958	918	73	834	801	773	750	.17325	720	715	716	727	.17514	293	869	026	~	161	032	587	900	337	612	848	045	519	2	50 B	629	836	900	147	266	367	424	.95297	5	.95518	701
DEN		202555.0	C4505+0	8 / 6 3 E + 0	2825PE+0	2776 RE+0	7262E+0	25747E+0	6221E+0	25680E+0	25123E+0	2454E+0	23939E+0	3301E+0	2623E+0	1893E+0	1093E+0	0198E+0	19159E+0	7875F+0	16037E+0	10456E+0	59401E+0	49840E+0	44529E+0	40880E+0	8118E+0	35906E+0	4067E+0	32498E+0	1132E+0	29926E+0	8848E+0	27874E+0	6174E+0	4730E+0	3478F+0	2378E+0	21398E+0	051RE+0	0E+0	8992E+0	5E+0	7710E+0
⊢ ⊻			00.06	00.00	10.00	20°00	30.00	40°00	50.00	60.00	70.00	80.00	00.06	00.00	10.00	20.00	30.00	40.00	20°00	20.00	70.00	80.00	00.06	00.00	10.00	20.00	30,00	40.00	20.00	00.09	70°00	80.00	00.06	00.00	20.00	40.00	00.09	80.30	00.00	20.00	00.04	0	80.00	00°00

4
9
Ĩ
0
0
0
0
50
•
0
_
۵.
AT
~
3
08 A I
20
ISI
D.E.
Ξ
Ξ
UL.
2
Z
ш
9
~
5
~
I

	, ,	5	9	9	3	2	2	-	-	. =	9		6																															494	
т 9	200	1/2E=(	714F-(	948E-(	366E-(	508E-	2478E-	3668E-(	5237F-0	7236F-(	97E-	1263E+0	1601E+C	19816+0	2397E+C	345E+C	3327E+0	3849E+0	4426E+C	5076E+C	779E+0	6269E+0	6692E+0	93E+0	42E+0	59E+0	50E+0	1216+0	76E+0	16E+0	44E+0	161E+0	0+369°	0+389	44E+0	95E+0	127E+0	9141E+0	42E+0	30E+0	0 8 E + 0	77E+0	39E+0	Ė	
0	7 6 7	•	•	) • (	8°	9	9.6	8 . 6	0.6	6	6	9.6	0	9.0	1.6	3.1	5.6	9.6	7 . 4	02.8	48.7	64.2	0.1	22.0	91.2	9 • 6	3.0	2 . 4	3.4	5.5	3 . 2	1.5		9.9	7.3	5.1	5 . 3	1 . 7	4 . 4	1	0	0	0	44.06	
91		ν ( γ (	3. o. c.	3 • 8	3.6	3 9 3	2.8	2.1	1.4	4.0	9 . 6	8 . 2	6.9	5.5	4.0	2.5	1.0	9.8	9.2	0.3	2.7	8 . 8	2.0	7.7	5.5	4.2	3 . 3	2.6	2,1	1.8	1.6	1.4	1.3	1.2	1.1	1.2	1.3	1.5	1.7	1.9	2.2	2.5	8 2	33.11	
/ M0L		54.60	04.50	12.96	16.27	19.44	22.48	25.41	28.22	30.94	33.55	36.08	38,53	40.91	43.25	45.54	47.83	50.14	52.56	55.21	58.50	64.49	74.82	78.92	01.50	83.51	85.21	86.73	88.05	89.31	90.48	91.58	92.63	93.63	95.51	97.28	96.86	00.52	02.03	03.48	04.88	06.24	07.55	208.833	
	7 0	• •	376	059°	727.	405.	093.	790.	494.	202	910.	617.	318.	015.	710.	410.	0129.	0889.	1726.	2701.	3960.	6164.	0136.	1756.	2800.	3632。	4352.	5003	5606.	6175.	6719.	7242.	7750.	8245.	9207.	0141.	1055.	1956.	2848.	3734.	4616.	5496.	6376.	37257.3	
D	3 6	•	9.0	96	356.	027.	708.	397.	. 560	793.	493.	189.	880.	565.	246.	931.	632.	0371.	1180.	2119.	3317.	5353.	8639.	9868.	0645.	1260.	1792.	2273.	2720.	3142.	3546.	3936.	4316.	4687.	5412.	6118.	6814.	7503.	8188.	8871.	95550	0239.	0926.	31616.2	
0 P / D	777 67		50405	0.529	7.712	4.950	2.243	9.591	866.9	4.466	2.000	9.603	7.280	036	2.874	0.796	.806	.904	.092	.372	.751	.350	391	796	,131	.419	.675	.908	.122	.322	.510	.688	.85A	.020	.326	.613	.884	.143	.391	631	.863	0.89	310	5.5259	
10 X	131633	267670	•16802	.99579	.87088	.75299	.64130	.53508	.43368	.33650	.2429R	5262	.06491	97934	9539	81245	2977	64635	56060	46959	5524	2090	09652	7203	06038	05300	4772	4369	4047	3782	03560	3369	3202	03056	02809	2608	02439	02296	2171	2062	C1966	01879	01801	4	
2	272	2122	7/7	194	126	990	012	966	925	1989	850	8	918	A04	797	198	809		3	945		565	4618	78	323	92	61	7	1.5	31	118	83	428	557	778	958	108	233	.93438	432	511	579	639	53	
DEN MOL/L	00077640	20217240	9201E+0	28775E+0	8281E+0	7783E+0	7277E+0	64E+0	26239E+0	5701E+0	25145E+0	24569E+0	23968E+0	35E+0	662E+0	939E+0	151E+0	272E+0	9260E+0	9 E + 0	6350E+0	2951E+0	107E+0	5596E+0	8710E+0	4264E+0	1011E+0	8461E+0	6374E+0	613E+0	3095E+0	1762E+0	0578E+C	9513E+0	7666E+0	5105E+C	4759E+0	3580E+C	2533E+C	1594E+(	0746E+C	973E+0	9265E+0	9614E	
⊬¥	10		0000	00.00	10.00	20.00	30.00	40.00	50.00	50.00	70.00	90.00	90.06	ô	10.00	20.00	30.00	40.00	50.00	0.09	70.00	80.00	90.00	00.00	.00	20.00	00.0	40.00	0	90.00	70.90	80.00	0.00	00.00	20.00	40.00	60.00	80.00	0.30	20.00	640.090	60.00	0.00	0.0	

Table 14. Continued.

HYDROGEN SULFIDE ISOBAR AT P . 11.00000 MPA

•	^	ന	E)	ന	3	2	~	-		_	1069	0	0	146	968	648	199	743	677	590	044	312	247	569	287	301	313	324	333	345	350	357	364	371	383	395	405	415	454	433	441	644	457	494
F/P		080E-	3102E-	641E-	610E-	550E-	3896-	534E-	5045E-	-36969	9338E-	1216E+	542E+	1907E+	308E+	2739E+	203E+	3706E+	4262E+	890E+	5571E+	055E+	6517E+	6848E+	7115E+	7345E+	7547E+	727E+	7889E+	036E+	8170E+	8293E+	8405E+	509E+	8694E+	8852E+	989E+	108E+	213E+	9305E+	386E+	.9458E+00	523E+	580E+
2	01/	7.0	0.7	7.5	7.9	8.3	9.6	8.8	8.9	9.1	9.3	9.5	9.8	4.0	1,3	2.7	5.1	9.0	5.9	9.6	38.5	46.2	16.1	5.6	01.5	82.5	1.9	5.2	0.6	7.2	4.6	2.6	1:1	9.8	7.9	9.9	5.7	5.1	4.7	4.4	4.2	44.20	4.1	4.2
C	י שה י	3°0	9.0	3 . 8	3.6	3°3	2 . 8	2.1	1.4	0.4	9.4	8.2	6.9	5.5	4.0	2.5	1.0	9.8	9.2	0.3	2.6	8.0	3.8	8.8	6.2	4.7	3.7	2.9	2.4	2.0	1.7	1.5	1.4	1.3	1.2	1.3	1.4	1.5	1.7	2.0	2.2	32.55	2.8	3.1
2	/ IDL /	55°60	09.47	12,93	16.23	13.41	22.45	25,37	28.19	30.89	33.51	36.03	38.48	40.85	43.18	45.46	47.74	50.03	52.41	55.00	58.14	63.13	72.07	77.39	80.35	82.55	84.36	85.93	87.34	88.63	89.84	90.06	92.03	93.05	26.95	96.75	98°43	00.03	01.55	03.02	04.42	205.790	01.10	08.39
	מיין	e 0	410.	071.	739.	416.	103.	800.	503.	210.	918.	623.	324.	018.	711.	408.	0122.	0875.	1701.	2654.	3855。	5686.	9130.	1227.	2426.	3336.	4105.	4788.	5416.	6009	6564.	7100.	7619.	8123.	9100.	.9400	0440	1879.	2777.	3669.	4556.		63.25	7209.
27	2 1	°.	34.	6889	350.	020	700.	389.	084.	783.	481.	176.	865.	548.	226.	907.	9603°	0334.	1132.	2049.	3193.	4899.	7841.	9467.	3366.	1042.	1610.	2115.	2580.	3015.	3431.	3831.	4218.	4596.	5330.	6945.	6748.	7442.	8131.	8818.	9505	30192.9	0882.	1574.
DP / D	U	3.565	3.535	0.663	7.849	5.091	2,387	0.140	7.150	4.623	161	9.769	7.452	5.213	3.057	0.987	9000	.116	.319	.620	.033	649	289	.657	.003	.303	.570	.812	.034	.241	.435	.619	.793	.960	.275	.568	.845	.109	.362	.606	.842	07	.205	•514
DP/DT	4 (	•13322	.13175	68866.	.87400	.75614	.64450	.53834	.43702	.33995	24657	.15637	.06886	98356	89994	81744	73536	65278	56 R33	41959	38132	25738	12136	08283	06751	5841	05213	04743	04374	04074	03823	03609	3424	03262	1667	2770	2587	2432	02297	2180	2076	983	1899	1824
2		261820	373	297	226	163	101	05 R	012	918	946	.19211	901	887	80	980	890	915	952	025	152	490	918	291	045	0	211	307	581	814	015	191	346	84	718	606	06 A	200	313	60%	492	9	427	682
	710-	9283E+U	29278E+0	8788E+0	28294E+0	27797E+0	27293E+0	26781E+0	625RE+0	25721E+0	25168E+0	4595E+0	23997E+0	23368E+0	2701E+0	1985E+0	21207E+0	0343E+0	1935FF+0	172E+0	615E+0	982E+0	325F+0	62505E+0	402E+0	939E+0	043E+0	150E+0	780E+0	805E+0	117E+0	0436+0	347E+0	31185E+0	181E+0	49PE+0	053E+0	791E+0	23675E+0	677E+0	776F+0	57E+0	208E+0	519E+0
<b>⊢</b> ≥	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00.06	00.00	10.00	20.00	30.00	40°00	50.00	00.09	70.00	80.00	00.06	00.00	10.00	20.00	30.00	40°00	20.00	90°09	70.00	80.00	90°00	00.00	10.00	00.	30°00	0	20.00	60°00	70.00	80.00	00.06	00.	20.00	40.00	50°00	0	00.00	20.00	40°00	00.09	C	00.00

	י ר	ח ת		1317	1 0	2	, ~		-	o	0	6	945	006	854	805	750	686	601	455	339	258	564	282	297	310	321	331	340	348	356	363	370	382	394	404	414	454	433	441	644	4.57	494	
F / P	1 4 0 0	0000	5452F	1 00	1498E-	2307E-	34126-	4870E-	6726E-	9012E-	1173E+	488E+	1840E+(	2226E+(	543E+(	3090E+(	3576E+(	4113E+(	4721E+(	5380E+(	5856E+(	337E+(	6700E+C	6987E+C	7230E+0	7443E+C	32E+0	7802E+0	7956E+C	97E+C	8225E+0	142E+C	51E+0	43E+0	8808E+C	51E+0	175E+0	846+0	80 E+0	9365F+0	40E+0	07E+0	67E+0	
CP 17 MOI 7K	7 64				60	60		9.0	9.0	5 . 6	9.4	9.1		:	9 0		3.2		9.9	30.9	90.66	. 5	75.5	14.0	4.0	.3	93	6.	0	1	6.		1.7	9.0	. 2	2	.5	0	10		. 4		4	
	4 2 0	ייט הייט הייט	. על היים		(E)	2 . 8	2.1	1.4	4.0	9.4	8.2	6.9	5 • 5	4.0	2 ° 5	1.0	9.8	9.2	0.3	2.6	7.6	4 . 4	9.6	5.9	5.2	4.1	3 . 3	7.2	2 . 3	1.9	1.7	9 . 1	4 . 1	1,3	4 . 1	4 . 1	9.1	1.8	0.0	. 3		. 8	33.17	
- HU	77 00		12.07	16.20	19.37	22.42	25.34	28.15	30.85	33.46	35.98	38.45	40.80	43.11	45.39	47.65	40.92	52.27	54.81	57.82	65.29	69.44	75.70	79.14	81.56	83.50	85.15	86.63	87.97	89.20	90.36	91.45	95.49	44.46	96.25	97.95	96.66	90.10	02.56	03.98	05.35	06.67	96	
		זוכ	082	50	427	114	019	513	219	926	630	329	022	712	90%6	0116	0862	1677	2612	3767	5401	8157	0626	2019	3022	3845	4566	5221	5830	6405	6955	7485	1999	8992	0666	0884	1801	2707	3604	16447	5386	6274	161	
I	•		, כל ה	344.	013.	693.	381.	075.	772.	470.	163.	850.	531.	206.	884.	9575°	0299.	1086.	1984.	3084.	4615.	7032.	9004	0061.	0808.	1418.	1951.	2436.	2887.	3314.	3723.	4118.	4503.	5248.	5972.	6680.	7380.	8074.	8765.	9455.	145.	0837.	1532.	
0740	42.66B	3,666	707.0	37.9868	5.231	2.531	9.888	7.302	4.779	2.321	0.934	7.622	5 .3 90	3.240	1.177	.205	.325	.542	.862	.302	939	321	245	. 984	.192	.467	.717	246.	.160	.360	.549	.729	.900	.223	. 523	.806	.075	.333	.581	.821	053	.280	.501	
0P/0T	13402	13486	00100	711	.7592R	.64768	.54159	.44035	.34338	.25013	.16910	.07279	98774	90445	2237	74086	65907	57582	9907	39489	28335	5284	9196	7568	6441	05692	5145	04721	04380	04098	03860	3655	03476	3178	02937	2738	02570	02425	2299	021 HB	02088	1999	1919	
2	A.	85	5	.23267	9	0.5	50	0.5	6.4	33	90	85	7.0	9 9	62	7	365	32	960	2219	9.9	99	374	42	339	788	9 % 1	443	5.9	910	0 0 8	263	7	55 A	69	. 90274	147		28	19476.	540	.95153	.96729	
DEN	20200F+	9290F+	2 A BOOF +	2830BE	27811E+	308E+	797E+	276E+	741E+	191E+	24520E+	025E+	.23400E+02	22739E+	22030E4	21262E4	20412E4	1944BE+	18306E4	16845E	14618E4	10224E	70902E	3711E	1950E+	7386E	3984E	1292E+	3077E+	7202F	5581E	4 1 5 P E	28926	0720E	8908E	7360E	4013E	4825E	3765E	2811F	945E	11546	36230	
<b>⊢</b> ¥	00.0	0000	000		0.00	00.0	0.00	0.00	0000	00.0	0.00	00.00	00.00	00.0	0.00	0000	0000	00.00	00.00	00.04	30.00	00.00	00.00	00.01	20.00	30.00	00.04	50.00	00.09	70.00	80°00	90.06	0.0	20.00	40.00	60.00	80.0¢	00.00	20.00	40.00	0.0	80.00	700.000	

Table 14. Continued.

HYDROGEN SULFIDE ISOBAR AT P = 12.00000 MPA

L	٧ ا	9	35	31	27	23	0	15	11	07	03	0	3	0	2	~	5	0	_	9	9	~	9	~	0	0	$\overline{}$	2	3	3	5	9	9	8	0	0	-	2	3	3	644	2	9
F/P		923E-0	280E-0	989E-0	1449E-0	2232E-0	301E-0	4710E-0	6504E-0	8713E-0	11346+0	1438E+0	1779E+0	2152E+0	554E+0	987E+0	3457E+0	977E+0	4565E+0	206E+0	572E+0	159E+0	550E+0	857E+0	115E+0	339E+0	538E+0	716E+0	877E+0	023E+0	157E+0	279E+0	393E+0	593E+0	765E+0	913E+0	043E+0	156E+0	255E+0	343E+0	.9422E+00	491E+0	553E+0
2	חור/	0° 2	7.5	7.9	8.2	8.5	8.7	8.8	8.9	9.1	9.3	9.5	0.0	0.8	2.0	0° 4	7.4	3.3	4.4	25.0	74.4	0.9	04.8	28.6	7.2	1.2	1.7	5.4	1.0	7.7	5.2	3.2	1.6	9.3	7.7	9.9	5.9	5.3	5.0	4 . 7	9	4.5	4.5
3	06/	3.0	3 . 8	3.6	3.3	2.8	2.1	1.4	4.0	9.6	8.2	6.9	5.5	4.0	2.5	1.0	9.8	9.1	0.3	2.5	7.4	4.1	0.7	7.6	5.7	4.5	3.6	2.9	2.5	2.1	1.9	1.7	1.6	1.4	1.4	1.5	1.7	1,8	2.1	2.3	32.62	2.9	3.2
2	/ 104 /	09.45	12.87	16.17	19,34	22,38	25.30	28.11	30.81	33.42	35.94	38,37	40.74	43.05	45.31	47.56	49.85	52.14	54.62	57.53	61.67	67.51	73.89	77.87	80.54	82.63	84.38	85.92	87.30	88.58	89.77	90.89	91,95	93.92	95°75	97.47	01.66	99.00	02.13	03.55	204.931	05.26	07.55
1	יש עשר	439	093°	761.	438.	124.	820°	522.	228.	934.	637.	335.	026.	714.	404	0110	0851.	1656.	2573.	3690.	5199.	7450.	.6966	1579.	2688.	3573.	4334.	5019.	5650.	6243.	6807.	7349.	7873.	9882.	9853。	0797.	1723.	2635.	3539.	4437.	35330.9	6222.	7114.
2	2 (	300	677.	337.	007.	685.	372.	066.	762.	458.	150.	836。	514.	187.	861.	9547.	0265.	1042.	1922.	2986.	44040	6415.	8486.	9725.	0558.	1216.	1780.	2286.	2754.	3194.	3613.	4017.	4408.	5165.	5897.	6613.	7318.	8017.	8712.	9405°	30049.0	0793.	1490.
0 / d 0	PA-L/MU	3.769	0.931	8.123	5.372	2,575	0.035	7.454	4.935	2.482	66000	7.792	.565	3.422	1.366	.402	.532	.762	.099	561	.216	454	472	.779	.087	.368	.625	.861	.080	.286	.480	•655	.840	.171	.478	.767	.041	.303	.555	.799	5.0353	.265	• 489
DI	X / W / L	• 13662	.00508	.8R022	.74242	.650R6	54483	.44367	.34680	.25368	.16380	.07670	06166	90892	82724	74627	56523	58307	49812	0730	30414	18424	11256	8511	07108	6213	5575	05030	04704	4341	04121	3834	03597	3370	03108	2893	2711	2556	2420	02301	195	2100	2014
2		61667	3	\$	~	9	.22427	5	3	.21231	-	.20691	m	3	67	<b>—</b>	$\sim$	0	5	.22877	~	2	_	~	.60991	N	.69824	N	.75722	N	3	0	.83345	~	.88104	·C	m	2	9	5	53		99
PE -	10000	29296E+0	1 2 E + 0	28321E+0	25E+0	24E+0	146+0	26294E+0	1E+0	25213E+0	5E+0	3E+0	33E+0	76E+0	75E+0	21316F+0	30E+0	19536E+0	32E+0	17051E+0	34E+0	11591E+0	3E+0	0 E + 0	.2E+0	14E+0	17E+0	0+361	35E+0	39354E+0	10E+0	12E+0	34633E+0	34E+0	36E+0	30F+0	+5E+0	33E+0	0 E+0	0 E + 0	.22936E+01	) 2E + 0	37E+0
<b>⊢</b> ≥	0	60.06	00.00	10.00	20.00	30.00	40°00	50.00	00.09	70.00	80.00	00.06	00.00	10.00	20.00	30.00	40.00	20.00	60.09	70.00	80°00	00.06	00.00	00.0	20.00	30.00	40.00	50.00	00.09	70.00	80.00	00.00	00.00	20.00	£40.000	00.09	80.00	00.00	20.00	00.0	000.099	0.00	0.00

HYDROGEN SULFIDE ISOBAR AT P . 13.00000 MPA

Table 14. Continued.

= 14.00000 MPA

HYDROGEN SULFIDE ISOBAR AT P

	) L	1405	2 0	28	24	20	16	12	08	04	00	9	2	7	3	8	2	4	7	2	9	0	8	6	0	_	2	3	4	4	5	9	7	0	0	7	2	3	4	4	2	•
F/P		.2684E-02	0236-0	1292E-0	1988E-0	937E-0	187E-0	779E-0	736E-0	007E+0	1276E+0	577E+0	908E+0	265E+0	049E+0	066E+0	530E+0	056E+0	632E+0	061E+0	5533E+0	963E+0	335E+0	651E+0	922E+0	1596+0	370E+0	560E+0	731E+0	887E+0	030E+0	162E+0	394E+0	593E+0	164E+0	914E+0	044E+0	1596+0	260E+0	9350E+0	430E+0	01E+0
2	) nr /	<b>~</b> <	7 . A	8 6	8.3	8.5	8.6	8.6	8.7	8.8	0.6	9.3	9.6	0.7	2.3	4 · 8	9.1	7.2	10.0	32.5	40.09	86.4	5.9	31.5	9.40	1.9	7.2	0.0	4 · B	1.0	8.0	2.5	2.4	0.2	9.6	7.5	6.7	6.1	5.7	5.5	5 03	5.2
2	חור/		9,0	300	2.8	2.1	1.4	4.0	9.6	8.2	6.9	5.5	4.0	2.5	1.0	9.8	9.1	0.3	2.4	7.0	3.0	1.2	9.6	7.5	6.0	4.8	4.0	3 . 4	2.9	2.6	2.3	2.1	1.9	1.8	1.8	1.9	2.1	2.2	2.5	2.7	3.0	3 • 3
S 3	77777	4 4	16.05	19.21	22.25	25.15	27.96	30.65	33 ° 5 5	35.75	38.17	40.51	45.79	45.02	47.22	40.41	51.64	53.97	56.60	90.09	63.82	68.29	72.69	75.28	79.04	81.24	83.09	84.70	86.15	87.47	88.70	89.85	91.97	93.90	95.70	97.39	98.98	00.51	01.95	03.37	04.73	00.00
2	י שר	1120 0	806.	81.	167.	860.	560.	264.	967.	665.	358°	043.	722.	402.	0092.	0811.	1583.	5446.	3459.	4714.	6162.	7929.	9712.	1202.	2373.	3329.	4151.	4385.	5558.	6187.	6782.	7350.	8430.	9455.	0443.	1404.	2346.	3275.	4194.	107.	6016.	6922•
- 3	בי	30°	312	6	655.	339.	029.	722.	413.	100.	778.	<b>6440</b>	1111.	772.	445.	0136.	0878.	1704.	2658.	3854.	5186.	57640	8229.	9408	0304.	1024.	1637.	2183.	2683.	3150.	3592.	4016.	4822.	5592.	6338.	7067.	7785.	8497.	9204.	910.	0615.	1321.
0740	UP/1-84	7 7	8.669	5.930	3.24R	0.622	8.056	5.553	3,118	0.753	8.466	6,259	4.139	2.109	0.174	.339	.611	6660	.523	.225	.215	720	677	.822	.059	.311	.556	.789	.010	.219	.419	.609	.967	.299	.610	• 904	.184	.452	.710	59	.201	. 436
T0 / 90	4 4 4 4 4	350	89257	.77489	.66350	.55770	.45684	.36035	.26771	.17843	.09207	.00919	92637	4617	76712	R869	61021	53081	6265	36405	27446	9992	13650	0591	8800	07636	06808	6192	5688	5585	6505	04663	4200	03839	3547	3306	3101	2925	2772	2637	2516	408
2		0.50144			.26734	$\overline{}$	.25545	-0			O.I.	.23825	0	10	_	or.	0.1	œ.	.25693	0.1	.30087	- 40	0	.51374	10	$\overline{}$	m.	.70545	~	.75098	^	.80218	.83447		·	_	.91425	<u>a</u>	.93772	470	52	.96225
O E S		29362E+06	73F+	27881E+	94E+	ROF+	<b>999</b>	25841E+	01E+	43E+	54E+	58E+	22921E+	45E+	21520E+	32E+	50E+	72E+	17712E+	14E+	1435CE+	+ 360	12F+	<b>RO36E</b> +	7692E+	0738E+	549RE+	18156+	<b>31E</b> +	5097E+	3892E+	41981E+	8804E+	<b>430429</b>	4103E+	2279E+	0696E+	9300E+	8057E+	8E+	5924E+	4998E+
<b>}</b> — ≥	0	2 0	10,00	20.00	30.00	40°00	50°00	00.09	70.00	80°00	00.06	00.00	10,00	20.00	30.00	40.00	20.00	90°09	70.00	80.00	00.06	00.00	0000	0000	00.	0000	00.	0000	00.0	80.00	00.06	0.00	50.00	40.00	00.09	A0.00	00.00	20.00	00.	60.09	0000	0

N 4 6 6 N	001120	00000010	m in or 42 0 0 0	9 P S P S P S P P P	654 654 654 654 654 654 654
F/P M 592E-02 496E-02 640E-02 230E-01	1891E-0 2793E-0 3980E-0 5491E-0 7349E-0	211E+00 497E+00 811E+00 150E+00 515E+00 911E+00 352E+00	4403E+0 4816E+0 5273E+0 5702E+0 6087E+0	5	507 507 507 507 507 500 500 500 500
C C C C C C C C C C C C C C C C C C C	24555	688.7 668.9 770.4 771.5 773.7 684.6	941499	7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4444444 6476664 647664 647664 647664 647664 647664 647664 647664 647664 6476664 647666 647666 647666 647666 647666 647666 647666 647666 647666
0 L / K 3 . 9 3 3 . 6 7 3 . 6 7	8 0 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	044112	4 0 0 0 0 0 0 1	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	32.00 32.00 32.00 32.00 32.00 32.00 32.00 33.00 33.00
S /HDL/K 09.500 12.697 15.994	22.18 25.09 27.88 30.57 33.15	38.07 40.40 44.88 47.06 47.06 53.68	56.21 59.49 62.88 66.70 74.28	77.25 79.67 81.68 83.42 84.97 86.36 87.65	193.038 194.875 196.595 198.219 199.764 201.241 202.661 204.030
1/MU 549. 162. 328.	1 88 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	7370. 3052. 3728. 3402. 3086. 2395.	3372 45572 53553 6973 6475	1742. 2792. 3689. 4480. 5197. 5861.	29251.5 302551.5 302551.5 31240.8 33141.5 34972.1 35912.0
7 H J 3 8 . 0 0 0 .	41. 12. 102. 191.	7417. 3075. 3730. 3730. 3076.	2538. 3661. 4866. 6218. 7605.	9806 0609 1284 1876 2410 2904 3368	246495 254956 269397 276686 283886 291036 395565 3123765
0° /0 -L/MD + 377 1.730 3.940	914 914 95 961 973	8.799 6.602 7.492 8.733 8.731 7.020	. 672 . 686 . 652 . 008 . 816	000 000 000 000 000	3.02138 3.02138 3.02138 4.1251 4.6552 5.16681 6.6552
0P/DT MPA/K 146708 023501 898720	4077 4077 705 705 705 705	.099486 .098486 .098486 .77713 .69981	719692	1042 00889 00783 00704 00594 00553	.042338 .042338 .036216 .033893 .031906 .030182 .027324
4 2 2 2 2 2 2 2 2 2 2 3 3	22861 2793 2733 2733 2681 2636	25568 25568 25523 25523 2523 2523 2523	7777	.54152 .59486 .59486 .64264 .71319 .74095 .74095	50000000000000000000000000000000000000
MOL/ 3355+0 8855+0	27414E+0 27414E+0 26913E+0 26402E+0 25880E+0 25344E+0	24217E+0 24217E+0 22991E+0 22327E+0 21616E+0 20007E+0	979E+0 682E+0 052E+0 985E+0 792E+0	7477E+(3696E+) 7604E+) 7604E+) 7725E+) 8124E+)	23116 33116 46636 15036 1906 86536 86536
0.00			000000	000000000	000000000

Table 14. Continued. HYDROGEN SULFINE ISOBAR AT P = 16.00000 MPA

S	1411	) (L	29	25	21	17	13	60	05	02	~	3	0	2	0	10	8	5	-	2	~	3	$\sim$	$\overline{}$	_	2	2	3	4	5	9	~	8	0	_	2	ന	•	4	3	•
F/P	.2514E-02	7309F-0	175E-0	1807E-0	2657E-0	800E-0	5240E-0	7011E-0	91196-0	1155E+0	14286+0	727E+0	050E+0	2397E+0	776E+0	3196E+0	3675E+0	4202E+0	4600E+0	5044E+0	5467E+0	5856E+0	6205E+0	6513E+0	6785E+0	029E+0	7246E+0	442E+0	620E+0	783E+0	7933E+0	197E+0	8423E+0	618E+0	8787E+0	8935E+0	9065E+0	9179E+0	9281E+0	371E+0	9451E+0
10	9	7.7	8.0	8.2	8.3	8.3	8.4	8.4	8.4	8.4	•	0.6	9.6	7.0	2.7	6.0	2.3	01.6	16.2	6.7	42.1	47.0	35.2	19.5	03.0	89.7	6.6	2.8	7.5	3.4	0.3	5.8	. 8	0.7	9.2	8.1	7.4	8	6.4	6.1	0
91	43.93	300	300	2.8	2.2	1.4	0.5	9.6	8.2	6.9	5.5	4.0	2.5	1.1	9.8	9.2	0.3	2.4	6.9	2.7	0.6	9.3	8.1	6.9	5.8	6.4	4.2	3.6	3.2	2.8	2.6	2.3	2.1	2.1	2.1	2.3	2.4	2.6	2.9	3.1	3.4
S / MOL /K	109,515	15.93	19.09	22.11	29.02	27.81	30.49	33.08	35.56	37.97	40.29	45.55	44.75	46.91	40.64	51.20	53.42	55.87	59.01	62.15	65.55	69.16	72.58	75.59	78.14	80.30	82.16	83.80	85.28	86.63	87.88	90.15	92.20	94.08	95.83	97.48	99.05	00.54	01.98	03.36	04.70
/H0	586	51.	525	209.	901.	599°	300.	000	695.	383.	062.	734.	403.	0081.	0782.	1528.	2351.	3299.	4437.	5645.	<b>6869</b>	8452.	9871.	1147.	2259.	3220.	4066.	4828.	5528.	6183.	6801.	7959.	. 550	0078.	1077.	2051.	3006.	3948.	4881.	5807.	6728.
문	41.2	288.	53.	626.	307.	• 466	6 н 3 •	369.	051.	723.	386.	040	689.	3440	0018.	0734.	1519.	2421.	3497.	4618.	5833.	7107.	8292.	9319.	0185.	0918.	1557.	2128.	2650.	3138.	3599.	4463.	276.	6054.	6809	7549.	8279.	9001.	9720.	0437.	1153.
06/40 MPA-L/MOL	579	9.211	6.485	3.816	1.205	8.654	6.166	3.746	1,399	9.129	6.942	4.842	2.834	0.924	.117	.421	.845	.406	,133	.082	.350	.012	.957	.016	.168	.357	.581	.796	.007	.211	604.	.783	33	.461	.772	.067	.349	.620	.882	.135	.380
	003	.90483	.78724	.67600	.57041	.46983	.37369	.28149	.19276	.10706	05401	4351	86429	8688	1056	63492	2946	48367	40714	3021	25613	6366	15077	2227	60 80	98974	1661	7250	6658	6115	5772	5134	4648	4253	3949	3687	3464	3271	3102	2953	2820
	.34347	223	131	048	975	911	.28557	807	767	.27341	709	669	<b>5B</b>	585	.27002	129	778	.28548	126	165	.34757	945	519	.51152	.56697	.51510	.65607	910	.72115	473	20	085	92	99	949	02	170	962	40	0	.95800
£	8F+0	4E+0	17E+0	4E+0	9E+0	17E+0	. RE+0	96E+0	18E+0	,0E+0	9E+0	9 E + 0	0+390	0 E + 0	1E+0	5E+0	1E+0	18E+0	6E+0	0 E + 0	2E+0	0+390	17E+0	39E+0	38E+0	22E+0	54E+0	0+36 +	32E+0	51E+0	56F+0	58E+0	3 E +0	51E+0	32E+0	44E+0	45E+0	44E+0	1003E+0	9794E+0	8696E+0
⊢⊻	0.000	10.000	20.000	30.000	40.000	20.000	000.09	10.000	80.000	000.06	000.00	10.000	20.000	30.000	40.000	20.000	000.09	10.000	80.000	000.06	000.00	10.000	20.000	30.000	40.00	50.00	460.000	70.00	80.00	00.06	00.00	20.00	540.000	00.09	90.00	00.00	20.00	40.00	60.90	0.0	00.00

V
۵
Ŧ
I,
0
_
0
0
00
ŏ
$\circ$
8
-
_
-
۵
-
_
<4
-
-
$\alpha$
⋖
8
8
0.8
0.8
S 0 B
0.8
S 0 B
1508
1508
1508
DE 1508
DE 1508
10E 150B
10E 150B
FIDE 1508
10E 150B
FIDE 1508
SULFIDE ISOB
N SULFIDE ISOB
IN SULFIDE ISOB
IN SULFIDE ISOB
GEN SULFIDE ISOB
GEN SULFIDE ISOB
GEN SULFIDE ISOB
GEN SULFIDE ISOB
GEN SULFIDE ISOB
GEN SULFIDE ISOB
GEN SULFIDE ISOB
YDROGEN SULFIDE ISOB
GEN SULFIDE ISOB
YDROGEN SULFIDE ISOB

•	4	1382	3	3(	2	2	1	1	Ξ	0	0																															
F / P	3005	.3988E-02	764E-	087E-	<b>668E</b> -	461E-	503E-	827E-	6455E-	391E-	1062E	31364	587E4	1884E+	2203E+	2551E+	2939E4	381E	3870E+	4241E4	4660E+	5066E+	451E+	5809E+	1356+	6430E+	<b>6699E</b>	6940E+	7159E+	358E+	240E+	707E+	002E+	255E+	+73E+	562E+	327E+	8972E+	999E+	212E+	3136+	403E+
C P	4	, ~	7 .6	7 . 8	9.0	8.1	8.1	8.1	8.1	0.8	9.0	0.8	8 ° 2	9.6	4.6	0.9	3.5	8.7	6.0	07.2	11.5	4.6	25.8	24.5	16.4	6.90	97.1	7.8	0.0	3.7	3 ° 8	6.4	9.3	5.5	2.9	0:1	9.6	9.6	7.9	7.4	7.0	5 • 7
	42.0	43 98	3.6	3.3	2.8	2.2	1.4	0.5	9.6	8.2	6.9	5.5	0.4	2.5	1.1	9.6	9.2	0.3	2.4	6.8	2.5	4.0	0.6	8.0	7.1	6.2	5.4	4.7	4.2	3.7	3 . 3	3.0	2.6	2.4	2.3	2.4	2.5	2.6	2.8	3.0	3.2	3 • 5
- T	00.54	52	15.81	18.96	21.98	24.88	27.67	30.34	32.91	35,39	37.77	40.08	42.31	44.48	46.61	48.70	50.79	52.93	55.26	58,21	61.04	63.96	67.00	70.03	72.88	75.45	77.74	74.67	81.57	83.19	84.65	86.01	88.44	09.06	92.57	04.46	96.10	97.71	99.25	00.71	02.12	03.48
1	. 0	231	896	569.	252.	945.	638	337.	034.	725.	60¢	082.	747.	408.	0075.	0760.	1486.	2279.	3182.	4249.	5338。	6492	77220	8981.	0189.	1306.	2327。	3251.	4089.	4856.	5569.	6237.	7476.	8622.	9705.	0743.	1750.	2733.	3694.	52.	5596.	6533.
E IVACI	٦.	610.2	264.	926.	597.	276.	959	644.	327.	003.	570.	326.	971.	511.	252	910.	3603.	1359.	2216.	3225.	\$240°	5294.	5388.	74740	8482.	9387.	0193.	0907	1546.	2126.	2662.	3163.	.0604	494B.	5762.	6546.	7309.	8057.	8796.		0257.	0983.
0740	44 081	2 ~	9.750	7.036	4.380	1.782	9.245	6.773	4.36P	2.037	9.784	7.614	5,532	3.544	1.655	371	661	6 99	335	177	910	985	551	304	248	275	369	515	591	379	170	263	537	€66	332	554	960	254	536	80 F	170	326
DP / DT	15462	2 ~	.91699	.79948	.68838	.58298	.4R265	.38684	.29504	.20680	.12172	.03941	.95952	88172	80570	73114	55775	58526	51344	122€	37220	30500	24454	19572	15995	13428	11550	10153	9090	08255	0758	07034	1178	5540	05044	4645	431	4037	3 4 0 0	3593	3415	3251
7	C	. (0	3620	3515	22	9.0	9	03	3148	10	29	.30328		660	.29974	0	33	3074	0 4 1	3238	3385	3601	3912	4317	774	5246	5705	12 A	6595	840	.71349	395	.78317	01	.84679	704	$\sim$	070	.92139	33	6 7 7	536
DEN	1012200	) L	28475E+	27991E+	503E+	2700RE+	26506E+	994E+	25469E+	930E+	24373E+	23795E+	11916+	22557E+	21887E+	1172E+	20401E4	19562E4	18634E4	17590E+	16398E	15026E	13495E	11940E	10544E	9378F	84327E	796E	70792E	5933E	1923E	8550E	w	99PF	.45653F+01	. 47891E+01	0528E+0	384958+	.35713E+01	51316+0	37136+0	.324326+01
<b>⊢</b> ≥	,	0000	0000	0.00	00.0	0.00	0000	0000	00.00	0000	0.00	00.00	0.00	0.00	30.08	00.04	50.00	00.00	70.07	30.0	90.06	00.00	10.01	20.01	30.00	ō	50.0	40.0	0.0	480.000	c.	0000	0	40.0	550.000	80.0	00.0	0.0	40.0	60.09	690.000	700.000

Table 14. Continued. HYDROGEN SULFIDE ISOBAR AT P = 20.00000 MPA

0	0	45	ا ا ا	3 0	100	1236	19	16	12	08	04	00	-	3	0	5	0	m		5	-	0	N	0	-	5	5	5	5	5	S	9	_	8	0	~	N	3	3	5	5	9	
F/P	1	304E-0	741E-0	0-3/660	156051	.2298E-01	3269E-0	4502E-0	6016E-0	816E-0	9892E-0	222E+0	1477E+0	17536+0	2050E+0	374E+0	2735E+0	3148E+0	3605E+0	3955E+0	4351E+0	4740E+0	5115E+0	5471E+0	802E+0	6109E+0	6393E+0	6652E+0	6889E+0	1065+0	7305E+0	7488E+0	812E+0	8090E+0	8330E+0	539E+0	87206+0	880E+0	021E+0	9145E+0	57E+0	9355E+0	
2	7 TOL	6.8	10/	700	0	67 098	7.9	7.9	7 .8	7.6	7.5	7.5	7.5	7.7	8 .3	9°6	1.5	5.9	2.0	01.3	02.7	6°90	11,3	12.8	9.8	03.8	7.1	0.6	4 . 2	8 .3	m m	0 %	2°6	8°5	5.0	2.8	1,1	6.6	0.6	8.3	7.8	7.5	
2	1770	30,9	, u	0 6	0 0		305	0.5	9°6	8.2	6.9	5.5	6 ° 0	2.5	101	9.8	9.5	0.3	2 , 3	6.8	2.4	0.2	8 ° 8	7 .8	7.0	6.3	5.6	5.1	4.05	401	3 0 7	304	0 e	2 0 7	2.6	2.6	2.6	2.8	2.9	3,1	3.4	3.6	
0	1705.7	09.57	14071	10 00 4	71.00	124.752	27.52	30.19	32.75	35.21	37.58	39.87	45 ° 09	44.23	46.33	48.38	50 0 42	52.49	54.73	57,55	60.19	62.85	65°54	68°25	70.88	73.34	75°60	77.67	19.55	81,26	82°82	84.26	86.83	89,11	91.17	93°06	94 ° 85	96.48	98.05	99°25	96.00	02.37	
		7330	2 / 20	4416	905	3984.1	678°	374.	068.	757.	436°	105.	7630	94170	0073°	0745.	1453.	2223。	3093°	4110.	5127.	6175.	7267。	8392。	9509°	0579.	1584.	523。	3397。	4210°	4967°	5679	9 2669	9198°	9329.	0401.	1446.	2458。	3447.	4421.	5384.	6337.	
		200	0000	0010	7.00	3245.2	925°	60.7°	286.	957.	619°	268.	906	536。	166.	9809°	04840	1215.	2039°	3002.	3951.	4913°	5895。	6882°	7838.	8729.	9546.	293.	0975.	1601.	2179.	2718.	3707	4613°	5464.	6277.	7064.	7832.	8588.	9335°	0076.	0813.	
00 / d0		70361	3 C C C	7.582	4.040	355	9.832	7.374	4.984	2.668	0.430	8.276	6.210	4.240	2.369	0.604	.952	. 422	.025	.777	.701	. R27	.186	.787	. 597	.543	.559	.619	.726	.845	.024	. 194	.544	.893	.232	.558	.872	,173	.463	.743	.014	.277	
0P/0T	7 7 7 7	010317	*	81161	70063	541	.49531	.39980	.3C837	.22059	.13606	05445	97534	89853	R2371	5064	67910	0892	54004	47253	0688	34410	28655	23578	19681	16630	14320	2541	11153	10054	09170	8447	7334	06518	5891	5393	4987	4647	4358	4100	3892	03701	
Z		4 4 0	4140	400	3704	3702	3620	54	4 R 6	343	3389	354	327	3311	305	331	330	366	345	507	62	194	024	32	4675	057	255	5831	101	535	6 943	7121	159	982	29	8563	784	97	131	569	38	1646	
0 5		7378F+0	2003640	28065E+0	27560F+0	27071E+0	6574E+0	26067E+0	5550E+0	5019E+0	24472E+0	3906E+0	3317F+0	22701E+0	22053E+0	21367E+0	20635E+0	9846E+0	18989E+0	804PE+0	17005E+0	15846E+0	1457RF+0	3252E+0	11966E+0	0809E+0	98120E+0	9668E+0	2592E+0	6675E+0	71731E+0	7554E+0	50 5 9 5 E + 0	55802E+0	51752E+0	8430E+0	5637E+0	3243E+0	41158E+0	9319E+0	7679E+0	6204E+0	
<b>⊢</b> ≥		1/076			30.00	240.000	50.00	60.09	70.00	80.00	00.06	00.00	10.00	20°00	30.00	40°00	20.00	60°00	20.00	80°00	00.00	00.00	10.00	20.00	30.90	40.00	50°00	00.09	70.00	80°00	00006	00.00	00.07	40°00	60°00	80°00	00.00	20.00	40°00	00.09	80.00	00.00	

< €
0
-
1
_
-
0
-
$\sim$
00
$\circ$
0
$\sim$
N
N
- 10
- 00
٩
_
-
⋖
-
$\alpha$
⋖
808
æ
_
$\sim$
~ 1
-
0 E
-
0
-
14.
-
_
-
SULF
S
_
Z
144
OGE
ت
-
_
02
100
YOR
-
7
-

3	ں	60	8	6		m	5	8	0	m	9	6	2	2	<b>6</b> 0 f	2 4	5	J.	er.	~	prod.	ۍ د	7	0	2	6	_	6	01	6	6	0	0.1	_4			0.1	_	~	01	a	_	<b>E</b>
	S	4	8	m .	E	2	24	20		=	0	0	02	ω,	W e		-	N	vo.	AT.	8	-SF	0	-CD	ന	0	0	P	Pos	2	2	2	P	8	0	0	_	Pu .	ALC:		10	-0	-0
F/P		241E-0	3545E-0	5997E-0	9614E-0	14736-0	2168E-0	3081E-0	4240E-0	5662E-0	7353E-0	9302E-0	.1149E+00	1388E+0	1647E+0	1926E+0	2230E+0	25716+0	2959E+0	3390E+0	3722E+0	4100E+0	4473E+0	835E+0	5185E+0	5516E+0	5827E+0	6118E+0	388E+0	637E+0	6868E+0	7081E+0	278E+0	7628E+0	930E+0	190E+0	418E+0	616E+0	7 90E+0	8944E+0	080E+0	201E+0	308E+0
CP	01/	6.7	7.1	7.4	7.6	7.7	7.8	7.7	7.6	7.5	7.3	7.1	66.99	6.9	ە 9	0 0	- B	9 . 8	307	0.6	7.1	6.9	9.1	01.8	3.5	02.8	9.5	4 ° 8	0.4	5.0	0.3	5.9	1.9	909	9.0	7.1	4.5	2.6	1.2	0.1	9.3	8.7	8 .2
	770	3.9	3.8	3.6	3 , 3	2.8	2.2	1.4	0.5	9.6	8.2	6.9	35.58	4.1	2.5	0	9 9	9,2	0.3	203	607	2.4	0.1	8.7	7.7	6.9	6.3	5.7	5.2	4.7	4.3	4.0	3.7	3.2	2.9	2.8	2 .8	2.8	2.9	3.1	3.3	3.5	3.7
S	/ HOL /	09.60	12,29	15.57	18.72	21,73	24.61	27.38	30.04	32.59	35.04	37.40	139.679	41.87	63°69	46.06	4 8 ° 0 8	50.08	52.09	54,26	56.99	59.50	61,98	64.46	96.99	69,37	71.70	73.89	75.92	77.80	79.54	81,15	82.64	85,33	87.71	89.85	91.81	93.62	95.33	96.94	98.47	99,93	01.34
I	UH/	90	324.	. 186	558.	358.	325.	718.	112.	104.	789.	, 64 ,	8128.9	782。	9428	0075	0736.	14290	2179.	3023 °	400B	4971 e	5951	5957	7985.	9019	0033	1006.	1928	2802	3629	4411	5150	6521	7780.	8956	0072	1143,	2182,	3196,	4190,	171.	6141
u	9	59.	7.	17.	175.	41.	14.	192.	70.	45.	113.	699	7212.7	3430	650	65	9715.	33740	1085.	1883.	2811.	3714.	4616.	5526.	5439.	7337。	8197.	9006	9756.	0454.	1105.	1712.	2280.	3324.	4276.	5163.	6006.	6817.	7606.	8378.	9140.	893.	0642
	-L / MO	45.780	3.569	0.818	9.127	5.496	2.924	0.414	7.969	5.593	3.291	1.068	18,9288	6.878	4.923	3°069	1,320	,684	169	784	545	459	55	849	346	0.45	968	841	851	894	974	084	.216	,52	.84	.172	1640	.807	.11	.40	660	.96	.23
9	A/K	,16964	.06569	94101	.82363	.71276	.60770	.50782	.41258	.32149	.23413	015310	1.069073	99072	478	84101	76921	69921	63091	56429	49950	43694	37739	32217	27297	23127	19753	17093	15002	1333	11980	680	9660	08593	0757	5804	06190	570	529	565	465	633	417
~	1	.46809	554	4409	280	4165	4063	3972	3893	3823	3764	3713	.36729	3	20	20	7	526	3656	3705	3776	387	401	4196	442	470	501	34	58	CO	32	55	903	7394	78	8145	8431	47	877	952			47
	1	422E+0	*29049E+0	.28574E+0	.28097E+0	.27617E+0	.27132E+0	*26640E+0	26140E+0	.25629E+0	.25106E+0	.24569E+0	.24014E	.23438E+C	.22838E+C	.22211E+0	.21550E+C	. 20849E+(	.20103E+	.19302E+	.18436E+(	.17496F+(	16475E+	.15377E+	.14227E+	.13074E+	.11982E+	.10994E+	.10126E+	.93695E+	.87149E+	.815106+	.7665EE+	. A9B11E+	.62794E+	. 58005E+	.54106E+0	. 508496+0	. 48073E+0	.45669E+0	. 43560E+0	.416878+	0+3600050
<b>5</b> -	- ×	192,122	000	0000	00 0	000	0000	0000	0000	00 0	00 0	0000	300,000	0.00	0.00	0.00	0.00	0.0	0.0	0 0	0 0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.0	0.0	0.00	0.0	0.09	0.09	80.0	0.00	20.0	60.03	50 . O	90.0	

Table 14. Continued. HYDROGEN SULFIDE ISOBAR AT P = 25.00000 MPA

N 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	5004454050	10 10 00 00 00 10 10 10 10 10 10 10 10 1	N B S M N O O O O O	10000000000000000000000000000000000000
E180E-0 3319E-0 5604E-0 8958E-0	2016E-0 2862E-0 3934E-0 5249E-0 6811E-0 1063E+0	2061E+0 2061E+0 2376E+0 2736E+0 3137E+0 3800E+0	6 6 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	.6986E+00 .7368E+00 .7989E+00 .8462E+00 .8462E+00 .8658E+00 .8983E+00 .9119E+00
0 C C C C C C C C C C C C C C C C C C C	VVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVV	0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	74 60 90 90 90 90 90 90 90 90 90 90 90 90 90
33.99.99.99.99.99.99.99.99.99.99.99.99.9	24 3 4 8 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	39 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
S /MOL/K 09.654 12.129 15.405 18.541 21.544	24.62 24.17 29.17 392.36 394.79 399.39	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	653.62 65.67 65.67 65.69 773.88 773.68	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4088. 4778. 5470. 6158. 6839. 7509. 8167. 8812.	00000 00000 20000 20000 30000 40000	7572. 7572. 8513. 9448. 1256. 2104. 3705.	254457.3 25873.9 27187.6 28413.6 28582.9 31775.1 32822.6 35847.2 35847.2
1/MU 68. 535. 183.	11 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	09584. 00273. 0910. 1677. 2567. 3421.	55939. 55939. 7576. 8353. 9093. 9792.	21664.8 22764.9 23776.9 24713.6 25598.4 267264.1 28866.2 29819.1 30384.4
0P/D -L/MO 6.375 6.375 1.511 8.937 6.323		24 20 20 20 20 20 20 20 20 20 20 20 20 20		2.6234 2.6234 3.1697 3.76682 4.0668 4.0668 5.9266
0P/D MPA/ MPA/ 08345 95878 95878	25590 25990 25990 25990 2590 2590 2590 2	79562 79562 72750 66142 59740 53557 41996	30745 31963 27740 24127 118649 116632 13598	. 124423 . 106320 . 092983 . 082842 . 074899 . 063266 . 0591906 . 051906
2003 7103 7100	N & S IN IN C P B O -	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	141 96 41 97 97 97 97 97 97 97 97 97 97 97 97 97	371477777 371477777
DF MDL/ 9459E+0 9117E+0 9647E+0 8175E+0	.2722E+02 .25737E+02 .25744E+02 .25233E+02 .24168E+02 .24168E+02 .23033E+02	21143E+0 21143E+0 20148E+0 19711E+0 118930E+0 17213E+0	15280E+0 15309E+0 114323E+0 12432E+0 11552E+0 10127E+0	00000000000000000000000000000000000000
92.72 000.00 10.00 20.00	240.000 250.000 240.000 270.000 280.000 300.000 310.000		70000000000000000000000000000000000000	520.000 540.000 540.000 540.000 640.000 640.000 680.000

3																																									63		
^	¥	7	1,	-	7	-	15	13	12	Ξ	Ξ	7	7	70	10	٥.	5	0	90	_	9	9	•	80	5	5	5	*	4	3	4	3	*	*	4	4	4	*	4	*	*	*	*
F / F		145E-(	057E-	5160E-	8233E-(	256E-(	1842E-(	2609E-(	3580E-(	4768E-(	6178E-	7800E-C	9616E-(	1161E+C	376E+C	909E+C	862E+0	146E+C	472E+0	2835E+0	118E+C	3442E+C	3767E+0	390 E+0	4408E+0	718E+0	196+0	5311E+0	9 8 9 E + 0	355E+0	108E+0	347E+0	374E+0	0+3686	357E+0	0 8 3 E + 0	71E+0	225E+0	51E+0	51E+0	96	0 + 3 6 8 C	31E+0
CP	01/	6.5	6.6	7.0	7.2	7 . 3	7.2	7.0	6.8	6 • 5	6.1	5.7	5 ° 3	4 • 8	4 . 5	4.2	£ • 3	5.1	7.7	1.5	7.6	6 . 4	4.3	4.3	4 . 5	4.5	0.0	3.0	1.5	9.5	7.4	5.1	2 . 8	3 ° B	5.2	2.1	9.5	7.2	5 . 4	3.9	52.80	1 . 8	1:1
> 0	01/	3.9	3.9	3.7	3 . 3	2 . 8	2.2	1.4	0.5	9.5	8.3	7.0	5.6	4 . 1	2.6	1.1	6.6	9.2	0.3	2.4	6.8	2.3	0.0	8.5	7.4	9.9	6.0	5.5	5.2	4 . 8	4.5	4.3	4 . 1	3.8	3.5	3.4	3 , 3	3.4	3 . 4	3.5	33.73	3 . 9	4 • 1
S	/HOL/	09.73	11.85	15.12	18.24	21.23	24.10	26.84	29.47	31.98	34.40	36.71	38.93	41.07	43.12	45.10	47.02	48.90	50.76	52.74	55.25	57.48	59.62	61.70	63.73	65.72	67.66	69.54	71.35	73.08	74.74	75.31	77.80	80.58	83.11	85.43	87.56	89.54	91.39	93.13		96.33	97.82
I	I	100	510	170	837	513	195	881	568	250	925	588	236	871	464	0114	0741	1392	2089	2866	3763	4622	5468	6311	7155	8001	8844	9680	0503	1309	2094	2857	3597	5013	6353	7627	8843	0010	1137	2231	33298.4	4364	5373
ш	S	. 4	94.	127.	777.	435.	.660	766.	432.	093.	745.	384.	007.	615.	209.	.962	389.	0000	0656.	1387.	2232.	3033.	3814.	4583.	5345.	6098.	6838.	7562.	8265.	8944.	9596.	0223.	0824.	1957.	3013.	4004	4942.	5838.	6702.	7540.	28359.1	9163.	9955.
۵	PA-LIMO	7.360	5.629	2.918	0.270	7.683	5.158	2.696	008.0	7.974	5.722	3.549	459	9.459	7.553	5.745	4.042	2.449	0.970	.610	.376	.272	.303	6473	.783	.229	.803	.492	.27F	.143	90°	.040	.043	.110	.234	.418	.639	.885	.145	.413	4.6834	.953	.221
0/	A	16461.	.11265	.98796	.87075	.76020	.65563	.55644	.46209	.37211	.28519	.20369	459	.04852	.97525	1441	3646	1070	129	64527	8773	3186	47895	42936	38351	34182	0458	27186	4359	21937	9873	R116	5615	420F	2381	10965	9844	6942	8203	1586	0490200	6516	6231
7		.63092	172	73	795	635	5493	366	5253	5154	5066	4991	492	4874	4832	802	84	4778	785	07	845	006	4074	068	.51849	323	482	659	851	6052	0.	465	610	9	43	78	0.8	.83622	60	20	0	164	30
OFN	F01/1	518E+0	228E+0	28745E+0	28302E+0	27836E+0	367E+0	26894E+0	25414E+0	25928E+0	25433E+0	927E+0	24410E+0	23879E+0	1332E+0	1767E+0	182E+0	1575E+C	943E+C	1285E+C	3598E+C	3881E+C	18135E+C	17363E+(	16569E+(	5763E+C	14957E+(	4156F+(	3405E+(	2584E+(	2011E+(	1389E+	08195+	918 FE+	R13F+	2800F+	4906E+	146+	7546E+	58F+(	0738F+	899F+	53746+
<b>;</b> —	¥	3	00.0	0000	00.0	0000	00.0	00°0	0000	0.00	0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.0	0.00	0.00	0.00	50.0	0.05	0	30.0	0000

Table 14. Continued.

HYDROGEN SULFIDE ISOBAR AT P = 35.00000 MPA

3º C	y 4	. 4	8	2	1	2	89	4	0	7	5	4	3	2	2	0	C)	2	2	7	9	0	2	4	7	3	-	2	9	3	2	3	2	9	3	m	*	8	3	8	*	0	
U	146	. 4	3	m	S	m	2	N	N		-	-	0	0	0	0	96	68	78	72	70	6.8	6 9	62	59	57	55	53	51	50	64	4 8	47	46	46	46	46	46	47	47	4 8	64	
FIP	166E-0	913E-0	8846-0	770E-0	1182E-0	730E-0	445E-0	34BE-0	4452E-0	760E-0	7263E-0	8945E-0	0796+0	278E+0	1492E+0	727E+0	1990E+0	2293E+0	2630E+0	2894E+0	197E+0	3502E+0	3807E+0	4109E+0	406E+0	4698E+0	4982E+0	5257E+0	522E+0	776E+0	019E+0	252E+0	684E+0	074E+0	424E+0	737E+0	017E+0	267E+0	491E+0	691E+0	.8871E+00	0316+0	
Ē	66.4	6.6	6.9	7.0	7.0	6.9	6.7	6.4	6.0	5.5	5 ° 0	4.4	3.8	3,3	2.8	2.7	3.1	5.4	8.7	4.3	1.0	9.6	9.3	0.6	8 . 8	8.3	7.7	6.8	5.6	4.3	2.7	1.1	8.0	5.1	2.6	0.4	8.5	6 ° 8	5.4	4.2	3.2	2.4	
	43.9	3.9	3.7	3,3	209	2.2	1.5	0.5	9.5	8.3	7.0	5.6	4 . 1	2.6	1.2	6.6	9.3	0.3	2.4	6.8	2.4	0.0	8.5	7.4	6.6	6.0	5.5	5.1	4 . B	4.5	4.3	4.1	3 0 9	3.7	3.6	3.5	3.6	3.6	3.7	3.9	4.1	4.3	
IGW/	109.816	11.58	14.84	17.96	20.94	23.79	26.52	29,13	31,63	34 .02	36.31	38.51	40.61	42.63	44.57	46.44	48.27	50.07	51.98	54.40	56.54	58.58	60.54	62.45	64.31	66,12	67.87	69.57	71.21	72.79	74.31	75.76	18.49	81.01	83,33	85.49	87.50	89.40	91.16	92.87	24.47	96.00	
-	284 .	627.	285.	951,	6240	303°	986.	668.	346.	015.	671.	312.	937.	550.	0157.	0769.	1401.	2077。	2828。	3694.	4518.	5322.	6118.	6910°	7700.	A486.	9267.	00400	0803.	1553.	2289.	3008	4400°	5731.	7008.	823B.	9428	0582。	1705.	2802.	77.	4935。	
I	101.2	34.	074.	719.	3720	030°	691.	351,	005.	649	279.	891.	487.	067.	640.	2140	807.	0439°	1142.	1957.	2723.	3465.	4191.	490B.	5614.	6310.	6993	7662.	8314.	8948	9563.	0159.	1207.	2367。	3381.	4348.	5276.	6172.	7041.	7888.	19.	9536.	
0 d d -	48.335	6.896	4.207	1.584	9.022	6.524	4°088	1.720	9.421	7.196	5.049	2.985	1.009	9.126	7.340	5,656	4.07B	2.610	1,256	0.020	.905	.911	.042	.294	.656	.150	.739	.420	.182	.013	·899	.830	.790	.835	.927	.059	.229	.428	.647	.880	,122	.368	
TO X	.210215	014137	1663	89944	.78902	.68467	.58579	.49195	.40240	.31703	.23539	.15718	.08215	.01008	04096	7418	R1013	4860	1968	63322	7952	52869	46093	3645	39547	35814	2452	29456	26810	244 RB	22459	0687	17781	15533	13761	12337	111176	10216	9414	08735	53	7650	
2	3	3		731	5	376	226	092	97	86	11	969	628	573	52	498	478	472	47	065	535	58	652	734	933	948	077	218	369	527	5.8	853	178	6 9 2	789	067	32	555	16	924	062160	275	
D FN	9576E	9336E+0	.28880E+02	8424E+0	7966E+0	7506E+0	7043E+0	26576E+0	26102F+0	5622E+0	5133E+0	4635E+0	24126E+0	3604E+0	23069E+0	2519E+0	1952E+0	1368E+0	0765E+0	20142E+0	9501E+0	9841E+0	18165E+0	17477E+0	167816+0	6083E+0	5393E+0	14714E+0	4052E+0	3436E+0	128435+0	2285E+0	1276E+0	0404E+0	6499E+0	968E+0	429RE+0	9358E+0	0346+0	1225E+0	7849E+0	837E+0	
⊬¥	94.74	00.00	10.00	20.00	30.00	40.00	50°00	00.09	70.00	80°00	90°06	00.00	10.00	20.00	30.00	40°00	20.00	00.09	20.00	80.00	00°06	00.00	10.00	20.00	30.00	40.00	20.00	60.00	70.00	80.00	00.06	00.00	20.00	40.00	60°00	80.00	00.00	20.00	40.00	60.00	0	00.00	

S E C	477	9	2	0	5	S	8	3	N	0	9	3	0	~	4	-	8	(1)	N	-	5	N	0	-	30	N	0	8	-	5	4	3	-	0	0	0	0	0	0	0	0	0
E E	2 1	2 1	2 1	2	1	1 1	1 1	1	1 1	1 1	1 1	1	0 1	0 1	0 1	0 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F	229E-	823E-	7186-	484E-	11356-	<b>558E-</b>	338E-	1956-	242E-	479E-	-3006	487E-	022E+	210E+	412E+	634E+	882E+	168E+	2487E+	737E+	024E+	3315E+	3606E+	896E+	4183E+	4465E+	743E+	5012E+	2746+	5527E+	771E+	6006E+	446E+	6849E+	72146+	544E+	7843E+	112E+	8354E+	.8572E+0	8769E+	945E+
CP J/MOL/K		6.5	2.9	6.8	2.9	9.9	6.3	0.9	5.5	2.0	4.4	3.7	3.0	2 .3	1.7	1,3	1.6	3.6	9.9	1.9	8.3	6.8	6.0	505	5.0	4.5	4.0	3.3	2.5	1.5	9°0	6.3	6 ° 8	4.5	2.3	4.0	8.8	7 . 4	6.2	5 .1	4.2	3 . 4
0	43.99	3.9	3.7	3 ° 4	2 ° 9	2 ° 3	1.5	9.0	9.5	8.3	7 00	9.6	4.2	2 . 7	1.2	0.0	9.3	0.4	2.4	6.8	2.4	0.1	8.5	704	6.6	6.0	5.5	5.1	4 . 8	4.5	4.3	4.2	3.9	3.8	3.7	3.7	3.7	3.8	3.9	4 . 1	4 . 2	4 . 4
/MOL	68	11,32	14.57	17.68	20.65	23.49	26.20	28.80	31.28	33.66	35,93	38,10	40.18	42.17	44.08	45.92	47.70	40.45	51,31	53.67	55.75	57.71	59.60	61.42	63.19	64.92	65.58	68.20	69.77	71.29	72.75	74.17	76.84	79.32	81.62	83.78	85.80	87.71	89.51	91.23	92.85	94.45
_	1468.5	745.	401.	065.	736.	412.	092。	771.	4440	100.	759.	393。	011.	9614.	0210.	0810.	1428.	2087.	2010.	3663.	4461.	5237.	6001.	6758.	7511.	8259.	9002.	9739.	0469.	1189.	1899.	2598.	3960.	5274.	<b>5542</b> °	7771.	8964°	0127.	1264.	377.	3470.	4546.
£	118.7	386。	022.	6630	312.	965.	521.	274.	925.	558.	180.	783.	368.	937.	4.61°	057.	633.	0247.	0630	1722.	2463.	3177.	3874.	4559°	5234.	5899.	6552	7194.	7823.	8439.	9039.	9626.	0754.	1826.	2849.	3830.	4774.	5689°	6579.	47.	8299.	9136.
	301	0.148	5.481	2 . 8 80	0.342	7.868	5.458	3.114	0.840	8.639	6.515	42409	2.519	0.655	8.886	7.216	5.649	4.189	2.838	1,598	0.471	.458	.558	.770	.089	.511	.029	.535	.319	.071	. 883	.744	.586	.541	.570	.645	.751	. 887	.049	.233	.434	.647
A d M	22516	.16964	.04481	.92761	.81726	.71306	.61442	.52081	.43178	.34693	.26591	.18843	.11423	.04310	748P	90944	84667	78653	72900	57410	62190	57247	52593	8240	44199	40478	7078	33997	1224	28741	26528	24561	21261	18647	16556	14850	13464	2300	11318	10482	9164	9142
	293	8170	106	7661	442	252	078	922	783	559	249	454	371	305	544	199	167	145	139	144	162	193	238	297	368	452	6548	959	169	891	018	149	415	678	931	172	398	8509	904	.89835	147	295
DEN MOL/L	9633F+0	29442E+0	2E+0	28542E+0	8092E+0	7641E+0	7187E+0	26730E+0	626RE+0	25801E+0	25327E+0	24846E+0	4356E+0	23856E+0	23345E+0	2823E+0	2289E+0	1741E+0	1180E+0	0605E+0	0018E+0	1941RE+0	BRORE+0	8190E+0	7568F+0	16945E+0	6326F+0	157166+0	15121F+0	145446+0	3988E+0	13458E+0	12476E+0	1603E+0	08316+0	0150E+0	5474E+0	90131F+0	53796+0	F + 0	7345E+0	39346+0
⊬×	95.75	00.00	210.000	20.00	30.00	40.00	50.00	00.09	70.00	80.00	00.06	00.00	10.00	20.00	30.00	40.00	50.00	00.09	70.00	80°00	00.06	00.00	10.00	20.00	30.00	40.00	50.00	90°09	70.00	80°00	90.00	00.00	20.00	40.00	00.09	A0.00	00.00	20.03	40.00	0.00	90.00	00.00

Table 14. Continued.

HYDRUGEN SULFIDE ISOBAR AT P = 45.00000 MPA

S 4 4 4 6 6 7 4 9 6 4 4 9 6 4 4 9 6 4 9 9 6 4 9 9 6 9 9 9 9	1343 1310 1278 1217 1217 11188 11199 11194	24491647	00000000000000000000000000000000000000	50010000000000000000000000000000000000
F/ 325E-0 779E-0 529E-0 320E-0	1513E 2270E 3096E 54103E 55592E 65592E 11357E 11569E	806+0 806+0 806+0 256+0 016+0 816+0 426+0	020E+0 295E+0 295E+0 831E+0 090E+0 984E+0 826E+0	674E+0 069E+0 392E+0 703E+0 986E+0 242E+0 674E+0 675E+0
25.00.00	666.00 666.00 666.00 667.00 667.00 667.00 667.00 667.00 667.00	400 HW 0 00	W B B C O C C C C C C C C C C C C C C C C	-0100040F0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		0000044444 000100000000000	3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
/MJL/ 09.98 11.06 14.31 17.40	123.200 125.904 128.488 130.958 133.317 135.571 137.723 141.744 141.744	55 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	62.26 63.92 653.92 657.03 770.00 771.49	77.42 80.21 80.21 84.35 84.37 86.28 86.28 89.81
1/40 652 8653 1180 848	4553.0 51999.9 5845.6 6545.5 7205.2 7205.2 7205.2 7205.2 7205.2 7205.3 7205.3 7205.3 7205.3	1408. 2113. 2830. 3657. 5190. 5931.	3901 1112 5526 6627 6607	4434. 6190. 7412. 8603. 9766. 2026. 3128.
J/MG 136. 340. 972. 553.	2902.0 3552.0 4201.3 4842.7 5442.7 56872.7 7858.0 7858.0 7858.0 7858.0 7858.0 7858.0	74/00 00741. 1515. 2237. 2930. 4268.	9920 1991 1991 1990 1990	1355 2392 33792 5258 5160 7062 7062
0P/D 0.259 0.259 0.386 6.739 4.159	-48400000HWF-	5.1.4 4.36.718 3.123 11.985 0.985 0.030	00000000000000000000000000000000000000	08170
0P/D MPA/ .23976 .19748 .07253 .95528	1.740861 1.642400 1.549049 1.460355 1.375920 1.295402 1.295402 1.074610 1.007231	660,000 711,58 711,58 660,44 61201 52348	46350 44642 41224 38093 38539 30550 26502 24599	1068 9311 7366 7369 7369 7369 1418 0579
2112 120 120 120 120 120 120 120 120 120	10777777799	2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	66911 77691 77696 77696 77696 77696 77696 77696 77696	81547 83560 83560 83560 83163 83163 8318 8318
MGL/ 9688640 9544640 9100640 9657640	273751 27326 26878 26427 25971 25511 2554 24571 24090 23102	22075E+0 22075E+0 21010E+0 20464F+0 10909E+0 10347E+0	18211E+0 17642E+0 117077E+0 116518E+0 115970E+0 116415E+0 114415E+0	20146+0 118486+0 118486+0 05376+0 05376+0 48106+0 02946+0 52086+0
96.76 00.00 10.00 30.00	240.000 270.000 270.000 270.000 270.000 310.000 340.000	20000000000000000000000000000000000000	740 740 740 740 740 740 740 740 740 740	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

	150	4	3	4	3	36	3	30	2	2	2	18	2	33	10	90	0	00																								548	
F / P	452E-	768E-	3966	7246E-	093E-	588E-	230E-	036E-	016E-	5172E-	494E-	<b>-389</b>	578E-	131E+	1319E+	152364	753E+	2018E4	2314E4	546E4	2813E4	3085E+	357E4	631€+	902E+	4172E+	438E+	4699E+	954E+	203E+	445E+	680E+	6127E+	541E+	923E+	7275E+	296E+	989E+	156E+	8399	8622E+	8823E+	
10	66.1	6.2	6.4	4.9	6.3	6.1	5.8	5.3	4.8	4.1	3,3	2.5	1.6	7.0	6.6	9.3	9.3	1.0	3.7	9.6	4.7	2.9	1.8	0.1	0.3	9.6	9.2	3.7	3.1	7.4	5 . 7	5.0	6.5	5.9	1.3	6.6	3.6	.5	5.5	9.6	6	. 6	
01	44.0	3.9	3.7	3.4	2.9	2.3	1.5	9.0	9.6	8.4	7.1	5.7	4.2	2.7	103	0.0	9.6	0.5	2.5	6.9	2.5	0.1	8.6	7.5	6.7	6.0	5.3	5.1	4.8	4.6	4.04	4.2	4.0	3.9	3.8	3.8	3.9	4.0	4.1	4.3	4 . 5	34.70	
HOL	10.01	10.01	14.05	17,14	20.09	22,91	25.60	28.18	30.63	32.98	35,22	37,35	36.39	41,33	43.19	44.97	45.69	48.38	50,16	52.44	54.43	56.29	58.09	59,80	61.46	63.07	64.64	66.15	67.62	60.69	70.44	71.78	74.34	76.74	19.00	81,13	93.14	85.05	86.86	88.58	90.23	1.81	
E#/	836	981.	635.	295.	962.	634.	308.	981.	648.	303.	. 446	567.	172.	761.	0341.	0921.	1518.	2152.	2857.	3670.	4434.	5172.	5896.	.6099	7316.	8017.	8712.	9403.	0087.	0765.	1436.	2100.	3406.	4680.	5923.	7136.	8322.	9483.	0523.	1744.	2849.	41.	
E CE	155.5	95.	23.	557.	197.	842.	487.	131.	766.	390.	966	586.	154.	705.	243.	781.	332.	918.	0571.	1331.	2037.	2714.	3372.	4017.	4650.	5274.	5888.	6443.	7088.	7574.	8249.	8814.	9913.	0973.	1995.	2983.	3941.	4873.	5783.	6675.	7551.		
0 / 40 -L / MQ	51.209	0.511	7.9A2	5.422	2.927	0.497	8.131	5.832	3.602	1.443	9.360	7.357	5.436	3,603	1.860	0.211	8.659	7.206	5.854	4.604	3,457	2.411	1.465	0.518	.865	.202	.625	,126	.700	.340	.039	.790	.425	.201	.082	.040	.054	107	.189	. 290	605	. 70	
A d	.25403	.22492	.09981	.9R248	.87214	.76810	.66977	.57661	.48918	.40408	.32397	4754	.17456	.10490	.03809	97429	1329	R5500	9939	74641	9096	4836	0331	6094	2127	8430	5001	41836	9656	6262	3830	1616	7777	4614	2002	19834	8020	16488	15183	4061	13086	.122383	
7	.0223	143	80	501	228	98	760	560	.83798	21P	.80733		830	.77309	949	572	511	46	428	404	39	39	40	2	.74551	49	54	.75056	57	.77449	.78226	406	0	256		.86118	78	8942	9006	9237	9371	.94973	
DEN MOL7L	9742E+0	9644E+0	E+0	8769E+0	332E+0	996E+0	459F+0	020E+0	579E+0	134E+0	685E+0	232E+0	1773E+0	30 BE +0	1837E+0	1358E+0	873E+0	379F+0	21879E+0	371E+0	1857E+0	20337E+0	0136+0	9285E+0	3757E+0	3229E+0	7705E+C	7186E+0	5676E+C	5176E+C	5689F+C	521 F E + C	4317E+0	348BE+C	2729E+0	2040F+(	1414E+C	0847E+(	0332E+0	637E+0	4364E+	045	
<b>⊢</b> ¥	7.76	00.00	00.01	00.00	30.00	00.04	50.00	00.00	00.07	90.00	90.00	0.00	10.00	20.00	30.00	00.04	50.00	50.00	70.00	90.00	00.00	00.00	10.00	20.00	30.00	40.00	50.00	20.00	70.00	30.00	30.06	00.00	20.00	40.0	60°0	80.3	0.00	20.05	40.0	60.09	0.0	00.0	

4	7	1515	51	47	44	41	38	35	32	29	26	23	20	18	16	13	11	08	03	3	Θ	9	3	2	0	Θ	9	3	2	0	Θ	~	9	m	_	0	0	8	~	~	~	~	~
	E	02	785E-02	608E-02	242E-02	090E-01	1579E-01	213E-01	006E-01	3969E-01	1036-01	398E-01	841E-01	414E-01	111E+00	294E+00	1493E+00	717E+00	975E+00	264E+	491E+	752E+	017E+	284E+	552E+	819E+	083E+	346E+	603E+	856E+	1046+	345E+	579E+	026E+	444E+	831E+	1896+	517E+	818E+	094E+	346E+	577E+	787E+
2	7		6.1	6.2	6.2	6.1	5.9	5.5	5.0	404	3.7	2.9	2.0	1.1	0.1	9.5	8 . 5	8 ° 4	0.0	2.6	7.5	3.5	1.5	0,3	9.6	8.8	8 . 2	7.6	7.1	6.5	6.0	5.4	4.7	304	2.1	0.8	9.5	8.4	7.3	4.9	5.6	609	4 . 3
2	70	44.02	0.4	3。8	304	2.9	2.3	1.6	0.6	9.6	8.4	7.1	5.7	4.3	2.8	1.3	0.1	9°6	0.5	2.6	6.9	2.5	0.2	8 <b>.</b> 6	7.5	6.7	6.1	5.6	5.2	4.8	4°0	404	4.2	4.0	3.9	3°0	3.9	4.0	4.1	4.2	4 . 4	4.5	4.7
Č	1001	15	10.56	13.79	16,88	19.82	22.63	25.32	27.88	30,33	32.66	34.88	37.00	39.02	40.95	45.78	44.54	46.24	47.90	40.65	21.90	53.86	55.69	57.44	59,13	60.75	62.33	63.85	65.34	66.77	68.17	69.53	70.84	73.36	75.73	77.96	80.07	82.07	83.97	85.78	87.50	89.15	90.74
•	E > 7	2020.8	001	753	411	076	146	418	088	752	404	041	660	259	843	0415	0988	1577	2202	2896	3698	4450	5115	5884	6583	7275	796C	8639	9313	9985	0645	1302	1953	3235	491	5720	9269	8103	9261	0399	1520	2626	3719
1	J m	174.9		76.	507.	143.	783°	425.	063.	969	312.	914.	495.	056.	599°	129.	658.	199.	775.	0416.	1164.	1857.	2520.	3165.	3795.	4415.	5024.	5624.	6216.	6799.	7373.	7937.	8493.	9578.	29.	1646.	2633.	3593.	4529.	5444.	6342°	7224.	8094.
0740	77-47	~	1.824	9.212	6.670	4.195	1,784	9.439	7.160	69609	2.810	0.744	8.757	6.851	5.030	3.298	1.657	0.110	8.659	7.305	6 ° 0 4 9	4.892	3.832	2.868	1.997	1.217	0.522	.910	.373	.906	.504	.160	.858	.419	.117	.927	. B24	.786	.796	. R43	.916	<b>.</b> 009	.117
TOLAG	d L	26799	.25197	.12669	.00925	.89896	.79484	.69658	.60356	.51534	.43150	.35171	.27566	.20312	.13385	.06768	95500°	20446	88642	3145	77910	72936	8219	3761	59550	5616	1926	4848B	5297	2345	9623	37121	4825	30798	7431	4614	22249	0253	8556	17103	5848	4757	13802
7			1120	.0747	.0412	110	837	591	368	167	.89863	823	577	241	435	332	2	170	109	090	022	966	985	977	98	666	023	056	66	145	19	N	32	45	02	750	897	.90411	179	31	435		949
9 5	AL III	ЭE+	9742E+0	9309E+0	8877E+0	8447E+0	8018E+0	75886+0	7157E+0	4725E+0	6290E+0	5852E+0	5410E+0	4964E+0	4514E+0	4058E+0	3597E+0	3131E+0	265BE+0	2181E+0	169PE+0	1210E+0	0718E+0	0224E+0	972BE+0	32E+0	8737E+0	245E+0	7759E+0	279E+0	5809E+0	634RE+0	5899E+0	5041E+0	4240E+0	0+366	2818E+0	194E+0	623E+0	11016+0	622F+0	2E+0	783E+0
<b>⊢</b> 3		8.76	00.00	10.00	20.00	30.00	40.00	50.00	00.09	70.00	80°00	90.00	00.00	10.00	20.00	30.00	40°00	50°00	90.09	70.00	80°00	00.06	00.00	10.00	20.00	30°00	40.00	50.00	460.000	70.00	80.00	00°06	00.00	20.00	0000	00.09	A0.00	000	20.00	40.00	0000	80.00	00.00

S E																																										
	2 1	2 1	2 14	2 14	1 14	1	1 13	1 13	1 13	1 1	1 12	1 12	1 12	11	11	11	11	01 0	6	6	6	8	8	8	8	8	7	7	7	7	7	9	9	9	9	9	9	9	9	80	5	5
F/	790E-	824E-(	656E-	297E-	1095E-	583E-(	213E - (	000E-	3954E-(	075E-	354E-(	7775E-0	9324F-0	099E+C	1279E+0	1475E+C	1695E+C	1949E+C	2232E+0	484E+C	2712E+0	2972E+0	3235E+0	0+3664	3761E+0	4023E+0	4282E+0	537E+0	788E+0	5034E+0	5274E+0	508E+0	956E+0	376E+0	6767E+0	129E+0	0+3595	772E+0	054E+0	313E+0	.8552E+00	769E+0
10	0.99	0.9	6.1	6.1	0.9	5.7	5 • 3	4 • B	4.1	3.4	2.5	1.6	0.6	9 ° 6	9 . 6	7 <b>.</b> 8	7.7	9°5	1.7	5.5	2 . 4	4.0	9.1	3 . 2	7.5	5.9	5.3	§ . 8	5 . 3	8	4.2	3 . 7	2 . 5	1.3	0.2	9.1	3.1	7.1	5.3	9 . 6	54.98	4 .
0	44.0	4.0	3.8	3.4	3.0	2.3	1.6	0.7	9.6	8.4	7.1	5.8	4.3	2 . B	1.4	0.1	9.5	0.5	2.6	7.0	2 . 5	0.2	8.7	7.6	6.7	5.1	5.6	5.2	4.9	4.6	4 . 4	4.3	4.1	6.0	3.9	0 . 4	0.4	4.1	4 0 3	4 . 4	34.67	6 . 9
/MOL	10.24	10.32	13.54	16.62	19,55	22.36	25.04	27.59	30.03	32.35	34.56	36.66	38.67	40.58	42.40	44.14	45.81	47.45	49.18	51.41	53,33	55.14	55.86	58,52	60.12	61.66	63.16	64.61	66.02	67.39	68.72	70.02	72.49	74.83	77.34	79.14	81.13	83.02	84.82	86.54	188.195	89.78
Σ	205	219.	871.	528.	191.	860.	529.	197.	858	507.	140.	755.	350°	928。	0495.	1062.	1643.	2260.	2945.	3738.	4480.	5194.	5892.	6578.	7257	7930.	8596.	9258	9913.	0564.	1210.	1849.	3112.	4351.	5568.	6761.	7934.	9087.	02220	1342.	32448.0	3541.
_	94.	.60	30.	458.	060	727.	364.	996	524.	238.	833.	.605	. 496	500.	022.	5430	076.	642.	0274.	1011.	1694.	2345.	2978.	3597.	4204.	4802.	5391.	5972.	6544.	7108.	7664.	8212.	92 B4.	0325.	1336.	2320.	32 PO.	4217.	5136.	6038.	26925.9	7801.
0 P / D	53.085	3.024	0.428	7.904	5.447	3.055	0.729	8.469	5.276	4.154	2.105	,133	3.240	5.431	4.707	3.073	1.530	08000	8.724	7.463	6.296	5.223	4.242	3.351	2.547	1.825	1.182	0.612	0.111	.672	.291	.962	0440	.067	.813	.652	.563	.529	.537	.579	7.5463	.732
Η×	.281652	.27865	.15317	.03559	.92513	.82109	.72287	.62995	.54187	.45824	.37870	1296	.23077	.16190	.09616	.03340	97350	91636	86199	1003	5074	71399	5976	62801	872	55197	1741	48528	45545	42774	40215	7852	33572	30134	7141	4604	22444	9640	19007	7523	418	5361
2	.2102	2092	.1684	.1317	.0986	.0686	.0415	.0170	999¢	47	99	C	57	26	11	110	322	147	8 5 B 4	33	93	565	8545	8538	339	8548	8566	99	523	6998	P	750	354	1696	9 0	.92093	329	44		99	.97669	862
D F N	847F+0	29837F+0	29409E+0	28983E+0	28559E+0	136E+0	7136+0	27289E+0	865E+0	26439E+0	26011E+0	25580E+0	146E+0	708E+0	24267E+0	1821E+0	23371E+0	2917E+0	22458E+C	21996E+C	1531E+0	21063F+C	20593E+C	20123E+C	9653E+C	9185E+(	187206+0	9260E+C	7806E+	7359E+(	6922E+(	4 E + (	5672E+(	4900E+	41795+(	3510E+(	2892F+(	12322E+(	7976+(	11312F+(	10A65E+	+
<b>  ⊻</b>	9.76	00.0	00.0	0.00	0.00	00.0	0.00	00.00	0.00	0.00	00.00	000	0.00	00.0	00.00	0000	00.00	00.00	70.07	30.05	00.00	00.00	10.00	20.05	30.00	40.00	50.00	50.00	70.00	90.00	90.00	00.00	20.00	40.0	50.0	RO.0	0.00	20.05	40.0	60.04	680.000	00.0

Table 14. Continued.

HYDROGEN SULFIDE ISTRAR AT P = 55.00000 MPA

L	V F	54	51	47	44	4 1	38	36	3	30	28	25	23	2.1	18	16	13	60	66	4	3	_	897	~	2	3	_	0	8	9	3	3	0	8	~	5	4	3	2	2	2	-
F / P		001E-0	737E-0	+00E-0	1076-0	397E-0	227E-0	014E-0	646-0	380E-0	350E-0	760E-0	295E-0	0+3+6	272E+0	166E+0	83E+0	934E+0	214E+0	434E+0	687E+0	945E+0	.3205E+00	466E+0	726E+0	985E+0	242E+0	495E+0	745E+0	04906	229E+0	463E+0	9116+0	333E+0	727E+0	094E+0	433E+0	746E+0	034E+0	299E+0	544E+0	767E+0
1		5 . 9	6.0	6.0	5 .8	5.5	5.1	4.5	3.9	3.1	2.2	1.2	0.2	9.1	9.1	7.3	7.0	8.5	0.9	5.7	1.5	9.5	68.19	7.2	6.9	5.8	5.3	4.8	4.3	3.8	3 • 3	2.8	1.7	0.7	4.5	8.7	7.8	6.9	6.2	5.5	4.9	4.4
1	70	0.4	3.8	3.5	3.0	2.4	1.6	0.7	9.6	8.5	7.2	5.8	4.3	2.8	1.4	0.1	9.5	0.6	2.6	7.0	2.6	0.3	38.76	7.6	6.8	6.1	5.6	5.2	6.4	4.7	4.5	4 • 3	4.1	4.0	4.0	4.0	4.1	4.2	4.3	4.5	4.7	6.4
6	/ MOL /	10,33	13,30	15.37	19,30	22.10	24.77	27.31	29.74	32.05	34.25	36,34	38,33	40.23	42.03	43.75	45.41	47.03	48.74	50.94	52.85	54.63	156.335	57.95	59.54	61.05	62.53	53.96	65.35	66.70	68.01	69.28	71.72	74.04	76.23	78.30	80.28	82.16	83.96	95.68	87,33	88.91
•		380°	989.	645.	307.	973.	641.	307.	965.	611.	241.	A52.	4430	0017.	0579.	1140.	1715.	2325.	3003.	3788.	4521.	5226.		6591.	7259.	7921.	8577.	9228	9R73.	0514.	1149.	1780.	3026.	4250.	5455.	6639	7805.	8952.	0084.	1202.	2307.	3401.
2		15.	86.	410.	040	673.	306.	936.	55 B.	166.	757.	327.	876.	406.	922.	435.	960.	518.	0142.	0870.	1543.	2185.	12808.7	3417.	4015.	4603.	5182.	5753.	6316.	6872.	7420.	7961.	9021.	0053.	1058.	2039.	2997.	3935.	4855.	5760.	6651.	7531.
•	-L/MU	4.011	1.632	9.124	4.684	4.310	2.002	9.759	7.584	5.478	3.444	1.486	9.605	7.806	6.091	4.463	2.923	1.473	0.115	8.848	7.673	6.588	205	4.683	3.857	3,111	2.44]	1.843	1,311	0.841	0.428	990.0	.47B	.043	.730	.514	.376	.298	.269	.277	.315	•377
10/40	A A E	.29501	.17928	.06155	96036	.84689	.74847	.6 5 8 1	6783	.48435	.40501	.32952	.25760	.18905	.12356	.06127	.00176	94501	4606	3946	9053	4410	012	5856	1938	58254	54799	1568	8553	2747	3140	0722	6412	2728	9583	6883	4586	2598	0877	9379	8067	6911
7		.3023	.2616	.2217	.1856	.1530	.1214	.0966	0723	.0503	.0303	.0123	096	814	5 R 3	568	995	177	301	237	184	145	.91108	980	375	110	910	085	102	125	153	186	262	64E	244	539	537	733	927	917	0003	.00A5
NHO	<b>AUL</b>	9898E+0	9507E+0	908EE+0	8667E+0	8250F+0	7834E+0	7417E+0	7000E+0	6583E+0	6163E+0	5742E+0	5319E+0	4893E+0	4454F+0	240316+0	3596E+0	3157E+0	27166+0	2272F+0	1825F+0	13776+0	209286+0	04B0E+0	20032E+0	19586E+0	19144E+0	1870£E+0	182736+0	17847F+0	17430E+0	17020E+0	16231E+0	5485E+0	4784E+0	4129E+0	3520E+0	2955E+0	2430E+0	19446+0	1493E+0	4 E + 0
<b>←</b> 2		00.76	10.00	20.00	30.00	40.00	50.90	60.00	70.00	80.09	00.00	00.00	10.00	20.00	30.00	40.00	50.00	40.00	70.00	80.00	00.06	00.00		20.00	30.00	40.00	20.00	00.09	70.00	90.00	00°66	00.00	20.00	40.00	90.09	A0.00	00.00	20.00	40.00	60.00	BO.00	00.00

-	י ר	1526	4	3	4	4	37	3,5	33	3	27	2	23	7	13	16	12	0	~	vO.	-	$\sim$	$\mathbf{c}$	œ.	~	10	ന	-4	Cr.	9	-0	-0	O.I.	$\sim$	$\alpha$	-	-0	10	10		
F/P	24.25-0.2	.4846F-02	7547E-0	126E-0	1620E-0	254E-0	044E-0	997E-0	1136-0	381E-0	788E-0	316E-0	096E+0	272E+0	465E+0	681E+0	929E+0	208E+0	425E+0	677E+0	933E+0	1 90 E+0	649E+0	707E+0	965E+0	221E+0	4473E+0	722E+0	366E+0	205E+0	439E+0	388E+0	311E+0	708E+0	178E+0	+22E+0	739E+0	332E+0	303E+0	552E+0	780E+0
	7 7 7	65.03	5 . 8	5 . 7	5.3	4 . 9	6 ° 4	3.6	2.8	1.9	6.0	9 . 8	9.7	7.6	6.7	6.4	7.9	0.3	6.4	0.8	8.7	7.3	5.3	5.6	6.4	4.4	3.9	3.4	2 ° 9	2 . 4	2.0	0.1	1.0	9.2	3 . 3	7.5	5.7	5.0	9.0	6	4 . 4
=	7 7 7 7	43.87	3 . 5	3.0	2.4	1.6	0.7	9.7	8.5	7.2	5 º B	4 . 3	2 . 9	1.4	0.2	9.5	0.6	2.7	7.0	2.6	0.3	8.8	7.7	6 ° 8	6.2	5.7	5 . 3	2.0	4.7	4 • 5	4 . 4	4 . 2	4.1	0.4	4.1	4.1	4.3	4.4	4.6	4 . 8	5.0
2	10 62	113.064	16.13	19.05	21.84	24.50	27.04	29.45	31.75	33.94	36.03	38.01	39.89	41.68	43.38	45.02	46.63	48.32	50.51	52.39	54.16	55 . 84	57.45	29.00	60.50	61,95	63.36	64.73	66.05	67.36	68.62	71.03	73.32	75.49	77.55	79.51	81,39	83.18	84.90	86.54	88.13
I		3108.2	763	423.	088.	754.	418.	074.	717.	3440	952.	9539.	0100.	0666.	1222.	1792.	2396。	306e.	3846.	4572.	5268.	5948.	6617.	7277	7929.	8576.	9218.	9855.	0487.	11114.	1737.	2968.	4180.	5374.	6546.	7708.	8851.	9979.	1094.	197.	3290.
_	. 4	743.5	364.	.066	620.	250.	876.	404	098.	684.	249.	92.	316.	826.	333°	852.	402.	0018.	0738.	1404.	2038.	2652.	3252.	3841.	4421.	4992.	5555.	5110.	6659.	7200.	7735.	8784.	9808	0807.	1783.	2739.	3677.	4598.	5504.	398.	7281.
0740	54 023	52.8249	0.332	7.908	5,551	3.259	1.033	8.874	6.783	4.764	2,818	0.949	9.160	7.452	5.829	4.292	2.842	1.482	0.210	9.026	7.930	6.920	5.994	5.149	4.382	3.688	3.064	2.505	2.007	1.564	1.173	0.527	0.035	9.668	.402	.217	.098	.031	.006	.015	.050
DP/07	2000	500	.08713	.97643	.87226	.77402	.68117	.59326	.50989	.43070	.35539	.28370	.21539	.15028	.08819	•02899	97256	91880	86762	81896	77276	72897	68755	64843	61159	7695	54447	51406	48566	45918	3453	39032	35222	1942	29117	6677	4563	2723	1113	6696	8450
2	2022	7	.3111	.2721	.236₽	.204B	.1757	.1492	.1252	.1034	.0836	0	.0495	0340	.0219	.0103	.0001	911	834	768	-	9990	634	508	591	581	578	83	.95921	607	9	676	.97384	808	982	959	.0034	.0112	.01R	0257	.032
DEN	042640	60 3 E + 0	29197E+0	28773E+0	28361E+0	951E+0	541E+0	27131E+0	25721E+0	26310E+0	898E+0	25484E+0	0.068E+0	650E+0	24230E+0	23808E+0	23393F+0	22956E+0	2528E+0	22098E+0	21667E+0	21235E+0	20806E+0	20377E+0	19950E+0	9527E+0	9107E+C	3693E+0	8285E+C	17885E+0	7492E+C	5732E+(	501CE+C	5328E+(	46ABE+C	14089E+C	3530E+0	13009E+C	12523F+(	2070F+0	548F+(
<b>⊢</b> x	1 74	210,000	00.0	0.00	0.00	0.00	0000	00.0	00.0	0.00	0000	0	0.00	0000	0000	00.0	0000	00.0	00.00	00.00	00.00	0.00	0.00	00.00	0.00	0000	00.00	0.00	30.00	00.00	00.00	0.00	00.04	50.00	30.06	00.00	20.05	10.01	50.00	90.08	00.00

Table 14. Continued.

HYDROGEN SULFIDE ISPBAR AT P = 75.00000 MPA

A	0 7 7 8 8 9 9 9 9 9 9
6 / P   P   P   P   P   P   P   P   P   P	11/4/16 4/4/3/3/3/3/3/3/3/3/3/3/3/3/3/3/3/3/3/3
1 0 0 0 0 0 0 0 0 0 0 0 0 0	
11100 11100 1100 1100	668.01 772.668.01 774.86.00 776.86 776.86 778.86 80.66 80.66 80.66 80.66 80.66 80.66 80.66 80.66 80.66 80.66 80.66 80.66
10000000000000000000000000000000000000	11715 1715 1715 1715 1763 1763 1763 1716 1716 1716 1716 1716
1111950814.5 115417.8 115417.8 115417.8 115417.8 115417.8 115417.8 115417.8 115417.8 115417.8	7.000 7.000 7.000 7.000 7.000 7.000 7.000 7.000 7.000 7.000 7.000 7.000 7.000
MAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	7.000 0.000
20000000000000000000000000000000000000	446063 446063 347574 411777 2647177 26636 27823 19934 19934
10.00514 10.00514 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516 10.00516	
29996 E + 0 2 2 9 9 9 6 E + 0 2 2 9 9 9 6 E + 0 2 2 9 9 9 6 E + 0 2 2 9 9 9 6 E + 0 2 2 9 9 9 6 E + 0 2 2 9 9 9 6 E + 0 2 2 9 9 9 6 E + 0 2 2 9 9 9 6 E + 0 2 2 2 9 9 9 6 E + 0 2 2 2 9 9 9 6 E + 0 2 2 2 9 9 9 6 E + 0 2 2 2 9 9 9 6 E + 0 2 2 2 9 9 9 6 E + 0 2 2 2 9 9 9 6 E + 0 2 2 2 9 9 9 6 E + 0 2 2 2 9 9 9 6 E + 0 2 2 2 9 9 9 6 E + 0 2 2 2 9 9 6 E + 0 2 2 2 9 9 6 E + 0 2 2 2 9 9 6 E + 0 2 2 2 9 9 6 E + 0 2 2 2 9 9 6 E + 0 2 2 2 9 9 6 E + 0 2 2 2 9 9 6 E + 0 2 2 2 9 9 6 E + 0 2 2 1 9 9 9 6 E + 0 2 2 1 9 9 9 6 E + 0 2 2 1 9 9 9 6 E + 0 2 2 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1791857 17791857 17791857 17791857 1582167 1596667 1466867 1466667 1353967 1266667 12180667 12180667
7 202.765 210.000 220.000 220.000 250.000 250.000 350.000 310.000 310.000 310.000 310.000 310.000 310.000 310.000 310.000 310.000 310.000 310.000 310.000 310.000 310.000	00000000000000000000000000000000000000

U.S. DEPT, OF COMM.			
DIDL IOODADIIIO DATA	1. PUBLICATION OR REPORT NO.	2. Performing Organ. Report No.	3. Publication Date
BIBLIOGRAPHIC DATA SHEET (See instructions)	NBSIR 83-1694		October 1983
4. TITLE AND SUBTITLE	1 1051K 03-103+		
HYDROGEN SULFIDE PE TO 75 MPa	ROVISIONAL THERMOPHYSI	CAL PROPERTIES FROM 18	88 TO 700 K AT PRESSURES
5. AUTHOR(S)			
Robert D. Goodwin			
6. PERFORMING ORGANIZA	TION (If joint or other than NBS	, see instructions)	7. Contract/Grant No.
NATIONAL BUREAU OF	STANDARDS		
DEPARTMENT OF COMMI WASHINGTON, D.C. 2023	ERCE		8. Type of Report & Period Covered
9. SPONSORING ORGANIZAT	TION NAME AND COMPLETE A	DDRESS (Street, City, State, ZIF	9)
Gas Research Instit	ute		
8600 West Bryn Mawr			
Chicago, Illinois 6	0631		
10. SUPPLEMENTARY NOTE	S		
Document describes a	a computer program; SF-185, FIP	S Software Summary, is attached	
11. ABSTRACT (A 200-word of bibliography or literature		significant information. If docum	nent includes a significant
	• •	lfide are derived from	n physical proportios
			lated along isobars at
		vapor pressures, ortho	
		of state, the ideal ga	
		vatives of the $P(\rho,T)$	
		ries, entropies, speci-	ric nears, rugacity
	rnal energies, enthalp		. Thermofunctions by
coefficients, speed	ds of sound, and the J	oule-Thomson inversion	n. Thermofunctions by
coefficients, speed		oule-Thomson inversion	n. Thermofunctions by
coefficients, speed	ds of sound, and the J	oule-Thomson inversion	n. Thermofunctions by
coefficients, speed	ds of sound, and the J	oule-Thomson inversion	n. Thermofunctions by
coefficients, speed	ds of sound, and the J	oule-Thomson inversion	n. Thermofunctions by
coefficients, speed	ds of sound, and the J	oule-Thomson inversion	n. Thermofunctions by
coefficients, speed	ds of sound, and the J	oule-Thomson inversion	n. Thermofunctions by
coefficients, speed	ds of sound, and the J	oule-Thomson inversion	n. Thermofunctions by
coefficients, speed	ds of sound, and the J	oule-Thomson inversion	n. Thermofunctions by
coefficients, speed another author are	ds of sound, and the d compared with present	oule-Thomson inversion results.	
coefficients, speed another author are	ds of sound, and the discompared with present	oule-Thomson inversion results.	separate key words by sem coloms
coefficients, speed another author are	ds of sound, and the S compared with present	oule-Thomson inversion results.  pitalize only proper names; and on of state: fugacities	separate key words by semicoloms es: heats of vaporiza-
coefficients, speed another author are another author are densities; enthalpotentian, bydrogen substitution, bydrogen substitution.	ds of sound, and the discompared with present compared with present ies; entropies; equatifies; isochor	oule-Thomson inversion results.  pitalize only proper names; and on of state; fugacities: isotherms; Joule-	separate key words by sem colons es; heats of vaporiza- Thomson inversion; orth-
coefficients, speed another author are another author are densities; enthalpotentian, bydrogen substitution, bydrogen substitution.	ds of sound, and the discompared with present compared with present ies; entropies; equatifies; isochor	oule-Thomson inversion results.  pitalize only proper names; and on of state; fugacities: isotherms; Joule-	separate key words by semicoloms es; heats of vaporiza- Thomson inversion; orth- sures; virial equation.
12. KEY WORDS (Six to twelve densities; enthalpotion; hydrogen sultobaric densities; 13. AVAILABILITY	ds of sound, and the discompared with present compared with present ies; entropies; equatifies; isochor	oule-Thomson inversion results.  pitalize only proper names; and on of state; fugacities: isotherms; Joule-	separate key words by semicolors es; heats of vaporiza- Thomson inversion; orth- sures; virial equation.
12. KEY WORDS (Six to twelve densities; enthalpotention; hydrogen sultobaric densities;  13. AVAILABILITY  X Unlimited  For Official Distribut	re entries; alphabetical order; coinces; entropies; equatifide; isobars; isochorspecific heats; speeds	oule-Thomson inversion results.  pitalize only proper names; and on of state; fugacities; isotherms; Joule-is of sound; vapor press	separate key words by semicoloms es; heats of vaporiza- Thomson inversion; orth- sures; virial equation.  14. NO. OF PRINTED PAGES
12. KEY WORDS (Six to twelve densities; enthalpoint tion; hydrogen sultobaric densities;  13. AVAILABILITY    X Unlimited	re entries; alphabetical order; coinces; entropies; equatifide; isobars; isochorspecific heats; speeds	oule-Thomson inversion results.  pitalize only proper names; and on of state; fugacities: isotherms; Joule-	separate key words by semicoloms es; heats of vaporiza- Thomson inversion; orth- sures; virial equation.  14. NO. OF PRINTED PAGES
12. KEY WORDS (Six to twelve densities; enthalportion; hydrogen sultobaric densities;  13. AVAILABILITY    X Unlimited	ds of sound, and the discompared with present ies; alphabetical order; coies; entropies; equatifide; isobars; isochorspecific heats; speeds	oule-Thomson inversion results.  pitalize only proper names; and on of state; fugacities; isotherms; Joule-is of sound; vapor presument Printing Office, Washington	separate key words by semicolons es; heats of vaporiza- Thomson inversion; orth- sures; virial equation.  14. NO. OF PRINTED PAGES  175  15. Price
12. KEY WORDS (Six to twelve densities; enthalportion; hydrogen sultobaric densities;  13. AVAILABILITY    X Unlimited	re entries; alphabetical order; coinces; entropies; equatifide; isobars; isochorspecific heats; speeds	oule-Thomson inversion results.  pitalize only proper names; and on of state; fugacities; isotherms; Joule-is of sound; vapor presument Printing Office, Washington	separate key words by semicoloms es; heats of vaporiza- Thomson inversion; orth- sures; virial equation.  14. NO. OF PRINTED PAGES





